

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No: PHQ/CC/ 3362-45 of 2022-23 dated 31/08/2022
 DATE: 31/08/2022

NAME : Mukhtar Ahmad Zarger R/o Naidyar Srinagar

email: zergarmukhtar@gmail.com Cell No.9419095549

REGD. NO:337/A/CE/KCC/PDC/2001-02 ACCOUNT NO:0148010100002588 JK Bank Humhama

GSTN: 01AAFPZ8823M1Z7 PAN: AAFPZ8823M

Administrative Approval No. 49-DB of 2022 Dated 8/7/2022

Technical Sanction No. 94-DB of 2023 Dated 20-08-2022

Alloted Cost; Rs:- 8319080/= Rupees:- Eighty three Lakhs Nineteen thousands and Eighty only

Completion Time 120 Days

Name of Schemes:-Laying and fitting ,construction of slow sand filtration plant, Construction of sluice chamber , path WSS Nigeenpora Nard




References:1. Your tender received in response to E-NIT No.13 of 2022-23 ISSUED UNDER NO:PHQ/1384-99 Dated 13/06/2022 (Tender ID: 2022_PHE_173949_17) Corrigendum No. PHQ/CC/1620-28 dated:- 24-06-2022 and Corrigendum 2nd No: PHQ/CC/ 1680-88 Dated:- 27-06-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

| Sl. No. | Description of Work / Item(s) | Qty | Unit | Estd. Rate | Amount |
|---------|---|----------|------|------------|-----------|
| 1 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: | | | | |
| 1.01 | All kinds of soil | 1335.050 | Cum | 436.000 | 582081.80 |
| 1.02 | Ordinary Rock | 500.890 | Cum | 967.850 | 484786.39 |
| 2 | Extra for every additional lift of 1.5 m or part there of in excavation/banking excavated or stacked material. All kinds of soil. | 102.6200 | Cum | 81.650 | 8378.92 |
| 3 | Earthwork in surface excavation not exceeding 30cm in depth but exceeding 1.50 m in width incld. Disposal upto 25mtrs. | 660.000 | Sqm | 21.930 | 14473.80 |
| 4 | Engagement of labours for dismantling of existing structures | 150.0000 | no. | 503.000 | 75450.00 |
| 5 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | 987.1200 | Cum | 198.700 | 196140.74 |
| 6 | Laying and fitting of G.I. pipes (all classes) complete including cost of pipes specials but excluding cost of pipes and Earth work. | | | | 0.00 |
| 6 01 | 65 mm dia. G.I. pipes | 400.000 | Mtr | 73.050 | 29220.00 |
| 6 02 | 50 mm dia. G.I. pipes | 600.000 | Mtr | 40.800 | 24480.00 |
| 6 03 | 40 mm dia. G.I. pipes | 1000.000 | Mtr | 40.800 | 40800.00 |
| 6 04 | 25 mm dia. G.I. pipes | 1600.000 | Mtr | 30.650 | 49040.00 |
| 6 05 | 20 mm dia. G.I. pipes | 1000.000 | Mtr | 20.250 | 20250.00 |
| 6 06 | 15 mm dia. G.I. pipes | 1000.000 | Mtr | 20.250 | 20250.00 |
| 7 | Installation of house connections to unconnected household including providing and fixing of necessary pipe specials, Earth work at connection and Whatever Necessary. | 21.000 | No | 1500.000 | 31500.00 |

| | | | | | |
|-------|--|---------|------|-----------|-----------|
| | Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job. | | | | 0.00 |
| 8.01 | 100mm dia G I Pipes | 106.000 | Pair | 1500.000 | 159000.00 |
| 8.02 | 80 mm dia G I Pipes | 48.000 | Pair | 1100.000 | 52800.00 |
| 9 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | | 0.00 |
| 9.01 | 25 to 40 mm nominal bore | 20.000 | Each | 666.250 | 13325.00 |
| 9.02 | 50 to 80 mm nominal bore | 8.000 | Each | 1268.750 | 10150.00 |
| 10 | Providing and fixing of sluice valves (with cap) complete with bolts, nuts, rubbers insertions (the tails piece if required will be paid separately) confirming to IS 14846 read with latest amendments. | | | | 0.00 |
| 10.01 | 100 mm dia Sluice valve | 3.000 | No | 13164.000 | 39492.00 |
| 10.02 | 80 mm dia Sluice valve | 0.000 | No | 10815.000 | 0.00 |
| 11 | Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete (The tail pieces, tapers etc. if required will be paid separately). | | | | 0.00 |
| 11.01 | 80 mm dia | 2.000 | No | 6230.850 | 12461.70 |
| 11.02 | 50 mm dia | 2.000 | No | 5147.150 | 10294.30 |
| 12 | Providing and laying of dry stone solling tightly hand packed on horizontal levels | 54.9800 | Cum | 616.400 | 33889.67 |
| 13 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) | 42.560 | Cum | 4861.835 | 206919.70 |
| 14 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal) | 66.220 | Cm | 7800.760 | 516566.33 |
| 15 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, | 87.180 | Cum | 9408.135 | 820201.21 |
| 16 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, | 2.530 | cum | 9849.345 | 24918.84 |
| 17 | Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering | 4.490 | cum | 10404.515 | 46716.27 |
| 18 | P/L of cement concrete in 1:3:6 mix in filter drains | 45.520 | cum | 7269.185 | 330893.30 |
| 19 | Extra for water proofing compound to cement concrete works | 284.000 | kg | 57.900 | 16443.68 |

| | | | | | |
|-------|---|------------|-----|----------|------------|
| | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more | 14621.000 | kg | 91.138 | 1332528.70 |
| 21 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a | 370.000 | kg | 153.295 | 56719.15 |
| 22 | P/L of Baramulla stone slab incld. All carriages and laying complete job. | 909.160 | sft | 190.000 | 172740.40 |
| 23 | P/L of filter media of required size and quality from Ganderbal incld. All carriages complete job. | 110.590 | cum | 7000.000 | 774130.00 |
| 24 | Centering and shuttering including strutting, propping etc. and removal of form for: | | | | 0.00 |
| 24.01 | Foundations, footings, bases of columns etc. for mass concrete. | 61.930 | Sqm | 262.300 | 16244.24 |
| 24.02 | Walls (any thickness) including attached pilasters, buttresses, plinth and string | 882.450 | Sqm | 573.850 | 506393.93 |
| 24.03 | Suspended floors, roofs, landings, balconies and access platforms | 22.350 | Sqm | 635.600 | 14205.66 |
| 24.04 | Arches, domes, vaults upto 6 m span | 36.4800 | Sqm | 2086.800 | 76126.46 |
| 24.05 | Foundations, footings, bases of columns etc. for mass concrete. | 1.490 | Sqm | 52.460 | 78.17 |
| 24.06 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 26.950 | Sqm | 114.770 | 3093.05 |
| 24.07 | Lintel, beams, plinth beams, girders, bressumers and cantilevers. | 3.320 | Sqm | 100.570 | 333.89 |
| 24.08 | Extra for dome exceeding 6m span | 36.480 | Sqm | 1008.450 | 36788.26 |
| 25 | 12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 (1 cement : 3 fine sand) | 929.830 | Sqm | 343.750 | 319629.06 |
| 26 | Carriage of material from source to dumping site at road by mechanical transport. | | | | 0.00 |
| 26.01 | Cement & steel for avg. lead of 15 Km | 106.386 | MT | 303.646 | 32303.68 |
| 26.02 | Sand for avg. lead of Km | 35 113.180 | Cum | 551.333 | 62399.87 |
| 26.03 | 20mm Aggregate for avg. lead of 30 Km | 196.660 | Cum | 501.653 | 98655.08 |
| 26.04 | 40 mm Aggregate for avg. lead of 30 Km | 38.300 | Cum | 545.514 | 20893.19 |
| 26.05 | Stone solling For avg lead of 10 km | 54.9800 | Cum | 330.418 | 18166.38 |
| 26.06 | 80/65/50/40/25/20 mm dia GI pipe for an avg. lead of 20 Km | 15.000 | MT | 357.650 | 5364.75 |
| 26.07 | 100 mm dia GI pipe for an avg. lead of 20 Km | 500.000 | M | 9.879 | 4939.50 |


| | | | | | |
|-------|---|---|--|--------------|-------------------|
| | Carriage of pipe material from road site upto actual site of work by manual labour as head load:- | | | | 0.00 |
| 27.01 | 80/65/50/40/25/20mm dia GI pipe (400 m) | 15 000 | MT | 310 730 | 4660.95 |
| 27.02 | Cement (1500 m) | 71 234 | MT | 805 575 | 57384.33 |
| 27.03 | steel (1500 m) | 12 4310 | MT | 1372 318 | 17059.29 |
| 27.04 | Sand and 20mm Aggregate (1500 m) | 241 830 | Cum | 1535 227 | 371263.95 |
| 27.05 | 40 mm Aggregate (1500 m) | 27 400 | Cum | 1659 634 | 45473.97 |
| 27.06 | Stone solling (1500 m) | 40 7800 | Cum | 1806 052 | 73650.80 |
| 27.07 | 100mm dia GI pipes (400 m) | 600 000 | M | 11 610 | 6966.00 |
| | Total | | | | 7999116.28 |
| | Quoted Percentage rate | | 4.00% | Above | |
| | Alloted Cost | | | | 8319080.93 |
| | Rupees Eighty three Lakhs Nineteen thousands and Eighty only | | | | |
| |  Head Draftsman |  Tech. Officer |  Executive Engineer | | |
| | Terms & Conditions | | | | |
| 1 | The cost of work is restricted to Rs.8319080/= (Rupees Eighty three Lakhs Nineteen thousands and Eighty only) | | | | |
| 2 | Earnest money deposited by you vide CDR No.3218485 dtd. 02/07/22 JK Bank Humhama and CDR No 3218555 dated:- 03-09-2022 is being retained as security deposit and shall be released after as per the general terms and condition of the Contract | | | | |
| 3 | The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period | | | | |
| 4 | Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s | | | | |
| 5 | The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies . | | | | |
| 6 | The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier. | | | | |
| 7 | No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever. | | | | |
| 8 | In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost. | | | | |
| 9 | Retention many / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and | | | | |
| 10 | Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm. | | | | |
| 11 | Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work. | | | | |
| 12 | No mobilization advance shall be paid | | | | |
| 13 | The Agency shall be responsible for the time and proper setting out of all the works and for the correctness | | | | |


| | |
|----|--|
| 14 | The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under. |
| 15 | The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work. |
| 16 | The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc |
| 17 | The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adquate measures like avaiability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required . |
| 18 | As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award . |
| 19 | All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency. |
| 20 | Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India. |

Copy to the :-

- 1 Chairman District Jal Jevan Mission (DDC) Kulgam for information.
- 2 Superintending Engineer Hydraulic Circle Anantnag for information.
- 3 Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Qazigund for information & necessary action. He will ensure the execution of work strictly in accordance with approved proposal/guidelines under JJM. The cost of work should not exceed beyond allotted cost for which he shall be personally responsible.
- 4 File concerned.


Head Draftsman


Tech.
Offcier


Executive Engineer