

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No:PHQ/CC/ 105 of 2022-23 dated 27/05/2022	
No:PHQ/ 11566-09	DATE: 10/09/2022 27-10-2022
NAME : Ghulam Nabi Mir R/o Furrarh Anantnag ✓	
email:rayeesmir772@gmail.com	Cell No.7006266707
REGD. NO:42-AAY/SE/Hyd/SHOPIAN/2004-05	ACCOUNT NO: 0017030100000161 Jk Bank Qazigund
GSTN: 01ANGPM6966L1ZM	PAN: ANGPM6966L
Name of Schemes:-L/F of pipes, const. of sluice chamber, Approach road, chain link fencing and stablization of existing pipe net work WSS Furrarh Bumthan	
Adminstrative Approval No.	16 -DB of 2022 Dated 25-05-2021
Technical Sanction NO.	170-DB of 2022 Dated 22-08-2022
Alloted Cost; Rs:- 4009100 ./=	Rupees :- Forty Lacs Nine thousands One Hundred only
Completion Time	90 Days

References:1. Your tender received in response to e-NIT.No.06 of 4/2022 uploaded on tender portal vide No.PHQ/360-75 dated 22-04-2022.(Tender ID: 2022_PHE_167736_2) read with CORRIGENDUM-I vide No. PHQ/CC/619-27 , Date:- 10-05-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.01	All kinds of soil	1069.425	Cum	436.000	466269.30
1.02	Ordinary rock	154.410	Cum	967.850	149445.72
2	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres:				0.00
2.01	All kinds of soil	668.850	Cum	252.050	168583.64
2.02	Ordinary Rock	66.180	Cum	470.000	31104.60
3	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				0.00
3.01	All kinds of soil	37.800	Cum	188.750	7134.75
4	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	4.650	Sqm	11.360	52.82
5	Consolidation of subgrade with power road roller of 8 to 12 tonne capacity including making good the undulations etc. with earth or quarry spoils etc. and rerolling the subgrade.	4.650	Sqm	2.750	12.79
6	Supplying & stacking of graded stone aggregate at sit excluding carriage.				0.00
6.01	90 mm to 45 mm (nallah stone)	65.320	Cum	492.750	32186.43
6.02	63 mm to 45 mm quarry stone	32.660	Cum	564.600	18439.84
6.03	53 mm to 22.4 mm quarry stone	32.660	Cum	575.300	18789.30

1.0

[Handwritten signature]

[Handwritten signature]

7	Laying water bound macadam with stone aggregate aggregate and binding material, earth etc. including screening, sorting, spreading to template and consolidation with light power road roller etc. complete.				46432.72
		65.3200	cum	710.850	
7.01	Sub base with stone aggregate 90 mm to 45 mm incl. screening of 13.2 mm size				23216.36
		32.660	cum	710.850	
7.02	Sub base with stone aggregate 63 mm to 45				23216.36
		32.660	cum	710.850	
7.03	Sub base with stone aggregate 53 mm to 22.4				0.00
8	Laying and fitting of G.I. pipes (all classes) complete including cost of pipes specials, but excluding cost of pipes and Earth work.				
		148.000	Mtr	73.050	10811.40
8.01	65 mm dia. G.I. pipes				42717.60
		1047.0000	Mtr	40.800	
8.02	50 mm dia. G.I. pipes				38352.00
		940.000	Mtr	40.800	
8.03	40 mm dia. G.I. pipes				59154.50
		1930.000	Mtr	30.650	
8.04	25 mm dia. G.I. pipes				45360.00
		2240.0000	Mtr	20.250	
8.05	20 mm dia. G.I. pipes				24300.00
		1200.000	Mtr	20.250	
8.06	15 mm dia. G.I. pipes				369000.00
		246.000	No	1500.000	
9	Provision for installation of house hold connection to unconnected household including providing and fixing complete of necessary pipes specials, earthwork at connection to and whatever necessary complete.				0.00
10	Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job.				
		22.000	Pair	1800.000	39600.00
10	150mm dia. G.I Pipes				88398.00
		360.000	Qtl	245.550	
11	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe) 150 mm				0.00
12	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including				
		272.000	Joint	144.700	39358.40
12	150mm dia DI pipe				0.00
13	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				
		10.000	Each	666.250	6662.50
13	Upto 40 mm nominal bore				5075.00
		4.000	Each	1268.750	
13	Above 40 mm nominal bore				10060.00
14	Supply of labours for demolition & reconstruction of compound walls coming across pipe alignment.				
		20.000	No	503.000	
15	Providing and fixing of MS Fitting Viz bends of suitable degree, tees, collors etc, to be fabricated from 6mm nominal size MS plate as per per the requirement of site including cost of welding. The work should be leakproof and should be painted of M.S fittings with anti corrosive red oxide primer. complete job.				33998.60
		230.000	Kg	147.820	
16	Dismantling / dismembering of GI pipes including earthwork / refilling and stacking of pipes.				0.00
		1950.000	Mtr.	99.750	194512.50
16	Upto 40 mm bore				66390.00
		600.000	Mtr.	110.650	
17	Rethreading of damaged ends of pipes				0.00
		225.000	No.	75.000	16875.00
17	Upto 40 mm bore				11250.00
		75.000	No.	150.000	
17	Above 40 mm bore				11580.31
18	Providing and laying of dry stone soling tightly hand packed on horizontal levels				
		18.787	Cum	618.400	

L.H.O

T.O

Ken


19	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	18.787	Cum	4861.835	91339.29
20	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	59.024	Cum	6465.195	381601.67
21	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	4.248	Cum	6978.675	29645.41
22	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	6.680	Cum	9408.135	62846.34
23	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	1.180	Cum	9849.345	11622.23
24	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	867.920	kg	91.138	79100.49
25	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	280.000	kg	106.778	29897.84
26	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	70.000	kg	153.295	10730.65
27	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2219.305	kg	95.163	211195.72
28	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in charge. Made of G.I. wire of dia 4 mm	311.100	Sqm	843.525	262420.63

LD
An G


T.O



29	Centering and shuttering including strutting, propping etc. and removal of form for:				0.00
29	Foundations, footings, bases of columns etc. for mass concrete.	24 000	Sqm	262 300	6295 20
29	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	306 600	Sqm	573 850	175942 41
29	Suspended floors, roofs, landings, balconies and access platforms	6 920	Sqm	635 600	4398 35
29	Edges of slabs and breaks in floors and walls Under 20 cm wide.	18 400	Mtr	242 300	4458 32
29.1	Columns, pillars, piers, abutments, posts and struts.	15 300	Sqm	680 150	10406 30
30	12mm Cement plaster of mix 1 : 4 (1 cement ; 4 coarse sand)	205 180	Sqm	260 050	53357 06
31	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	478 108	Sqm	181 450	86752 70
32	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1497 360	Cum	198 700	297525 43
33	Carriage of material from source to dumping site at road by mechanical transport				0.00
33	90mm - 45 mm aggregate 20 km	65 3200	Cum	398 682	26041 91
33	63mm - 45 mm aggregate 20 km	32 660	Cum	398 682	13020 95
33	53mm - 22 4 mm aggregate 20 km	32 660	Cum	398 682	13020 95
33	Cement & steel for avg. lead of 15 Km	27 220	MT	303 646	8265 24
33.1	Sand for avg. lead of 20 Km	43 451	Cum	402 293	17480 03
33.1	40/20mm Aggregate for avg. lead of 5 Km	81 895	Cum	206 276	16892 97
33.1	Stone solling For avg lead of 10 km	18 787	Cum	330 418	6207 56
33.1	150mm dia. DI/ G.I Pipes for an avg. lead of 15 Km	1600 0000	Mtr	12 443	19908 80
33.1	80/65/50/40/25/20 mm dia GI pipe	10 125	MT	303 646	3074 42
34	Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 500 mtrs.				0.00
34	150 mm dia DI/GI pipe	1600 000	Mtr	13 542	21667 20
34	Cement & steel for avg. lead of	5 220	MT	282 095	1472 54
34	Sand for avg. lead of	6 380	Cum	621 207	3963 30
34	20mm Aggregate for avg. lead of	11 900	Cum	621 207	7392 36
34.1	Stone solling For avg lead of	3 260	Cum	730 802	2382 41
35	Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 300 mtrs.				0.00
35	Cement & steel for avg. lead of	22 000	MT	452 686	9959 09
35	Sand for avg. lead of	37 071	Cum	438 403	16252 04
35	40/20mm Aggregate for avg. lead of	69 995	Cum	438 403	30686 02
35	Stone solling For avg lead of	15 527	Cum	462 001	7173 49
35.1	Disposal of excavated earth upto 100 m lead by MT	53 233	Cum	255 599	13606 30
G.TOTAL					4146344.08
Quoted Percentage rate			3.31%	Below	
Alloted Cost					4009100.09
Rupees :- Forty Lacs Nine thousands One Hundred only					


Head Craftsman

Tech. Officer


Ex. Engineer PHE Dju. Qazigund

Terms & Conditions

1	The cost of work is restricted to Rs. 4009100/= (Forty Lacs Nine thousands One Hundred only)
2	Earnest money deposited by you vide TDR No.602391 dtd. 27/05/22 Rs. 87000/= & No. CDR No 3372468 dated:- 11-10-2022 of Rs. 33000/= in JK Bank Mir-Bazar is being retained as security deposit and shall be released after as per the general terms and condition of the Contract
3	The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
4	Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
5	The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies .
6	The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier.
7	No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
8	In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
9	Retention many / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recommendation from the concerned Engineer in charge
10	Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm.
11	Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
12	No mobilization advance shall be paid.
13	The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
14	The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
15	The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required .
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award .
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.

20	Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.
Copy to the :-	
1	Chairman District Jal Jeevan Mission (DDC) Anantnag / Kulgam for information
2	Superintending Engineer Hydraulic Circle Anantnag for information.
3	Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Mir-Bazar for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals JJM , besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
4	File concerned.


Head Draftsman

Tech. Officer


Ex. Engineer PHE Div. Qazigund