Government of Jammu and Kashmir Office of the Superintending Engineer Hydraulic circle Pulwama Hq; Shopian Address: Batpora Shopian, Email:sehydraulicshopian@gmail.com, Phone/Fax: 01933260250

Allotment Order No. SE/HYD/SPN/Allot/JJM/ 09 of 2022-23 Dated: 17/12/2022.

Subject: Construction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining wall breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration and development of premises under JJM.

Ref:

- Executive Engineer Jal Shakti PHE Division Awantipora's E-NIT No. 27 of 2022-23, dated: 01-08 2022.
- ii. Executive Engineer Jal Shakti PHE Division Awantipora's Letter No. PHA/5157-58, dated: 11-11-2022 and No. PHA/3495-96, dated: 06-09-2022.
- iii. Minutes of meeting DJJM Pulwama and approval thereof held on 02-11-2022 issued vide No. 4854-62, dated: 04-11-2022.
- iv. Accord of administrative approval order No. CE/PHE/DB/208 of 05/2021, dated: 28-05-2021 issued vide No. CE/PHE/DB/8999-9008, dated: 28-05-2021 by Chief Engineer Jal Shakti (PHE) Department Srinagar Kashmir.
- v. Technical Sanction order No. CE/PHE/DB/ 503 of 09/2022 dated: 09-09-2022 issued vide No. CE/PHE/DB/21119-23, dated: 09-09-2022 by Chief Engineer Jal Shakti (PHE) Department Srinagar Kashmir.

Advertised Cost: Rs. 196.00 lacs (Rupees One Crore ninety six lac only).

Alloted Cost: Rs. 192.51 lacs (Rupees One Crore ninety two lac and fifty one thousand only).

Head of Account: MH-4215 JJM.

ORDER

For and on behalf of Lt. Governor of J&K Union Territory contract for "Construction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining wall breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, raod restoration and development of premises under JJM"of Division Awantipora of Kashmir Province of JJK, under Jal Jeevan Mission (JJM) is hereby allotted in favour of M/S: Aadil Constructions, Prop: Adil Hussam Bhat, R/o: Drangbal Pampore bearing Registration No. CE/PHE/I&FC/2020-21/A-12, dated: 16-04-2020 at the rates approved as Shown in "Annexure A" to this allotment order.

Performance security deposited by contractor vide No.3222523, dated: 17-08-2022 for an amount of Rs. 400000.00 and No. 132438, dated: 12-12-2022 for an amount of Rs. 178000.00 are being retained as Security deposit in the Circle office.

Terms and conditions:

The contract shall be governed by the following terms and conditions:

- 1. The cost of work in no case exceed beyond **Rs. 192.51 lac** (Rupees One crore ninety two lac and fifty one only).
- 2. The allotted rate for each item is below -1.78% of corresponding advertised rate.
- 3. The date of start of the subject work shall be reckoned from the date of Issuance of this allotment order/L.O.I. In case of failure to start the work within three days of issuance of this L.O.I / allotment action as warranted shall be initiated.
- 4. As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of L.O.I/ allotment order in favour of successful firm.
- 5. Performance security equivalent to 03% of the valve of the contract which works out to **Rs. 578000.00** /- shall be retained by this office till the work is completed and DLP is over.
- The work shall have to be completed within a period of 180 working days from the date of issuance of this
 allotment order/L.O.I failing which penalty upto 10% of the total value of contract shall be imposed upon you.
- 7. The defects Liability period shall be for a period as mentioned in Standard Bidding Document/E-Nit which shall

Sho

7.0

Mars E

commence after the successful completion of Trial run, during the defects Liability period (DLP) the agency have to operate & maintain the scheme as it is required for its successful running & as per Standard Engineering Practices, to the full satisfaction of the department. The agency shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the agency at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months

- 8. All other terms and conditions and technical specifications shall remain the same as laid down in the Standard Bid Document of the subject e-NIT and Terms & Conditions thereof read with the corrigenda, DIJM Minutes
- of meeting. 9. The items in this allotment are not duplicated/reflected in any other allotment order.

Superintending Engineer Hydraulic Circle Pulwama Hq: Shopian.

No. SE/HYD/SPN/Allot/CC/ 60 9/-96 Dated: / 7 /12 / 2022.

Copy to the:

1. Mission Director JJM J&K Civil Secretariat Srinagar/Jammu for favour of information.

2. Chief Engineer Jal Shakti (PHE) Department Srinagar for favour of information.

3. District Development Commissioner Pulwama (Chairman DIJM Pulwama) for favour of information.

- 4. Executive Engineer Jal Shakti (PHE) Division Awahtipora for information and necessary action. He is directed to get the work executed as per approved drawings/specifications within allotted cost.
- 5. TO/HD Circle office for information and record.
- 6. M/S: Aadil Constructions, Prop: Adil Hissain Bhat, R/o: Drangbal Pampore
- 7. File.

"Annexure A"

Construction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining wall breast wall, sluice chamber, Chowkidar Quarter, Improvement to Old pipes, Saddle Block, road restoration and development of premises under JJM.

Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23, Dated: 17 /12/2022.

S. No.	item of work	Unit	Qty.	Adv. Rate	Amount	Amount in figures
1	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-incharge: 1:3:6 or richer mix (i/c equivalent design mix)	Cum	26.25	1569.20	41191.50	INR Forty One Thousand One Hundred & Ninety One and Palse Fifty Only
2	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge :Below 40mm	mtr	500.00	99.75	49875.00	INR Forty Nine Thousand Eight Hundred & Seventy Five Only
3	Above 40mm	mtr	700.00	110.65	77455.00	INR Seventy Seven Thousand Four Hundred & Fifty Five Only
4	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil (1	Cum	6948.84	436.00	3029694.24	INR Thirty Lakh Twenty Nine Thousand Six Hundred & Ninety Four and Paise Twenty Four Only
5	meter from cutting edge). Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate	Cum	32.25	6978.73	225064.04	INR Two Lakh Twenty Five Thousand &Sixty Four and Paise Four Only
6	20 mm nominal size) Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.100 mm	mtr	550.00	107.70	59235.00	INR Fifty Nine Thousand Two Hundred & Thirty Five Only
7	80 mm dia GI Pipes	mtr	1310.00	73.05	95695.50	INR Ninety Five Thousand Six Hundred & Ninety Five and Paise Fifty Only
8	65 mm dia G.I	mtr	1400.00	73.05	102270.00	INR One Lakh Two Thousand Two Hundred & Seventy Only
9	50 mm dia GI Pipes	mtr	4660.00	40.80	190128.00	INR One Lakh Ninety Thousand One Hundred & Twenty Eight Only
10	40 mm dia GI Pipes	mtr	4980.00	40.80	203184.00	INR Two Lakh Three Thousand One Hundred & Eighty Four Only
1	25 mm dia GI Pipes	mtr	6500.00	30.65	199225.00	INR One Lakh Ninety Nine Thousand Two Hundred & Twenty Five Only
12	20 mm dia GI Pipes	mtr	7100.00	20.25	143775.00	INR One Lakh For Three Thousand Seven Hundred & Seventy Five Only

MINAU

construction of WSS Laipora Chatiam by way of laying/fitting, sump, Chain link fencing, approach road, retaining call breast wall, shrice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration development of premises under JJM.

Allotment Order No: SE/HYD/SPN/Allot/IJM/ 09 of 2022-23, Dated: 17 /12/2022.

s. No.	Item of work	Unit	Qty.	Adv. Rate	Amount	Amount in figures
13	15 mm dia GI Pipes	mtr	5732.00	20.25	118073 00	INR One Lakh Sixteen Thousand &Seventy Three Only
3.4	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	Qtis	746.40	245.55	183278 52	INR One Lakh Eighty Three Thousand Two Hundred & Seventy Eight and Paise Fifty Two Only
15	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of Joints and Including the cost of rubber gasket.(150mm DLK7 Pipe)	each	565.45	144.70	81820.62	INR Eighty One Thousand Eight Hundred & Twenty One and Paise Twenty Seven Only
16	Providing & fixing of MS Flanges to GI pipe including cutting of threaded portion, welding, cost of nuts, bolts and washers with testing after completion of work including all carriages complete for: 100 mm dia	Joint	131.00	1200.00	157200.00	INR One Lakh Fifty Seven Thousand Two Hundred Only
17	80mm	Joint	231.00	1000.00	231000.00	INR Two Lakh Thirty One Thousand Only
18	65mm	Joint	215.00	900.00	193500.00	INR One Lakh Ninety Three Thousand Five Hundred Only
19	50mm	Joint	15.00	600.00	9000.00	INR Nine Thousand
20	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	each	76.00	666.25	50635.00	INR Fifty Thousand Six Hundred & Thirty Five Only
21	50 to 80 mm nominal bore	each	15.00	1268.75	19031.2	5 INR Nineteen Thousand &Thirty One and Paise Twenty Five Only
22	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	5760.01	198.70	1144513	INR Eleven Lakh Forty Four Thousar Five Hundred & Thirteen, and Pais
23	P/F of regulatory valves of reputed make with ISI mark including cost of fixing flanges , nuts, bolts, washers, tail pieces complete 150 mm dia 150mm Sluce Valve	No	3.00	16000.0	00 48000	INR Forty Eight Thousand Only
24	100 mm dia	No	15.00	12000.	00 18000	0.00 INR One Lakh Eighty Thousand Only
25	80 mm dia	No	15.00	10000.	00 15000	IND One Lakh
26	65mm	No	6.00	9000.0	00 5400	IND Eigy Four
27	100mm Air Valve	No	2.00	20000	.00 4000	IND Forty Thou
28	100mm NRV	No	2.00	15000	.00 3000	00.00 INR Thirty Thousand Or
29	80mm dia Air Valve	No	2.00	15000	0.00 3000	00.00 INR Thirty Thousand Or
30	80mm NRV	No	2.00	14000		00.00 INR Twenty E

development of premises under JJM.

ar Quarter, improvement to Old pipes, Saddle Block, road restoration Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23, 17 /12/2022. Dated: 5. No. Item of work Unit Qty. Rate Amount 31 Amount in figures 80mm Foot valve Earth work in bulk excavation by No INR Twenty Six Thousand Only INR One Lakh Sixty 2.00 13000.00 26000.00 manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well One Thousand Eight as 10 m2 on plan) including disposal of 32 Hundred & Five excavated earth lead upto 50 meters Cum 300.00 539.35 and lift upto 1.5 m, as directed by 161805.00 Engineer-in-Charge. All kinds of soil. Extra for every additional lift of 1.5 m or part thereof in excavation/banking INR Eight Thousand 33 excavated or stacked material All kinds Eight Hundred & Cum 108.79 81.65 8882.70 Eighty Two and of soil: Paise Seventy Only Providing and laying of stone soling (dully hand packed) on horizontal level. INR One Lakh 34 Thirty Thousand Two Hundred & Cum 211.24 616.40 130208.34 Eight and Paise Providing and laying in position cement Thirty Four Only concrete of specified grade including INR Six Lakh curing but excluding the cost of Twenty Two Thousand Two 35 centring and shuttering. All work upto Hundred & Eighteen plinth level with: 1:4:8 (1 cement : 4 Cum 622218.28 127.98 4861.84 and Paise Twenty coarse sand: 8 graded stone aggregate Eight Only 40mm nominal size). Providing and laying in position cement INR Eleven Lakh concrete of specified grade including Seven Thousand curing but excluding the cost of Nine Hundred & 36 Thirty Two and centring and shuttering. All work upto Cum 205.21 5399.02 1107932.89 Paise Eighty Nine plinth level with: 1:3:6 (1 cement : 3 Only coarse sand : 6 graded stone aggregate 40 mm nominal size) Providing and laying in position INR Fifteen Lakh Seventy One specified grade of reinforced cement Thousand Eight concrete including curing but excluding Hundred & Fifty the cost of centering, shuttering, Three and Paise 37 Cum 201.50 7800.76 1571853.14 finishing and reinforcement. All works Fourteen Only upto plinth level: 1:11/2:3 (1 cement : 11/2 coarse sand : 3 graded stone aggregate 20 mm nominal size) Providing and laying in position INR Four Lakh One Thousand Two specified grade of reinforced cement Hundred & Fifty concrete including curing but excluding Eight Only the cost of centering, shuttering, 401258.00 38 57.50 6978.40 Cum finishing and reinforcement. All works upto plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) INR One Lakh Reinforced cement concrete work in Seventy Three walls (any thickness) including attached Thousand Three pilasters, buttresses, plinth and string Hundred & Ninety courses, fillets, columns, pillars, piers, Two and Paise Two Only abutments, posts and struts upto floor 173392.02 18.43 9408.14 Cum 39 five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:11/2:3 (1 cement: 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) INR Six Lakh Eighty Providing and laying cement concrete Nine Thousand in retaining walls, return walls, walls Three Hundred & (any thickness) including attached Seventy Five and Paise Ninety Nine pilasters, columns, piers, abutments, Only pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed 689375.99 9118.73 75.60 Cum blocks, anchors blocks, plain window 40 sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with. 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).





nstruction of WSs Lalpora Chatlain by way of laying/fitting, sump, Chain link fancing, approach road, rotately Vall breast wall, shiles chamber, Chowkidar Guarter, Improvement to Old pipes, Saddle Block, road restorations

Allotment Order No: SE/HVD/SPN/Allot/HM/ 09 of 3033 34, Dated: 17 /13/2032

			1	12 1 2 2 HI W	100 00, 1	iated: [/	13/3032
	S. N	a. Hem of work	Unit	Aty.	Hata	Amount	Amount In figure
	4	plinth level with: 1:2:4 (1 cement coarse sand: 4 graded stone aggreg 40mm nominal size)	ling of PIQ (um ⊥ d ate	His an	6444 (1)	bn2446.by	INF Sis Lakh Sisty Two Humband Four Humband & Fody Five and Palse Sist Seven Only
	42	Reinforced cement concrete work beams, suspended floors, roots have slope upto 15°, landings, balconishelves, chajias, lintels, bands, ple window sills, staircases and spiral streases upto five level including curb but excluding the cost of centric shuttering, finishing and reinforcement in 13°s (1 cement: 15°s coarse sand 3°) graded stone aggregate 20° monimal size).	ing 225, altr 28 Cum 84 ort ort ord m	3.74	t0404.43	¥8608.99	INH Twenty Eight Thomeand Five Hundred & Eight and Palse Thirty Eight Only
	43	Painting with synthetic enamel paint capproved brand and manufacture to give an even shade. Two or more coat on new work	s sgm	424.14	121,95	61723.67	INFL Fifty One Thousand Seven Hundred & Twenty Three and Palse
	44	Steel reinforcement for R.C.C. worl including straightening, cutting bending, placing in position and binding all complete upto plinth level: Thermo-Mechanically Treated bars of grade Fe-500D or more.	Ke	13819.00	87.18	1204740.42	Elghty Seven Only INR Twelve Lakh Four Thousand Seven Hundred & Forty and Palse Forty Two Only
4	5	Providing and laying 50 mm thick cement concrete flooring with floating coat of neat cement	Sqm	34.00	505.00	17170.00	INR Seventeen Thousand One Hundred & Seventy
46	5	Centering, shuttering including strutting, propping etc and removal of form for: Foundation, footings, bases of columns etc. for mass concrete.	Sqm	1287.40	262.30	337685.02	Only INR Three Lakh Thirty Seven Thousand Six Hundred & Eighty Five and Palse Two
47		Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	615.35	573.85	353118.60	Only INR Three Lakh Fifty Three Thousand One Hundred & Eighteen
48		Columns, pillars, piers, abutments, posts and struts.	Sqm	320.40	680.15	217920.06	and Paise Sixty Only INR Two Lakh Seventeen Thousand Nine Hundred & Twenty
19		intel, beams, plinth beams, girders, ressumers and cantilevers.	Sqm	32.11	502.85	16146.51	and Palse Six Only INR Sixteen Thousand One Hundred & Forty Six and Palse Fifty One
0	Suba	ispended floors, roofs, landings, Iconies, and access platform.	Sqm	99.35	635.60	63146.86	Only INR Sixty Three Thousand One Hundred & Forty Six and Palse Eighty Six
		ges of slabs and breaks in floors and lls. Under 20cms wide	mtr	82.88	242.30	20081.82	Only INR Twenty Thousand &Eighty One and Paise
	(209	a for shuttering in circular work of respective centering and stering items) walls	Sqm	163.83	114.77	18802.77	Eighty Two Only INR Eighteen Thousand Eight Hundred & Two and Paise Seventy Seven Only
	foun	dation	Sqm	11.13	52.46	583.88	INR Five Hundred & Eighty Three and Paise Eighty Eight
	Beam	one and the second seco	Sqm	15.21	100.57	1529.67	Only INR One Thousand Five Hundred & Twenty Nine and Paise Sixty Seven Only


Suff HD Ding

53

54

systruction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining vall breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration development of premises under JJM.

17/12/2022. Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23. Dated: Adv. Item of work **Amount in figures** Amount 5. No. Unit Qty. Rate INR Five Thousand Five Hundred & slab 5541.16 Forty One and 55 Sam 43.59 127.12 Paise Sixteen Only INR Nineteen Extra for brick work with common Thousand Nine burnt clay bricks/cement concrete Hundred & Seven 19907.70 56 15.04 1323.65 Cum bricks in superstructure above plinth and Paise Seventy level upto floor five level Only INR Forty Six Thousand Four 12mm Cement plaster finished with a Hundred & Twenty 46426.88 floating coat of neat cement of mix: 1 135.06 343.75 57 Sqm Six and Paise : 3 (1 cement : 3 fine sand) Eighty Eight Only INR Seventeen Providing and mixing water proofing Thousand Nine material in cement concrete work in Hundred & Forty Nine Only doses by weight of cement as per 17949.00 57.90 310.00 58 Kgs manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) INR Seventy Five Providing wood work in frames of Thousand Eight Hundred & Ninety doors, windows, clerestory windows Four and Paise and other frames, wrought framed and Seventy Four Only fixed in position with hold fast lugs or 75894.74 106894.00 Cum 0.71 59 with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): 9.1.1 First classkail wood INR Forty Six Providing and fixing glazed shutters for Thousand Four Hundred & Twenty and clerestory windows Six and Paise Fifty windows using 4mm thick float glass 46426.58 3726.05 **Eight Only** 12.46 panes including ISI marked M.S. Sqm 60 pressed butt hinges bright finished of required size with necessary screws. First class kail wood 35mm INR One Lakh Brick work with common burnt clay Eighteen Thousand Six Hundred & Sixty (non-modular) bricks of class 118666.16 6183.75 designation 7.5 in foundation and Cum 19.19 Six and Paise 61 Sixteen Only plinth including curing in: Cement mortar 1:6 (1 cement : 6 coarse sand) INR Twenty One Providing and fixing panelled or Thousand Seven panelled and glazed shutters for doors, Hundred & Forty windows and clerestory windows fixing Nine and Paise Forty One Only with butt hinges of required size with necessary screws, excluding panelling 3093.80 21749.41 Sam 7.03 62 which will be paid for separately, all complete as per direction of Engineerin-charge. (Note: -Butt hinges and necessary screws shall be paid separately). First class kail wood 35mm INR Seven Providing and fixing panelling or Thousand Nine panelling and glazing in panelled or Hundred & Seventy Nine and Paise panelled and glazed shutters for doors, Thirty One Only windows and clerestory windows (Area 2501.35 7979.31 3.19 of opening for panel inserts excluding Sam 63 portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. First class kail wood INR Thirty One Providing and fixing 35 MM wire gauze Thousand Two shutters using galvanized M.S. wire Hundred & Twenty gauze of average width for aperture 1.4 One and Paise Sixty One Only mm in both directions with wire of dia. 0.63 mm for doors, windows and 31221.61 8.55 3651.65 Sam 64 clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-In-charge : First class kail wood







struction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration and development of premises under JJM.

Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23, Dated: 17 /12/2022.

		Adv.				
5. No.	Item of work	Unit	Qty.	Rate	Amount	Amount in figures
65	Providing and fixing G.I. chain link fabric tencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. 16.25.1 Made of G.I. wire of dia 4 mm	5qm	468.00	733 50	343278 00	Institution Lakh Forty Trines Triousand Two Houndred & Seventy Elight Only
66	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required, in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	Kg	2008 64	102.14	205162.49	INP. Two Lakh Five Thousand One Hundred & Sixty Two and Paise Forty Nine Only
67	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	3334.00	91.03	303494 02	INR Three Lakh Three Thousand Four Hundred & Ninety Four and Palse Two Only
68	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	Kg	600.00	146.63	87978.00	INR Eighty Seven Thousand Nine Hundred & Seventy Eight Only
69	Providing and fixing plained eaves boarding. 12.69.1 2nd class Kail wood 250x32 mm (nominal size)	Sqm	29.50	693.90	20470.05	INR Twenty Thousand Four Hundred & Seventy and Paise Five Only
70	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	Sqm	66.82	91.80	6134.08	INR Six Thousand One Hundred & Thirty Four and Paise Eight Only
71	Dry random rubble masonry with hard stone in foundation and plinth: With bond stone (Quarry)	Cum	15.90	2497.50	39710.25	INR Thirty Nine Thousand Seven Hundred & Ten and Paise Twenty Five Only
72	12mm Cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement: 4 fine sand)	Sqm	478.51	325.45	155731.0	INR One Lakh Fifth
73	12mm Cement plaster of mix: 1:4 (1 cement: 4 fine sand)	5qm	1093.40	260.05	284338.6	INR Two Lakh Eighty Four
74	Providing and fixing 1st quality ceramic glazed wall tiles conforming to 1S: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer- in-Charge, in skirting, risers of steps and dados over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm, including pointing in white	Sqm	11.88	1161.05	13793.	INR Thirteen Thousand Seven Hundred & Ninet Three and Paise Twenty Seven O
-	cement mixed with pigment of matching shade complete.					

Holing

pstruction of W\$\$ Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining If breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration It development of premises under JJM.

Allotment Order No: SE/HYD/SPN/Allot/IJM/ 09 of 2022-23, Dated: 17 /12/2022.

, No.	ltem of work	Unit	Qty.	Adv. Rate	Amount	Amount in figures
<i>J</i> h	Providing and fixing water closet squarting pan (Indian type W.C. pan) with 100 min sand cast fron F or Strap, 10 litre low level F.V. (. flushing ristern including flush pipe (of approved make) manually controlled device (handle lever) conforming to 15:72-31, with all fittings and fixtures complete, including cutting and making good the walls and floors—wherever—required. White vitreous china W.C. pan of size 580x440 mm with integral type foot rests.	each	1.00	5534,85	6534.85	INR Five Thousand Five Hundred & Thirty Four and Palse Eighty Five Only
76	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to 15: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement 4 coarse sand) including pointing the joint with white cement and matchin pigment etc., complete. In a colours, shades, except White, Ivor fume Red Brown	5qm	3.06	1115.80	3414,35	INR Three Thousand Four Hundred & Fourteen and Paise Thirty Five Only
77	Providing and applying white cemer based putty of specified thickness, approved brand and manufacture over the plastered wall surface prepare the surface even and smoo complete. 13.88,11 mm thick	of er, sm	79.16	129.50	10251.22	INR Ten Thousand Two Hundred & Fifty One and Paise Twenty Two Only
7	Distempering with 1st quality acry distemper, having VOC (Volat Organic Compound) content less th 50 grams/ liter, of approved brand a manufacture, including apply additional coats wherever required, achieve even shade and colour. Tocoats	ile laan ind Sqm to	79.16	78.65	6225.93	INR Six Thousand Two Hundred & Twenty Five and Paise Ninety Three Only
	Providing ridges or hips of width 60 overall width plain G.S. sheets fi with polymer coated J. or I. hooks, b and nuts 8mm dia G.I. limpet bitumen washers complete. 0.63 thick with zinc coating not less to 275 gram/m2	xed olts and mtr mm	22.88	691.35	15818.09	INR Fifteen Thousand Eight Hundred & Eighteen and Paise Nine Only
	surface)excluding the cost of prafters and trusses and incl cutting to size and shape who required. 0.63 mm thick with coating not less than 275 gram/m	rved l or L neter rs or with t of ats of g of ch in urved urlins, luding erever a zinc 2	65.19	951.80	62047.84	INR Sixty Two Thousand &Forty Seven and Paise Eighty Four Only
	P/F of 12 mm thick ply board along with supporting of 1st papular wood	soffit	17.74	850.00	15079.00	INR Fifteen Thousand &Seventy Nine Only

SA HDais

To

P.S.E

Instruction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining wall breast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration development of premises under JJM.

Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23, Dated: 17 /12/2022.

No.	Item of work	l lmia		Adv.			
, ,		Unit	Qty.	Rate	Amount	Amou	unt in figures
82	Preparation of subgrade by excavating earth to an average of 22.5 cm depth, dressing to camber and consolidation with road roller of 8-12 tonne capacity including making good the undulation etc. and disposal of surplus earth upto 50 meters	Sm	2100.00	72.90	153090.00	Three &Nine	One Lakh Fifty Thousand aty Only
83	Supplying and stacking at site 16.4.1 Graded crushed stone aggregate of size 90 mm to 45 mm	Cum	196.35	431.20	84666.1	2 Tho	Eighty Four usand Six dred & Sixty Six Paise Twelve y
84	63 mm to 45 mm	Cum	151.59	564.00	85496.7	76 Hu Six Se	R Eighty Five busand Four indred & Ninety and Paise venty Six Only
85	53 mm to 22.4 mm	Cum	151.59	575.30	87209.	73 Th	R Eighty Seven lousand Two lundred & Nine hd Paise Seventy linee Only line Thirty Eight
86	Supplying and staccking of stone screenings/chippings at site	Cum	77.30	492.50	38070	.25 T	housand &Seventy nd Paise Twenty ive Only
87	Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road / vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening /binding material to fill up interstices of coarse aggregate, watering and compacting to the required densityGrade Ist	Cum	175.00	710.00	1242		NR One Lakh Eventy Four Thousand Two Hundred & Fifty Only
88	Grade 2nd	Cum	131.25	389.50	511	21.88	Thousand One Hundred & Twenty One and Paise Eighty Eight Only
89	Grade 3rd	Cum	131.2	5 389.50	51	121.88	INR Fifty One Thousand One Hundred & Twenty One and Paise Eighty Eight Only
90	Supply, spreading of stone dust/moorum at site	Cum	35.0	528.5	50 18	3497.50	INR Eighteen Thousand Four Hundred & Ninety Seven and Paise Fifty Only
91	P/F of PVC sanitary fittings with al accessiories of reputed compant with all accessiories c. job (to be paid as per actual)PVC pipe 100mm	n M	15.0	300.	00	4500.00	INR Four Thousal Five Hundred O
92	PVC pipe 75mm	М	15.	00 250	.00	3750.00	INR Three Thousand Seven Hundred & Fifty Only INR Four Thous
93	Angle Valve	No	5.0	950	0.00	4750.00	Seven Hundred Fifty Only
94	Bib Cock CP	No	3.	00 100	00.00	3000.00	Thousand On INR Two Thou
95	Basin Mixer CP	No	1.	00 250	00.00	2500.00	Five Hundred . INR Six Hundred
96	PVC Flow trap	No	2		0.00	600.00	INR Five Hun
97	Door bend/Tee 100mm/75mm	No			0.00	500.00	INR Four Hur
98	PVC bends 100/75mm	No	2	.00 2	00.00	400.00	Only

p	Allotment Order No: SE/HYD/SPN/A	MILL/John	09 of 20		Dated: 17	_/12/2022.
ю.	Item of work	Unit	Qty.	Adv. Rate	Amount	Amount in figures
99	15mm dia internal pipe	М	15.00	278.90	4183.50	One Hundred & Eighty Three and Paise Fifty Only INR Ten Thousand
100	P/F of plumbing & electrition items of reputed make with ISI mark complete job (To be paid as per actual) Lighting points 1.5mm sq wire	No	10.00	1000.00	10000.00	IND Four Thousand
101	Heating points 2.5mm sq wire	No	3.00	1500.00	4500.00	Five Hundred Only INR Four Thousand
	P/F of ceiling fan 1200mm sweep	No	2.00	2000.00	4000.00	Only INR One Thousand
102	P/F of exaust fan 300mm	No	1.00	1000.00	1000.00	Only INP Twelve
103	P/F of 25 liter Gyser inclding all		1.00	12000.00	12000.00	
104	fitting/fixures complete Cutting road and making good the same including supply of extra quantities of material i.e. crushed aggregate, moorum screening, red bajri and labour required.	Cum	84.96	3365.60	285941.3	Eighty Five Thousand Nine Hundred & Forty One and Paise Thirty Eight Only
106	and labour required. 16.14.1 Bituminous portion Supplyng , laying, spreading and compacing of extra quantities of materiales , i.e crushed aggregate, mooram , screening, red bajri and	Cum	254.88	1265.33	322507.	and Paise Thirty One Only IND Fight Thousand
107	Providing and laying damp-proo Course 50 mm thick with cemen	f t 1 Cum	22.01	372.85	8206.4	Two Hundred & Six and Paise Forty Three Only INR Five Thousand
108	curing complete Providing and fixing of salem stainles stell Kitchen Sink size 610x510x200mn	ss each	1.00	5829.4	0 5829.	Eight Hundred & Twenty Nine and Paise Forty Only INR One Hundred &
109	Providing fixing of PVC wasdte pipe for		1.00	131.1	5 131.	Thirty One and Paise Fifteen Only
110	Carriage by Mechanical Transpo	ort Ton	204.7	6 287.0	58784	Thousand Seven Hundred & Eighty Four and Paise Fift Five Only INR Eighty Five
111	10 10 km	Cum	303.3	6 280.	85 8519	Thousand One Hundred & Ninety Eight and Paise Sixty Six Only
113	10Km	Cun	n 552	25 280.	.85 15509	99.41 INR One Lakh Fifty Five Thousand &Ninety Nine and Paise Forty One Only
11	3 Aggregates 40mm @ 10 Km	Cur	m 614.	40 305	.28 1875	iNR One Lakh Eighty Seven Thousand Five Hundred & Sixty Four and Paise Three Only INR Six Thousan
11	.4 Bricks @ 10 Km	No	o. 9116	5.00 0.	75 683	37.00 Eight Hundred & Thirty Seven Onl
11	11-2 @ 10 Km	Cu	ım 209	9.44 33	0.42 692	Thousand Two Hundred & Three and Paise Sixtee
1	16 Quarry Stone @ 10 Km	Cı	um 15	5.90 33	30.42 52	INR Five Thous Two Hundred & Three and Pais Sixty Eight Only INR Eighty Sev
1	17 150mm dia K9	n	ntr 31	10.00	28.15 87	7546.50 Thousand Five Hundred & Forty and Paise Fifty
	8 100mm GI		mtr 5	50.00	5.33	Nine Hundrer Thirty One a Paise Fifty O

rction of WSS Lalpora Chatlam by way of laying/fitting, sump, Chain link fencing, approach road, retaining reast wall, sluice chamber, Chowkidar Quarter, improvement to Old pipes, Saddle Block, road restoration bevelopment of premises under JJM.

Dated: 17 /12/2022. Allotment Order No: SE/HYD/SPN/Allot/JJM/ 09 of 2022-23, Adv. Amount in figures Amount Item of work Unit Qty. Rate 5. No. INR Forty Three Thousand Three Hundred & Four 43304.39 463.00 and Paise Thirty pipes upto 100 mm dia MT 93.53 119 Nine Only INR Nine Thousand Three Hundred & Sixteen and Paise 9316.36 452.69 20.58 Steel @300 m Thirty Six Only Ton 120 INR Thirty Three Thousand Four Hundred & Eighty 33480.30 and Paise Thirty 210.00 159.43 Ton 121 cement Only INR One Lakh Ninety Five Thousand Seven Hundred & Seventy 195771.90 438.40 446.56 One and Paise Cum Sand @ 300 m 122 Ninety Only INR Ninety Six Thousand Three Hundred & Eighty 96386.62 438.40 Six and Paise Sixty 219.86 Cum Aggregates20mm @ 300 123 Two Only INR Thirty Five Thousand Two Hundred & Forty 35242.18 473.94 Two and Paise 74.36 Cum Aggregates 40mm @ 300 Eighteen Only 124 INR Seven Thousand Four **Hundred & Seventy** 7475.12 0.82 Five and Paise 9116.00 No Twelve Only Bricks @ 200 125 INR Sixty Nine Thousand &Thirty 69039.79 Nine and Paise 461.99 149.44 Cum Seventy Nine Only Stone soiling @300 126 INR Six Thousand Four Hundred & Ninety and Paise 6490.86 408.23 15.90 Cum Eighty Six Only Quarry Stone @ 200 127 INR Twenty Seven Thousand Six Hundred & Forty 27647.90 8.89 3110.00 Seven and Paise mtr 150mm DI K9 pipe 128 Ninety Only INR One Thousand Four Hundred & Fifty 1457.50 Seven and Paise 2.65 550.00 mtr Fifty Only 100mm GI 129 INR Twenty Four Thousand Eight Hundred & Fifty Two 24852.79 265.72 93.53 and Paise Seventy upto 100 mm dia 130 Nine Only Rs. 19600306.43 **Total Amount** -348885.45 Deduct (1.78%) a quoted by Contractor Rs. Rs. 19251420.98 (Rupees One Crore ninety two lac fifty **Net Allotted Amount** one thousand four hundred and twenty only)