

**OFFICE OF THE  
EXECUTIVE ENGINEER SPECIAL SUB DIVISION GUREZ**

Allotment Order No. 17 EE/SSDG/2021-22

Dated 29/09/2021

M/S. AVENUE ENTERPRISE ✓  
Prop: QAISER AMIN MUKHDOOMI ✓  
R/o:-ROSELANE BUCHPORA SRINAGAR ✓  
Regd. No:-664/AAY/CE/KCC/PDC/2007-08 ✓  
GSTIN No:01AIVPM5636PIZK ✓

Adv Cost of Work: -Rs.149.24 Lacs ✓  
Allotted Cost:- 1,47,85,152.00 ✓  
(Incl. Cost of Pipes)  
Time of Completion: (12 Months)  
Major Head: - JJM ✓

**SUBJECT:-** Providing/laying and fitting of GI pipes including Construction of 0.10 MGD slow sand filtration plan, Construction of pre settling tank, Chain link fencing around structures, Construction of 0.50 lac gallon capacity SR near filtration plan site, Protection/Retaining walls, Cattle trough, testing and successful commissioning of all structure and pipeline for Retrofitting of WSS Wanpora for 100% coverage of FHTCs.

**Reference:-** Your tender in response to e-NIT No:- 46-EE/SSDG of 2021-22 issued under No. EE/SSDG/1601-08 dated:- 24/07/2021 ✓  
District Superintending Engineer Hyd. Circle Bla/Bpr H.Q Sopore Authorization letter No.SE/Hyd/DB/6601-02 Dt.14-09-2021 ✓

For and on behalf of Lt. Governor Union Territory of Jammu and Kashmir contract for the above mentioned work is fixed with you at an allotted cost of Rs. 1,47,85,152.00 (Rupees One Crore Forty Seven Lac Eighty Five Thousand One hundred Fifty Two only)(Incl. Cost of pipes) as worked out at the rates quoted/ offered/ negotiated and accepted by you against the items of the advertised rate list/ quantity schedule subject to fulfillment of the terms and condition stipulated hereunder:-

S. No	Particulars	Unit	Quantity	Allotted Rate	Amount (In Rupees)
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10sqm on plan, depth upto 1.5mtr. including disposal of excavated earth upto 1 mtr from cutting edge, disposed earth is to be levelled and neatly dressed in: All kinds of soil	Cum	802.68	400.00	321072
1.1	Ordinary rock	Cum	1180.00	600.00	708000
2	Providing/laying and fitting of GI pipes in trenches as per IS: 1239 of 2004 and amendments thereof including P/fixing of pipe fittings (the provision for carriage of pipes involved shall be deemed to have been included in the itemized rate quoted against the advertised items from source to actual site of work. nothing shall be paid o a/c of carriage and dewatering separately. 200 mm MS pipe	RM	250.00	3700.00	925000
2.1	100 mm dia pipe (Light grade) G.I Pipes	RM	250.00	1305.00	326250
2.2	80 mm dia pipe (Light grade) G.I Pipes	RM	150.00	970.00	145500
2.3	65 mm dia pipe (Light grade) G.I Pipes	RM	130.00	850.00	110500
3	Making connection of G.I distribution branch with G.I main of following sizes by providing & fixing of Tee including cutting & threading the pipe etc. Complete: 15mm dia nominal bore FHTC,s to household including cost of water meter and bib cocks.	No	256.00	2800.00	716800

Head Draftsman

contd. On 2<sup>nd</sup>

Executive Engineer

**SUBJECT:-**p-3<sup>rd</sup>

Providing/laying and fitting of GI pipes including Construction of 0.10 MGD slow sand filtration plan, Construction of pre settling tank, Chain link fencing around structures, Construction of 0.50 lac gallon capacity SR near filtration plan site, Protection/Retaining walls, Cattle trough, testing and successful commissioning of all structure and pipeline for Retrofitting of WSS Wanpora for 100% coverage of FHTCs.

4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. Layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	Cum	300.00	190.00 ✓	57000
5	Providing/fixing of regulating devices including all carriages complete: 65mm dia Sluice valve	No	2.00	12000.00	24000
5.1	50mm dia Sluice valve	No	2.00	10000.00	20000
6	P/fixing of MS control valve chamber size 0.60x0.60x0.60 fabricated out of 5mm thick MS plate including hire charges of DG set, generator, welder and all carriages complete job. (2No)	Kgs	174.00	140.00 ✓	24360
7	Providing and laying of stone soling (hand packed).	Cum	79.97	900.00 ✓	71973
8	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	59.24	6000.00 ✓	355440
9	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding cost of centring, shuttering, finishing & reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size): Base	Cum	75.96	8000.00 ✓	607680
9.1	Walls	Cum	166.00	8000.00 ✓	1328000
9.2	Slab/Ring beam	Cum	34.15	8000.00 ✓	273200
9.3	Dome	Cum	12.75	8500.00 ✓	108375
10	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing & reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	158.41	6000.00 ✓	950460
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	Cum	13.50	6000.00 ✓	81000
12	providing and layg in position cement concrete of specified grade excuding the cost of centring and shuttering al works upto plinth level.1:3	Cum	4.05	6000.00 ✓	24300
13	Mild Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding wire.	Kgs	35307.00	90.00 ✓	3177630
14	Providing and fixing of MS main hole cover of 0.75 x 0.75 size fixed with 50x60 MM ISA	No	2.00	4999.00	9998


  
Head Draftsman


contd. On 3rd


  
Executive Engineer

**SUBJECT-**p-3<sup>rd</sup>

Providing/laying and fitting of GI pipes including Construction of 0.10 MGD slow sand filtration plan, Construction of pre settling tank, Chain link fencing around structures, Construction of 0.50 lac gallon capacity SR near filtration plan site, Protection/Retaining walls, Cattle trough, testing and successful commissioning of all structure and pipeline for Retrofitting of WSS Wanpora for 100% coverage of FHTCs.

15	Centering and shuttering including strutting, propping etc. and removal of form work in: Bases	Sqm	572.20	250.00 ✓	143050
15.1	Walls/Beams	Sqm	1006.00	600.00 ✓	603600
15.2	Edges of Slab	Rm	202.00	350.00 ✓	70700.00
15.3	Ring beam	Sqm	17.42	600.00 ✓	10452
15.4	Dome	Sqm	83.87	2100.00 ✓	176127
16	Providing and mixing of water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specifications.	Kgs	441.67	70.00 ✓	30917
17	12 mm thick cement plaster in 1:4 mix (1 cement :4 coarse sand).	Sqm	270.64	350.00 ✓	94724
18	Structural steel work welded in built up sections framed work including cutting hoisting fixing in position and applying a priming cost of steel primer	Kgs	6503.00	130.00 ✓	845390
19	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete (G.I. wire of dia 4 mm)	Sqm	404.00	950.00 ✓	383800
20	Providing and laying of filter media of approved quality from approved source to be laid properly in filter bed as per defined grade including all sports of carriages by mechanical from Ganderbal ar lead of 4Km as well as Head loads leads lifts completed as per the direction of engineer Incharge.	Cum	97.04	12000.00 ✓	1164480
21	Providing / fixing of sluice valves Complete job	No	3.00	39000.00 ✓	117000
22	Providing and laying of Baramulla stones of approved quality from approved stone to be lead properly in filter bed including all sorts of carriages head loads and lifts as per the direction of engineer incharge.	Sqm	114.17	4200.00 ✓	479514
23	Steel work built up tubular, round, square or rectangular including cutting flooring in position applying a primer coat and approved steel including welding and bolting with sp. Shaped washroom etc completed including all leads round F/P walls way.	Kg	1960.00	150.00 ✓	294000
24	Providing/laying of stone soling (GSB) for road restoration complete job.	Cum	5.40	900.00	4860
					<b>Rs. 1,47,85,152.00</b>
<b>(Rupees One Crore Forty Seven Lac Eighty Five Thousand One hundred Fifty Two only)</b>					
<b>(Incl. Cost of pipes)</b>					


 Head Draftsman
contd. On 4<sup>th</sup>

 Executive Engineer

**SUBJECT:-** Providing/laying and fitting of GI pipes including Construction of 0.10 MGD slow sand filtration plan, Construction of pre settling tank, Chain link fencing around structures, Construction of 0.50 lac gallon capacity SR near filtration plan site, Protection/Retaining walls, Cattle trough, testing and successful commissioning of all structure and pipeline for Retrofitting of WSS Wanpora for 100% coverage of FHTCs.

**TERMS AND CONDITIONS:-**

01. This letter of allotment will constitute a legal contract between the government and the contractor and the conditions as laid down in the master e-NIT for 2021-22 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
02. That the date of start of the work shall be reckoned within fifteen days from the date of issue of allotment and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 0.10% of contract value shall be imposed upon him.
03. The contractor has deposited an amount of Rs.4,50,000.00 bearing No.50300566810038 dated 28/09/2021 in shape of earnest money (CDR)/TDR/FDR through HDFC Bank Srinagar. which has been retained in the divisional office and shall only be released after the successful completion / commissioning of work and after observing the DLP period is over.
- 4.1 The contractor has to strictly follow the quality Control measures as per relevant IS code. The sampling of concrete has to be done by the contractor in presence of JE/Engineer Incharge and has to get tested the sample from reputed laboratory approved by the Govt. of J&K.
- 4.2 The department shall not be responsible for any site/ land dispute arising if any unforeseen circumstances.
- 4.3 The contractor has to get Hydraulic Structural design of various structures from the reputed consultants and have to get it verified from Design Directorate /NIT Srinagar.
05. The GI Pipe class LA as per IS 1239 part 1st is to be checked / tested by CEIL/RIET and subsequently by third party fixed by the Chief Engineer.
06. The allotment order No. and name of the executing agency must be mentioned on the pipe bill/inspection note and original copies must be submitted to this Office.
07. The Socket drift certificate must be inspected by CEIL / RITES.
08. The pipe must be dumped and properly stacked dia wise at a proper site as per the consent of Engineer incharge.
09. The payment of the work shall be made as and when the funds are made available by the competent authority under the proper scheme / account head.
10. The Contractor shall attend the divisional office within 03 days after the issue of this allotment order for drawl of the agreement with the department.
11. Nothing shall be paid to the contractor on account of dewatering/ diversion even if involved at site of work.
12. The mileage for carriage of materials by mechanical transport / by manual labour as advertised/ allotted shall be final and nothing shall be allowed beyond allotted.
13. If the Contractor does not start the work within 15 days of issue this allotment order, the allotment shall be cancelled at the risk & cost of contractor without serving any notice. The Astd. Executive Engineer concerned shall intimate this office regarding the same.

*[Signature]*  
Head Draftsman

*[Signature]*  
Executive Engineer  
Special Sub Division  
Gurez

No: -EE/SSDGI

3494-99

Date: 20/09/2021

**Copy to the:-**

01. Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information
02. District Development commissioner( chairman JJM Bandipora) for favour of information
03. Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore for favour of information.
04. Technical Officer to Mission Director JJM for favour of information
05. Assistant Executive Engineer (JSD) PHE Sub-Division Gurez for information & necessary action.
- 06-08. AAD/Head Assistant/ Head Draftsman Divisional Office for information.
09. Concerned File