

Government of Jammu Kashmir
Office of the Executive Engineer P.H.E Division Awantipora

Name: Bashir Ahmad Shah
S/O: Gh Mohd Shah
R/O: Gardikhal
Reg. No. : 135/CEE/SE/S/B/2001-02
GST No. D1BF5PS3942B1Z1
PAN No.: BF5PS3942B

No.PHA/ 6815-6823
Dated: 9-2-2023

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20 mtrs including construction of sluice chamber at OHT premises WSS Banderpora.

- Reference:-**
- 1) Your tender in response to Chief Engineer Jal Shakti (PHE) Department's E-Nit No. 04 of 2022-23 Dated: 01.08.2022 Issued vide endorsement no: CE/PHE/JJM/1459A-14620 Dated: 01.08.2022
 - 2) Administrative Approval Accorded by Chief Engineer Vide No:-CE/PHE/DB/JJM/224 of 06/20221 Dated: 12/6/2021
 - 3) Chief Engineer Kmr, Jal Shakti (PHE) Deptt. Srinagar's Technical Sanction No: CE/PHE/DB/505 of 09/2022 Dated: 15.09.2022 Issued under endorsement No: CE/PHE/DB/21129-33 Dated: 09.09.2022 for an amount of Rs 434.54 lacs.
 - 4) Chief Engineer Kmr, Jal Shakti (PHE) Deptt. Srinagar's No. CE/PHE/K/E & T/JJM/26637-52 dated:- 19.10.2022
 - 5) Minutes of Meeting DJJM Pulwama held on 27.12.2022 endorsed vide No. SE/Hyd/Spn/6402-10 dated:- 28.12.2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .



Advertised Cost:- 38.13 lacs (Before approved design)

Alloted Cost:- Rs 59.83lacs

(Rupees fifty nine lacs and eighty three Thousand only)

S.No	Particulars of Items	Units	Quantity	Estimated Rate	Amount	
					In figures	In words
1	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m. as directed by Engineer-in-Charge.	Cum	214.900	188.750	40562.38	Rupees Forty Thousand Five Hundred SixtyTwo Paise ThirtyEight Only
2	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :				0.00	0
	All kinds of soil :	Cum	199.000	81.650	16248.35	Rupees Sixteen Thousand Two Hundred FourtyEight Paise ThirtyFive Only
3	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				0.00	0

7/5/23 Revised Rates accepted.

Subject: Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with 20 mtrs including construction of sluice chamber at OHT premises WSS Banderpara.

	All kinds of soil.	Cum	214.900	539.350	115966.3
4	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	TKL	200.000	155.550	31110.0
5	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken at the face area timbered). 2.14.2 Depth exceeding 1.5 m but not exceeding 3 m	SqMtr		247.750	0.0
6	Boring, providing and installing bored cast-in-situ reinforced cement concrete pile of specified grade concrete mix, diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured from top of shoe to the bottom of pile cap) 21.2.1 By percussion drilling using Direct mud circulation (DMC) or Bailor and chisel technique by tripod and mechanical Winch Machine all complete.				0.0
450 mm dia piles					
	M-25				
	M-30	Mtr			0.00
	M-35	Mtr		1871.485	0.00
500 mm dia piles					
	M-25				
	M-30	Mtr		1889.250	0.00
	M-35	Mtr		1907.015	0.00
	M-30	Mtr			0.00
	M-35	Mtr		2185.205	0.00
600 mm dia piles					
	M-25				
	M-30	Mtr		2207.150	0.00
	M-35	Mtr		2229.095	0.00
	M-30	Mtr			0.00
	M-35	Mtr		2977.205	0.00
750 mm dia piles					
	M-25				
	M-30	Mtr		3008.830	0.00
	M-30	Mtr		3040.400	0.00
	M-35	Mtr		4572.315	0.00
	M-35	Mtr		4621.705	0.00
	M-35	Mtr		4671.040	0.00

11/11/2018
 11/11/2018
 11/11/2018
 Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height
 including construction of sluice chamber at OHT premises WSS Banderpara.

Vertical load testing of piles in accordance with IS 2911 (Part IV) including installation of loading platform by kentledge/Anchor pile method and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & the direction of Engineer-in-Charge. 21.6.1 Single pile upto 50 tonne safe capacity	PER TEST			0.00	0
Initial test (Test Load 2.5 times the safe capacity)	PER TEST		53517.500	0.00	0
Routine test (Test Load 1.5 times the safe capacity)	PER TEST		20069.050	0.00	0
8 Demolishing R.C.C. work manually/by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge. (Chipping of Pile Heads)	Cum		2289.250	0.00	0
7 Providing and laying hand packed stone soling (Quarry) 75mm nominal size including ramming and dressing including all leads lifts and all carriages complete.	Cum	55,460 ✓	1320.000 ✓	73207.20 ✓	Rupees SeventyThree Thousand Two Hundred Seven Paise Twenty Only
1 Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				0.00	0
1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	12,660 ✓	4861.835 ✓	61550.83 ✓	Rupees SixtyOne Thousand Five Hundred Fifty Paise EightyThree Only
Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				0.00	0
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	93,740 ✓	7800.760 ✓	731243.24 ✓	Rupees Seven Lakh ThirtyOne Thousand Two Hundred FourtyThree Paise TwentyFour Only
reinforced cement concrete work in walls (any thickness) including attached plasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and truts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				0.00	0
1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9408.135	0.00	0

Handwritten signature and initials in red and black ink.


with staging height

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 28 mtrs including construction of sluice chamber at OHT premises WSS Banderpore.

13	Reinforced cement concrete work in beams, suspended floor, roof having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircase and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with:					0.00	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	12.270 ✓	9849.345 ✓	120851.46 ✓	Rupees One Lakh Twenty Thousand Eight Hundred FiftyOne Paise FourtySix Only	
14	Providing and laying upto floor v level reinforced cement concrete in kerbs, steps and the like including curing but excluding the cost of centering, shuttering, finishing and reinforcement with:				0.00		
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9036.390	0.00		
15	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:				0.00		
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.090 ✓	10404.515 ✓	115386.07 ✓	Rupees One Lakh Fifteen Thousand Three Hundred EightySix Paise Seven Only	
16	Reinforced cement concrete work in chimneys, shafts upto floor five level including curing complete but excluding the cost of centering, shuttering, finishing and reinforcement with:				0.00		
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	55.480 ✓	9600.635 ✓	532643.23 ✓	Rupees Five Lakh ThirtyTwo Thousand Six Hundred FourtyThree Paise TwentyThree Only	
17	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer incharge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.				0.00		

min 2
✓
OK

	works upto plinth level	Cum	8.940	7911.255	70726.67	Rupees Seventy Thousand Seven Hundred TwentySix
	All works above plinth level upto floor V level	Cum	10.310	9302.975	95913.67	Rupees NinetyFour Thousand Nine Hundred Thirteen Paise SixtySeven Only
18	Extra for providing richer mixes at all floor levels. Note:- Excess/ less cement over the specified cement content used is payable/ recoverable separately. 5.35.1 Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340 kg/cum)	Cum	14.210	111.870	1589.67	Rupees One Thousand Five Hundred EightyNine Paise SixtySeven Only
19	Extra for R.C.C./B.M.C./R.M.C. work above floor V level for each four floors or part thereof.	Cum	69.020	309.045	21330.29	Rupees TwentyOne Thousand Three Hundred Thirty Paise TwentyNine Only
20	Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein.	Q/Is	16.480	1074.370	17705.62	Rupees Seventeen Thousand Seven Hundred Five Paise SixtyTwo Only
21	Centering and shuttering including strutting, propping etc. and removal of form for:				0.00	0
	Foundations, footings, bases of columns etc. for mass concrete.	SqMtr	41.790	262.300	10961.52	Rupees Ten Thousand Nine Hundred SixtyOne Paise FiftyTwo Only
	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	SqMtr	754.180	573.850	432786.19	Rupees Four Lakh ThirtyTwo Thousand Seven Hundred EightySix Paise Nineteen Only
	Suspended floors, roofs, landings, balconies and access platforms.	SqMtr	10.310	635.600	6553.04	Rupees Six Thousand Five Hundred FiftyThree Paise Four
	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	SqMtr	81.390	502.850	40926.96	Rupees Fourty Thousand Nine Hundred TwentySix
	Columns, pillars, piers, abutments, posts and struts.	SqMtr		680.150	0.00	0
	Stairs (excluding landings) except spiral staircases.	SqMtr		807.500	0.00	0
	Spiral staircases (including landings)	SqMtr	50.050	619.800	31020.99	Rupees ThirtyOne Thousand Twenty Paise NinetyNine Only
	Arches, domes, vaults upto 6 m span	SqMtr	79.930	2086.800	166797.92	Rupees One Lakh SixtySix Thousand Seven Hundred NinetySeven Paise NinetyTwo Only



Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging of 20 mtrs including construction of sluice chamber at OHT premises WSS Banderpora.

	Extra for arches, domes, vaults exceeding 6 m span	SqMtr	71.050	1008.450	71650.37	Rupees Ten Thousand
	Chimney and shafts	SqMtr		573.850	0.00	
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) in foundation, footings, basis of columns etc for mass concrete.	SqMtr	75.940	52.460	3981.81	Rupees Three Thousand Hundred EightyThree EightyOne
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) walls	SqMtr	754.180	114.770	86557.24	Rupees Eight Thousand Five Hundred Fifty Paise Twenty Only
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) (intel, beams, plinth beams, girders, bressomers and cantilevers).	SqMtr	81.390	100.570	8185.39	Rupees Eight Thousand One Hundred Eight Paise ThirtyNine Only
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Domes	SqMtr		417.370	0.00	
	Spiral staircases (including landings)	SqMtr	50.050	123.960	6204.20	
	Edges of slabs and breaks in floors and walls	Mtr		242.300	0.00	
	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m. for every additional height of 1 meter or part thereof (Plan area to be measured).				0.00	
	Suspended floors, roofs, landings, beams and balconies (plan area to be measured)	SqMtr		267.600	0.00	
22	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	kgs	175.190	57.900	10143.50	Rupees Ten Thousand One Hundred FourtyThree Paise Fifty Only
	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunk and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 120 cm girth upto and including 240 cm girth.	Each	33.000	7090.800	233996.40	
	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunk and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 60 cm girth upto and including 120 cm girth.	Each	17.000	1530.800	26023.60	

[Handwritten signature and initials]

23 Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height
24 Items including construction of sluice chamber at OHT premises WSS Banderpora.

	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	sqm	176.000 ✓	11.360 ✓	1999.86 ✓	Rupees One Thousand Nine Hundred NinetyNine Paise ThirtySix Only
24	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.				0.00	0
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg		87.175	0.00	0
25	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete above plinth level.				0.00	0
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	19032.300 ✓	87.175 ✓	1659140.75 ✓	Rupees Sixteen Lakh FiftyNine Thousand One Hundred Forty Paise SeventyFive Only
26	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT 12mm Cement plaster finished with a floating coat of neat cement of mix:				0.00	0
	1 : 3 (1 cement : 3 fine sand)	sqm	78.070 ✓	343.750 ✓	26836.56 ✓	Rupees TwentySix Thousand Eight Hundred ThirtySix Paise FiftySix Only
	1 : 4 (1 cement : 4 fine sand)	sqm		325.450	0.00	0
	6 mm cement plaster to ceiling of mix 1 : 3 (1 cement : 3 fine sand)	sqm		221.500	0.00	0
27	Extra for plastering exterior walls of the height more than 10m from ground level for every additional height of 3m or part thereof.	sqm		65.050	0.00	0
	Extra for plastering				0.00	0
	Spherical Ceiling	sqm		128.200	0.00	0
	Grained ceiling	sqm		139.100	0.00	0
	Floating Soffits	sqm		84.550	0.00	0
28	EXTERIOR FINISHING Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	sqm	455.770 ✓	91.800 ✓	41839.69 ✓	Rupees FortyOne Thousand Eight Hundred ThirtyNine Paise SixtyNine Only
29	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	300.850 ✓	198.700 ✓	59778.90 ✓	Rupees FiftyNine Thousand Seven Hundred SeventyEight Paise Ninety Only

[Handwritten signature]
[Handwritten initials]

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20mtrs including construction of sluice chamber at OHT premises WSS Banderpora.

30	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				0.00	
	Using M.S. angles 40x40x6mm for diagonal braces.	sqm	2.160 ✓	4352.950 ✓	9402.37 ✓	Rupees Nine Thousand Four Hundred Two Paise ThirtySeven Only
	Using flats 30x6mm for diagonal braces and central cross piece.	sqm		4189.600	0.00	
31	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required, chequered plate wherever required, all complete.				0.00	
	In stringers, treads, landings etc. of stair cases, including use of	Kg		114.675	0.00	
	In gratings, frames, guard bar, ladder, railings, brackets, gales and similar works.	Kg	822.410 ✓	146.630 ✓	120589.98 ✓	Rupees One Lakh Twenty Thousand Five Hundred EightyNine Paise NinetyEight Only
32	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.				0.00	
	M.S. tube	Kg	81.360 ✓	172,900 ✓	14067.14 ✓	Rupees Fourteen Thousand SixtySeven Paise Fourteen Only
	E.R.W. tubes	Kg		166.050	0.00	
	G.I. pipes	Kg		174.250	0.00	
33	Providing and fixing G.I. pipes (B medium) complete with G.I. fittings excluding trenching and refilling etc. (external work) for rising main and delivery main of OHT.				0.00	
	15 mm dia. nominal bore	mtr		163.550	0.00	
	20 mm dia. nominal bore	mtr		204.450	0.00	
	25 mm dia. nominal bore	mtr		298.150	0.00	
	32 mm dia. nominal bore	mtr		360.900	0.00	
	40 mm dia. nominal bore	mtr		418.800	0.00	
	50 mm dia. nominal bore	mtr		559.350	0.00	
	65 mm dia. nominal bore	mtr		711.700	0.00	
	80 mm dia. nominal bore	mtr		840.000	0.00	
	100 mm dia. nominal bore	mtr	144.000 ✓	1234.950 ✓	177832.80 ✓	Rupees One Lakh SeventySeven Thousand Eight Hundred ThirtyTwo Paise Eighty Only
	150 mm dia. nominal bore	mtr		2167.650	0.00	

[Handwritten signature and initials]

staging height

Allocation for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height including construction of sluice chamber at OHT premises WSS Banderpora.

	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Conforming to IS:14844 read with latest amendments.				0.00	
	80 mm dia. Class I	Each		14758.000	0.00	
	100 mm dia. Class I	Each	2.000	17210.000	34420.00	Rupees Thirty Four Thousand Four
	125 mm dia. Class I	Each		21000.000	0.00	
	150 mm dia. Class I	Each		26720.000	0.00	
	200 mm dia. Class I	Each		42900.000	0.00	
	250 mm dia. Class I	Each		66400.000	0.00	
	300 mm dia. Class I	Each		83100.000	0.00	
	350 mm dia. Class I	Each		181000.000	0.00	
35	Providing & fixing of MS fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm Nominal Size MS plate as per the requirement of site including cost of welding. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job.	Kg	55.000	147820	8130.10	Rupees Eight Thousand One Hundred Thirty Paise Ten Only
36	Providing, fabricating & installation/laying of MS fittings for flanged C.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 1538 (as per site requirement)				0.00	
	Up to 300 mm dia.	Quintal		7823.700	0.00	
	Over 300 mm dia.	Quintal		8225.100	0.00	
37	Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and sorts of carriages. Complete Job.				0.00	
	80 mm dia. pipe	Joint		1100.000	0.00	
	100 mm dia. pipe	Joint	34.000	1520.000	51680.00	Rupees Fifty One Thousand Six Hundred Eighty Only
	125 mm dia. pipe	Joint		1855.000	0.00	
	150 mm dia. pipe	Joint		2150.000	0.00	
	200 mm dia. pipe	Joint		3480.000	0.00	
	250 mm dia. pipe	Joint		5030.000	0.00	
	300 mm dia. pipe	Joint		7710.000	0.00	
	350 mm dia. Pipe	Joint		9635.000	0.00	
38	Providing & fixing ventilator of size 450mm x 450mm made out of angle iron 40mm x 40mm with wire mesh of 25mm x 25mm size including welding charges & including all carriages upto site of work.	No	4.000	1500.000	6000.00	Rupees Six Thousand Only

[Handwritten signature]

[Handwritten signature]

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20mtrs including construction of sluice chamber at OHT premises WSS Banderpara.

39	Providing and Placing in position suitable PVC water stops conforming to IS : 12200 for construction / expansion joints between two RCC members and fixed to the reinforcement with binding wire before pouring concrete etc. complete.				0.00	
	Seated with central bulb (225 mm wide, 8-11mm thick)	Mtr		281.850	0.00	
	Dumb bell with central bulb (180mm wide, 8mm thick)	Mtr		228.300	0.00	
	Kickers (320mm wide, 5mm thick)	Mtr		261.750	0.00	
40	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	Sqm	11.310	800.000	9048.00	Rupees Nine Thousand FourtyEight Only
41	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND				0.00	
	3 km	Cum		172.592	0.00	
	4 km	Cum		189.750	0.00	
	5 Km	Cum	95.080	206.276	19612.67	Rupees Nineteen Thousand Six Hundred Twelve Paise SixtySeven Only
	Beyond 5 km upto 10 km per km @ 14.91/add km	Cum		44.730	0.00	
	Beyond 10 km upto 20 km per km	Cum		12.144	0.00	
	Beyond 20 km per additional km	Cum		9.936	0.00	
42	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate Below 40mm :				0.00	
	3 km	Cum		172.592	0.00	
	4 km	Cum		189.750	0.00	
	5 km	Cum	183.910	206.276	37936.13	Rupees ThirtySeven Thousand Nine Hundred ThirtySix Paise Thirteen Only
	Beyond 5 km upto 10 km per km @ 14.91/add km	Cum		74.580	0.00	
	Beyond 10 km upto 20 km per km @ 12.14/add km	Cum		24.280	0.00	
	Beyond 20 km per additional km	Cum		9.936	0.00	
43	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above :				0.00	
	3 km	Cum		187.600	0.00	
	4 km	Cum		206.253	0.00	
	5 Km	Cum	11.390	224.204	2553.68	Rupees Two Thousand Five Hundred FiftyThree Paise SixtyEight Only
	Beyond 5 km upto 10 km per km	Cum		16.215	0.00	
	Beyond 10 km upto 20 km per km	Cum		13.202	0.00	

[Handwritten signature and initials]

Account for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height including construction of sluice chamber at OHT premises WSS Banderpore.

		Cum	10.794	0.00	
				0.00	
		Cum	211.058	0.00	
		Cum	221.258	0.00	
		Cum	242.871	0.00	
		Cum	17.549	0.00	
		Cum	14.283	0.00	
		Cum	11.898	0.00	
				0.00	
		Tonne	153.422	0.00	
		Tonne	168.871	0.00	
		Tonne	2.870	1771.05	Rupees One Thousand Seven Hundred Seventy Three Paise Five Only
				0.00	
		Tonne	26.520	0.00	
		Tonne	10.799	0.00	
		Tonne	8.832	0.00	
				0.00	
				0.00	
		Cum	215.740	0.00	
		Cum	237.189	0.00	
		Cum	257.042	0.00	
		Cum	18.842	0.00	
		Cum	15.180	0.00	
		Cum	12.423	0.00	
				0.00	
				0.00	
		Tonne	153.422	0.00	
		Tonne	168.871	0.00	
		Tonne	116.540	21368.31	Rupees Twenty One Thousand three Hundred sixty eight Paise thirty one Only
		Tonne	13.260	0.00	
		Tonne	10.799	0.00	
		Tonne	8.832	0.00	
				0.00	
				0.00	
		Cum	209.898	0.00	
		Cum	45.701	0.00	

[Handwritten signature and initials]

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20mtrs including construction of sluice chamber at OHT premises WSS Banderpora.

49	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate Below 40mm				0.00	
	1st 50m	Cum		209.898	0.00	
	Beyond 1st 50m	Cum		45.701	0.00	
50	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate 40mm and Above				0.00	
	1st 50m	Cum		226.918	0.00	
	Beyond 1st 50m	Cum		49.404	0.00	
51	Carriage of materials by manual means including loading, unloading, stacking of materials- Stone Soling				0.00	
	1st 50m	Cum		246.940	0.00	
	Beyond 1st 50m	Cum		53.763	0.00	
52	Carriage of materials by manual means including loading, unloading, stacking of materials- Steel/CGI Sheets				0.00	
	1st 50m	Tonne		261.096	0.00	
	Beyond 1st 50m	Tonne		38.318	0.00	
53	Carriage of materials by manual means including loading, unloading, stacking of materials- Earth				0.00	
	1st 50m	Cum		209.898	0.00	
	Beyond 1st 50m	Cum		45.701	0.00	
54	Carriage of materials by manual means including loading, unloading, stacking of materials- Cement				0.00	
	1st 50m	Tonne		121.567	0.00	
	Beyond 1st 50m	Tonne		17.837	0.00	
55	Supply, installation, testing and commissioning of Advanced Maintenance Free environment friendly Earthing system consisting of 1 no. of 3mtr length, 17.2 mm dia UL certified earth electrode made of high tensile low carbon steel circular rods, molecularly bonded copper on outer surface (minimum copper bonding thickness-250 microns) with GI terminals to connect incoming strips. (Environment friendly backfill compound duly certified as per ANSI/NSF standard 60/Toxic content certificate as safe for use near potable ground water resources strictly as per specification enclosed. Make- SHREE ELECTRODES/OBO BETTERMANN/ERICO(2 Nos UPS and 4 Nos Main L.T Panel/2 Nos Fire Fighting Panel)	No	1.000	15800.000	15800.00	Rupees Fifteen Thousand Eight Hundred Only
	Earth pit chamber (300mm x 300mm) with CI cover for the above.				0.00	
55.1	Providing and Fixing 25 mm x 5 mm Copper Strip in 40 mm dia. G.I Pipe FRL Earth Electrode including connection with Brass nut ,bolt,spring,washer,excavation and refilling etc. as required.	RM	30.000	1224.000	36720.00	Rupees ThirtySix Thousand Seven Hundred Twenty Only

Handwritten signatures and initials in black and red ink.

Allocation for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height
 including construction of sluice chamber at OHT premises WSS Banderpora.

Supply, installation, testing and commissioning of lightning conductor made of 25 mm dia 300 mm long copper tube having single prong at top with base plate.	Each	1,000	1,500,000	1,500,000	Rupees One Thousand Five Hundred Only
Total:-				5539795.58	
Add 8% above on all items as approved/ recommended percentage rate above the estimated rate by Chief Engineer vide No. CE/PHE/K/E&T/JJM/26637-52 dated:- 19.10.2022				443183.65	
G.Total				5982979.22	
Rates & quantity checked				say	59.83 lacs

Head Draftsman
 Terms Conditions:-

- The cost of work in no case exceed beyond Rs 59.83 lacs (Rupees fifty nine lacs and eighty three Thousand only)
- Bid declaration security @ 2% vide FDR No.636581 Dated:-23.08.2022 for an amount of Rs 80,000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- Time of completion is essence of the contract.
- The work shall have to be started by you at site immediately and ensure its successful completion within a period of 180 days from the date of issuance of LOI/Allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be recommended for forfeiting.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works . If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation . In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR.
- All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.
- Any rules / terms and conditions if not stipulated in the bidding documents , shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman

Executive Engineer
 (ISD) PHE Division Awantipora

Copy to the:-

- 1) Mission Director , Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar for favour of information
- 2) Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for favour information.
- 3) District Development Commissioner Pulwama (Chairperson DJJM) for favour of information.
- 4) Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian (Member Secretary DJJM) for favour of information.
- 5) District Social Welfare Officer Pulwama (Member DJJM) for favour of information.
- 6) Assistant Executive Engineer Sub Division Awantipora for information . He will ensure the completion of work within the stipulated period strictly in accordance with approved proposals within allotted amount shall in no case exceed the allotted amount.
- 7) Assistant Accounts Officer PHE Division Awantipora for information
- 8) H/D Divisional Drawing Branch for information
- 9) Office File

**Executive Engineer
(JSD) PHE Division
Awantipora**

(Signature)