

OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244


Allotment Order No. _____ **dated** _____

| | |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name of the agency/ contractor | M/s. Lala Nazir Ahmad Sofi |
| Address | Jahama Baramulla |
| Registration No. | SE/Hyd/Spr/BEE/Civil/111 of 2004-05 |
| Contact/ Email | 9596301693 |
| Name of work | Laying and fitting of intake main/supply main & distt. System to Singhpora, constt.of saddle block / anchor block to intake main at various spots near Batabagh (Alansar), constt. Of chain link fencing around various structures at Singhpora WSS Augmentation Singhpora under NRDWP |
| References | This office ENIT 25 of 07/2023 (S.No. 02) |
| Accord of administrative approval No. & date | PHE/DB/48 of 07/2014 dated 04.07.2014 |
| Advertised Cost | Rs. 3722747/- |
| Allotted Cost | Rs. 3194117/- (Rupees Thirty One Lacs Ninety Four Thousand One Hundred Seventeen Only) |
| Time of completion | 45 days |

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **45** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.



08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

(Encl: Annexure "A")

No. 5326-38 A
Dt. 04-08-2023 To.


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Baramulla, for information.
- 13/- File Concerned.

Comp. by: Shahid Farooq (Correspondence)

Annexure "A"

Name of work:

Laying and fitting of intake main/supply main & distt. System to Singhpora, constt.of saddle block / anchor block to intake maine at various spots near Batabagh (Alansar), constt. Of chain link fencing around various structures at Singhpora WSS Augmentation Singhpora under NRDWP

| Sl.No | Description of Work / Item(s) | No.of Qty | Units | Rate | Total Amount |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|---------------|--------------|
| 1 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed | ✓ | ✓ | ✓ | |
| 1.1 | All Kinds of soil. | 754.500 | Cum | 479.300 | 361631.850 |
| 2 | Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-In-Charge. All kinds of soil : | ✓ 153.120 | ✓ Cum | ✓ 592.900 | 90784.848 |
| 3 | Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete. | ✓ 30.160 | ✓ cum | ✓ 1320.000 | 39811.200 |
| 4 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | ✓ 1.820 | ✓ Cum | ✓ 7104.350 | 12929.917 |
| 5 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) | ✓ 171.580 | cum | ✓ 5733.600 | 983771.088 |
| 6 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. | | | | 0.000 |
| 6.1 | In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works. | ✓ 200.000 | ✓ Kg | ✓ 181.600 | 36320.000 |
| 7 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more. | ✓ 120.100 | Kg | ✓ 123.200 | 14796.320 |
| 8 | Centering and shuttering including strutting, propping etc. and removal of form for: | | | | 0.000 |
| 8.1 | Foundations, footings, bases of columns etc. for mass concrete. | ✓ 317.870 | ✓ sqm | ✓ 286.350 | 91022.075 |
| 9 | Applying priming coat: With ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood) | ✓ 249.470 | ✓ sqm | ✓ 64.600 | 15115.762 |

Handwritten signatures and initials in blue ink, including a large signature and a circular stamp.

| | | | | | |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------------|------------|
| 10 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade (two or more coats on new work). | 249.470 ✓ | sqm ✓ | 131.850 ✓ | 32892.620 |
| 11 | 12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand) | 262.970 ✓ | sqm ✓ | 283.800 ✓ | 74630.886 |
| 12 | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | 5241.400 ✓ | kg ✓ | 120.800 ✓ | 633161.120 |
| 13 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm | 456.530 ✓ | sqm ✓ | 809.900 ✓ | 369743.647 |
| 14 | Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. | | | | 0.000 |
| 14.1 | 20 mm dia. nominal bore | 800.000 ✓ | Mtr ✓ | 22.250 ✓ | 17800.000 |
| 14.2 | 25 mm dia. nominal bore | 1800.000 ✓ | Mtr ✓ | 33.700 ✓ | 60660.000 |
| 14.3 | 50 mm dia. nominal bore | 1200.000 ✓ | Mtr ✓ | 44.850 ✓ | 53820.000 |
| 14.4 | 80 mm dia. nominal bore | 70.000 ✓ | Mtr ✓ | 80.300 ✓ | 5621.000 |
| 14.5 | 100 mm dia. nominal bore | 70.000 ✓ | Mtr ✓ | 118.450 ✓ | 8291.500 |
| 15 | Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe) | 22.440 ✓ | Qtd ✓ | 270.100 ✓ | 6061.044 |
| 16 | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket. | | | | 0.000 |
| 16.1 | 200 mm dia pipes | 12.000 ✓ | No ✓ | 221.900 ✓ | 2662.800 |
| 17 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | 679.050 ✓ | cum ✓ | 218.400 ✓ | 148304.520 |
| 18 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | | 0.000 |
| 18.1 | 25 to 40 mm nominal bore | 22.000 ✓ | No ✓ | 730.250 ✓ | 16065.500 |
| 18.2 | 50 to 80 mm nominal bore | 25.000 ✓ | No ✓ | 1387.250 ✓ | 34681.250 |
| 19 | Manufacturing providing fixing of MS Bends/ Tees including carriage of welding machine upto site of work incl. cost of nuts, bolts, rubber washers etc., complete job. | 250.000 ✓ | Kg ✓ | 210.000 ✓ | 52500.000 |
| 20 | Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments. | | | | 0.000 |
| 20.1 | 80 mm dia. Class 1 | 1.000 ✓ | No ✓ | 10815.000 ✓ | 10815.000 |
| 20.2 | 100 mm dia. Class 1 | 1.000 ✓ | No ✓ | 13164.000 ✓ | 13164.000 |
| 20.3 | 150 mm dia. Class 1 | 2.000 ✓ | No ✓ | 20243.000 ✓ | 40486.000 |
| 21 | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) | | | | 0.000 |
| 21.1 | 20 mm nominal bore | 12.000 ✓ | No ✓ | 513.400 ✓ | 6150.800 |

16

[Handwritten signature and initials]

| | | | | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|----------|------------------|
| 21.2 | 25 mm nominal bore | 10.000 | No | 691.700 | 6917.000 |
| 21.3 | 40 mm nominal bore | 6.000 | No | 834.600 | 5007.600 |
| 21.4 | 50 mm nominal bore | 8.000 | No | 986.150 | 7889.200 |
| 22 | Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages. Complete Job. | | | | 0.000 |
| 22.1 | 80 mm dia. pipe | 30.000 | Joint | 1100.000 | 33000.000 |
| 22.2 | 100 mm dia. pipe | 30.000 | Joint | 1520.000 | 45600.000 |
| 22.3 | 150 mm dia. pipe | 105.000 | Joint | 2150.000 | 225750.000 |
| 23 | carriage of material from source to site of work/ dumping site by Mechanical Transport including loading unloading and stacking etc. | | | | 0.000 |
| 23.1 | Pipes (below 100mm dia) max lead 15 Km | 10.150 | M.ton | 306.180 | 3107.727 |
| 23.2 | Pipes 100mm dia G.I max lead 15 Km | 70.000 | Mtr | 7.540 | 527.800 |
| 23.3 | Pipes 200mm dia D.I max lead 15 Km | 66.000 | Mtr | 20.390 | 1345.740 |
| 23.4 | Cement /Steel max lead 10 Km | 37.160 | M.ton | 248.030 | 9216.795 |
| 23.5 | Cement max lead 15 Km | 7.400 | M.ton | 306.180 | 2265.732 |
| 23.6 | Sand max lead 15 Km | 81.180 | cum | 344.490 | 27965.698 |
| 23.7 | Stone aggregate 20mm nominal size max lead 35 Km | 156.170 | cum | 575.540 | 89882.082 |
| 24 | carriage of material from dumping/ road side to site of work by Manual Means including loading unloading and stacking etc. max lead 500 Mtrs. | | | | 0.000 |
| 24.1 | Cement | 7.400 | M.ton | 340.010 | 2516.074 |
| 24.2 | Sand | 15.180 | cum | 593.880 | 9015.098 |
| 24.3 | Stone aggregate 20mm nominal size | 30.370 | cum | 593.880 | 18036.136 |
| Total | | | | | 3722747 |
| Quoted Rate @ Below 14.20% | | | | | 528630 |
| Total Allotted Amount | | | | | 3194117.3 |
| (Rupees Thirty One Lacs Ninety Four Thousand One Hundred Seventeen Only) | | | | | |

Rates & Qty checked by:

Head Draftsman

Executive Engineer
PHE Division Baramulla