

Office of the Executive Engineer P.H.E Division Awantipora

Name: Mir & Co Prop: Mohd Farooq Mir ✓
 S/O Ab Rahim Mir ✓
 R/O: Gasoo Tailbal Srinagar ✓
 Reg. No.: 224/A/CE/KCC/PrC OF 1997-98 ✓
 PAN No.: BNKPM9377E ✓
 GST No.: 01BNKPM9377E2ZS ✓

No.PHE/AWP/ 1887-96
 Dated:- 07-07-2022

Subject:- Allocation for Construction/Testing/Commissioning of 0.36 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Wuyan.

Reference:- 1) Your tender in response to Chief Engineer Jal Shakti (PHE) Department's E-Nit No. 129 of 2021-22 Dated: 21.02.2022 issued vide endorsement no: CE/PHE/DB/41981-42006 Dated: 21.02.2022

- 2) Minutes of pre-bid Meeting held on 28.02.2022, 02.03.2022 and 03.03.2022 at Irrigation Guest House Ram Munshi Bagh Srinagar.
- 3) Chief Engineer Jal Shakti (PHE) Department Srinagar's authority No: CE/PHE/JJM/2617-59 Dated: 05.05.2022
- 4) Minutes of Meeting DJJM Pulwama held on 22.05.2022.
- 5) Superintending Engineer Hydraulic Circle Pulwama's Letter No: SE/Hyd/DB/1161-62 Dated: 26.05.2022
- 6) This office Letter of Intent No: 1392-96 Dated: 17.06.2022
- 7) Superintending Engineer Hydraulic Circle Pulwama's Technical Sanction No:04 Dated: 30.06.2022 issued under endorsement No: SE/Hyd/SPN/1948-50 Dated: 30.06.2022 for an amount of Rs 65.06 lacs.

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions.

Advertised Cost:- Rs 58.28 lacs (Before Approved Design)

Allotted Cost:- Rs 65.06 Lacs

(Rupees Sixty Five Lacs and Six Thousand only)

S.No	Particulars of Items	Units	Quantity	Allotted Rate	Amount	
					In figures	In words
1	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.	Cum	458.760	188.750	86590.95	Rupees EightySix Thousand Five Hundred Ninety Paise NinetyFive Only
2	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :				0.00	0
	All kinds of soil :	Cum	237.550	81.650	19395.96	Rupees Nineteen Thousand Three Hundred NinetyFive Paise NinetySix Only
3	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				0.00	0
	All kinds of soil :	Cum	50.970	539.350	27490.67	Rupees TwentySeven Thousand Four Hundred Ninety Paise SixtySeven Only
4	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	1Kl	50.000	155.550	7777.50	Rupees Seven Thousand Seven Hundred SeventySeven Paise Fifty Only

7/

2/1/11
 2
 C. S. K.

	Case timbering in trenches including strutting, bracing and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered). 2.14.2 Depth exceeding 1.5 m but not exceeding 3 m	SqMtr	247.750		0.00	0
6	Boring, providing and installing bored cast-in-situ reinforced cement concrete pile of specified grade concrete mix, diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured from top of shoe to the bottom of pile cap) 21.2.1 By percussion drilling using Direct mud circulation (DMC) or Bailer and chisel technique by tripod and mechanical Winch Machine all complete.				0.00	0
	450 mm dia piles				0.00	0
	M-25	Mtr	1871.485		0.00	0
	M-30	Mtr	1889.250		0.00	0
	M-35	Mtr	1907.015		0.00	0
	500 mm dia piles				0.00	0
	M-25	Mtr	2185.205		0.00	0
	M-30	Mtr	2207.150		0.00	0
	M-35	Mtr	2229.095		0.00	0
	600 mm dia piles				0.00	0
	M-25	Mtr	2977.205		0.00	0
	M-30	Mtr	3008.830		0.00	0
	M-35	Mtr	3040.400		0.00	0
	750 mm dia piles				0.00	0
	M-25	Mtr	4572.315		0.00	0
	M-30	Mtr	4621.705		0.00	0
	M-35	Mtr	4671.040		0.00	0
7	Vertical load testing of piles in accordance with IS 2911 (Part IV) including installation of loading platform by Kentledge/Anchor pile method and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & the direction of Engineer-in-Charge. 21.6.1 Single pile upto 50 tonne safe capacity	PER TEST			0.00	0
	Initial test (Test Load 2.5 times the safe capacity)	PER TEST	53517.500		0.00	0
	Routine test (Test Load 1.5 times the safe capacity)	PER TEST	20069.050		0.00	0
8	Demolishing R.C.C. work manually/by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge. (Chipping of Pile Heads)	Cum	2289.250		0.00	0
9	Providing and laying hand packed stone soling (Quarry) 75mm nominal size including ramming and dressing including all leads lifts and all carriages complete.	Cum	44.410	1320.000	58621.20	Rupees FiftyEight Thousand Six Hundred TwentyOne Paise Twenty Only
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				0.00	0
	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	11.690	4861.835	56831.85	Rupees FiftySix Thousand Eight Hundred ThirtyFour Paise Eightyfive Only


Handwritten signature and date: 9/11/22

	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level.				0.00		
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	84.840	7800.740	50/50.11	Rupees Seven Lakh Forty Thousand Seven Hundred Sixty Paise Sixteen Only	0
12	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and shafts upto floor five level including curing but excluding cost of centering, shuttering, finishing and reinforcement.				0.00		0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9408.136	0.00		0
13	Reinforced cement concrete work in beams, suspended floor, roofs having slope upto 15°, lintels, balconies, shelves, chajjas, lintels, bands, plain window sills, slabs, and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with.				0.00		0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	7.440	9049.345	74/79.11	Rupees Seventy Three Thousand Two Hundred Seventy Nine Paise Thirteen Only	0
14	Providing and laying upto floor five level reinforced cement concrete in kerbs, steps and the like including curing but excluding the cost of centering, shuttering, finishing and reinforcement with.				0.00		0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9038.390	0.00		0
15	Reinforced cement concrete work in arches, arch ribs, domes, vaults, shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with.				0.00		0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.400	10404.515	1186/11.47	Rupees One Lakh Eighteen Thousand Five Hundred Eleven Paise Forty Seven Only	0
16	Reinforced cement concrete work in chimneys, shafts upto floor five level including curing complete but excluding the cost of centering, shuttering, finishing and reinforcement with.				0.00		0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	59.650	9600.635	5726/77.88	Rupees Five Lakh Seventy Two Thousand Six Hundred Seventy Seven Paise Eighty Eight Only	0
17	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.				0.00		0
	All works upto plinth level	Cum		7911.255			0

9/11/20

	works above plinth level upto floor V level	Cum	30.930	7302.275	287743.62	Rupees Two Lakh EightySeven Thousand Seven Hundred FortyOne Paise Two Only
18	Extra for providing richer mixes at all floor levels. Note: Excess/ less cement over the specified cement content used is payable/ recoverable separately. 5.35.1 Providing M-30 grade concrete instead of M-25 grade BMC/BMC. (Note: Cement content considered in M-30 is @ 340 kg/cum)	Cum	30.930	111.870	3450.14	Rupees Three Thousand Four Hundred Sixty Paise Fourteen Only
17	Extra for R.C.C./B.M.C./P.M.C. work above floor V level for each four floors or part thereof.	Cum	61.800	309.045	19098.98	Rupees Nineteen Thousand NinetyEight Paise NinetyEight Only
20	Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein.	Cum	29.950	1074.370	42177.38	Rupees ThirtyTwo Thousand One Hundred SeventySeven Paise ThirtyEight Only
21	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	SqMtr	34.680	262.300	9095.56	Rupees Nine Thousand NinetySix Paise FiftySix Only
	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	SqMtr	798.460	573.850	458195.27	Rupees Four Lakh FiftyEight Thousand One Hundred NinetySix Paise TwentySeven Only
	Suspended floors, roofs, landings, balconies and access platforms.	SqMtr	49.090	635.600	31201.60	Rupees ThirtyOne Thousand Two Hundred One Paise Sixty Only
	Lintel, beams, plinth beams, girders, bressomers and cantilevers.	SqMtr	100.370	502.850	50471.05	Rupees Fifty Thousand Four Hundred SeventyOne Paise Five Only
	Columns, pillars, piers, abutments, posts and struts.	SqMtr		680.150	0.00	0
	Stairs (excluding landings) except spiral staircases.	SqMtr		807.500	0.00	0
	Spiral staircases (including landings)	SqMtr	59.510	619.800	36884.30	Rupees ThirtySix Thousand Eight Hundred EightyFour Paise Thirty Only
	Arches, domes, vaults upto 6 m span	SqMtr	94.170	2086.800	195513.95	Rupees One Lakh NinetySix Thousand Five Hundred Thirteen Paise NinetySix Only
	Extra for arches, domes, vaults exceeding 6 m span	SqMtr	94.170	1008.450	94965.74	Rupees NinetyFour Thousand Nine Hundred SixtyFive Paise SeventyFour Only
	Chimney and shafts	SqMtr		573.850	0.00	0
	Extra for shuttering in circular work (20% of respective centering and Shuttering items)	SqMtr	18.850	52.460	988.87	Rupees Nine Hundred EightyEight Paise EightySeven Only
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Beams	SqMtr		114.770	0.00	0
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Domes	SqMtr	895.430	100.570	90053.40	Rupees Ninety Thousand FiftyThree Paise Fourty Only
	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Domes	SqMtr	20.320	417.370	8440.95	Rupees Eight Thousand Four Hundred Eighty Paise NinetySix Only
	Edges of slabs and breaks in floors and walls	Mtr		242.300	0.00	0
	Extra for additional height in centering, shuttering, where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m, for every additional height of 1 meter or part thereof (Plan area to be measured).				0.00	0
	Suspended floors, roofs, landings, beams and balconies (plan area to be measured)	SqMtr		267.600	0.00	0
	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	kg	815.840	57.900	47237.14	Rupees FortySeven Thousand Two Hundred ThirtySeven Paise Fourteen Only

	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	100 sqm		11.360		0.00	
24	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.					0.00	
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	22184.000	87.175		0.00	
25	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete above plinth level.					0.00	
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	22184.000	87.175		0.00	Rupees Nineteen Lakh Thirty Three Thousand Eight Hundred Ninety Paise Twenty Only
26	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT 12mm Cement plaster finished with a floating coat of neat cement of mix:					0.00	
	1 : 3 (1 cement : 3 fine sand)	sqm	383.540	343.750		0.00	Rupees One Lakh Thirty One Thousand Eight Hundred Forty One Paise Eighty Eight Only
	1 : 4 (1 cement : 4 fine sand)	sqm		325.450		0.00	
	6 mm cement plaster to ceiling of mix 1 : 3 (1 cement : 3 fine sand)	sqm		221.500		0.00	
27	Extra for plastering exterior walls of the height more than 10m from ground level for every additional height of 3m or part thereof.	sqm		65.050		0.00	
	Extra for plastering					0.00	
	Spherical Ceiling	sqm		128.200		0.00	
	Groined ceiling	sqm		139.100		0.00	
	Flewing Soffits	sqm		84.550		0.00	
28	EXTERIOR FINISHING Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	sqm	460.490	91.800		0.00	Rupees Forty Two Thousand Two Hundred Seventy Two Paise Ninety Eight Only
29	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	567.360	198.700		0.00	Rupees One Lakh Twelve Thousand Seven Hundred Thirty Four Paise Fourty Three Only
30	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.					0.00	
	Using M.S. angles 40x40x6mm for diagonal braces.	sqm	1.740	4352.950		0.00	Rupees Seven Thousand Five Hundred Seventy Four Paise Thirteen Only
	Using flats 30x6mm for diagonal braces and central cross piece.	sqm		4189.600		0.00	
31	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. chequered plate wherever required, all complete.					0.00	
	In stringers, treads, landings etc. of stair cases, including use of	Kg	1270.300	114.675		0.00	Rupees One Lakh Fourty Five Thousand Six Hundred Seventy One Paise Sixty Five Only
	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	Kg		146.630		0.00	



	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works including applying priming coat of approved steel primer.				2.00	0
	M.S. tube	Kg	172.900		2.00	0
	E.R.W. tubes	Kg	166.050		2.00	0
	G.I. pipes	Kg	174.250		2.00	0
33	Providing and fixing G.I. pipes (8 medium) complete with G.I. fittings excluding trenching and refilling etc. (external work) for rising main and delivery main of OHT.				2.00	0
	15 mm dia. nominal bore	mtr	163.550		2.00	0
	20 mm dia. nominal bore	mtr	204.450		2.00	0
	25 mm dia. nominal bore	mtr	298.150		2.00	0
	32 mm dia. nominal bore	mtr	360.900		2.00	0
	40 mm dia. nominal bore	mtr	418.800		2.00	0
	50 mm dia. nominal bore	mtr	559.350		2.00	0
	65 mm dia. nominal bore	mtr	711.700		2.00	0
	80 mm dia. nominal bore	mtr	840.000		2.00	0
	100 mm dia. nominal bore	mtr	146.000	1234.850	180800.00	Rupees One Lakh Eight Thousand Three Hundred Two Paise Seventy Only
	150 mm dia. nominal bore	mtr		2167.850	2.00	0
34	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:1484s read with latest amendments.				2.00	0
	80 mm dia. Class 1	Each	14058.000		2.00	0
	100 mm dia. Class 1	Each	6.000	17210.000	215260.00	Rupees One Lakh Three Thousand Two Hundred Sixty Only
	125 mm dia. Class 1	Each	21000.000		2.00	0
	150 mm dia. Class 1	Each	27700.000		2.00	0
	200 mm dia. Class 1	Each	42300.000		2.00	0
	250 mm dia. Class 1	Each	66440.000		2.00	0
	300 mm dia. Class 1	Each	85100.000		2.00	0
	350 mm dia. Class 1	Each	181060.000		2.00	0
35	Providing & fixing of MS fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm Nominal Size MS plate as per the requirement of site including cost of welding. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job.	Kg	100.000	147.820		Rupees Fourteen Thousand Seven Hundred Eighty Two Only
36	Providing, fabricating & installation, laying of MS fittings for flanged C.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 1538 (as per site requirement)				2.00	0
	Up to 300 mm dia.	Quintal		7823.700	2.00	0
	Over 300 mm dia.	Quintal		8225.100	2.00	0
37	Providing and fixing of MS flanged joints (12mm thick) to double flanged G.I. DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and sorts of carriages. Complete Job.				2.00	0
	80 mm dia. pipe	Joint		1100.000	2.00	0
	100 mm dia. pipe	Joint	28.000	1520.000	42900.00	Rupees Fourty Two Thousand Five Hundred Sixty Only
	125 mm dia. pipe	Joint		1855.000	2.00	0
	150 mm dia. pipe	Joint		2150.000	2.00	0

Handwritten signature and initials in blue ink, including the name "B. S. Singh" and other illegible marks.

	100 mm dia pipe	Q/M	3480.000	0.00		
	150 mm dia pipe	Q/M	5280.000	0.00		
	200 mm dia pipe	Q/M	7712.000	0.00		
	250 mm dia pipe	Q/M	9936.000	0.00		
38	Providing & fixing ventilator of size 450mm x 450mm inside cut of angle iron 40mm x 40mm with wire mesh of 25mm x 25mm size including welding charges & including all cartages upto site of work.	No	1800.000	0.00		
39	Providing and placing in position suitable PVC water stops conforming to IS - 12200 for construction expansion joints between two RCC members and fixed to the reinforcement with binding wire before pouring concrete etc. complete.			0.00		
	Sealed with central bulb (225 mm wide 8-11mm thick)	Mtr	261.860	0.00		
	Joint bulb with central bulb (180mm wide 8mm thick)	Mtr	226.800	0.00		
	Kickers (80mm wide 8mm thick)	Mtr	261.750	0.00		
40	Providing & fixing of 0.65mm thick PGI sheets of construction joints including all leads and lifts complete job as directed by Engineer-in-charge	Sqm	800.000	0.00		
41	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - S&V:			0.00		
	3 km	Cum	172.692	0.00		
	4 km	Cum	189.750	0.00		
	5 km	Cum	70.000	206.276		Rupees fourteen thousand four hundred fifty seven paise eight five only
	Beyond 5 km upto 10 km per km @14.91 /add km	Cum	70.000	74.580		Rupees five thousand two hundred twenty three paise thirty one only
	Beyond 10 km upto 20 km per km @12.14 /add km	Cum	70.000	121.440		Rupees eight thousand five hundred eighty seven paise seven three only
	Beyond 20 km per additional km @9.93 /add km	Cum	70.000	99.360		Rupees six thousand nine hundred eighty four paise four only
42	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate Below 40mm :			0.00		
	3 km	Cum	172.692	0.00		
	4 km	Cum	189.750	0.00		
	5 km	Cum	120.000	206.276		Rupees twenty four thousand seven hundred fifty three paise six only
	Beyond 5 km upto 10 km per km @14.91 /add km	Cum	120.000	74.580		Rupees eight thousand nine hundred forty nine paise six only
	Beyond 10 km upto 20 km per km @12.14 /add km	Cum	120.000	121.440		Rupees fourteen thousand five hundred seventy two paise eight only
	Beyond 20 km per additional km @9.93 /add km	Cum	120.000	99.360		Rupees eleven thousand nine hundred twenty three paise twenty only
43	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above :			0.00		
	3 km	Cum	187.600	0.00		
	4 km	Cum	206.253	0.00		
	5 km	Cum	10.520	224.204		Rupees two thousand three hundred thirty eight paise eight three only
	Beyond 5 km upto 10 km per km @16.21 /add km	Cum	10.520	81.070		Rupees eight hundred fifty two paise eighty six only

21/11/22

	Beyond 10 km upto 20 km per km @13.20/add km	Cum	10.520	132.020	1388.35	Rupees One Thousand Three Hundred EightyEight Paise EightyFive Only	0
	Beyond 20 km per additional km @10.76/add km	Cum	10.520	107.840	1132.37	Rupees One Thousand One Hundred ThirtyTwo Paise ThirtySeven Only	0
44	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Stone Baling:				0.00		0
	3 km	Cum		203.054	0.00		0
	4 km	Cum		223.238	0.00		0
	5 Km	Cum		242.673	0.00		0
	Beyond 5 km upto 10 km per km @17.54/add km	Cum		87.740	0.00		0
	Beyond 10 km upto 20 km per km @14.28/add km	Cum		142.800	0.00		0
	Beyond 20 km per additional km @11.69/add km	Cum		116.940	0.00		0
45	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel/ CGI Sheets:				0.00		0
	3 km	Tonne		153.422	0.00		0
	4 km	Tonne		168.671	0.00		0
	5 Km	Tonne		183.356	0.00		0
	Beyond 5 km upto 10 km per km	Tonne		13.240	0.00		0
	Beyond 10 km upto 20 km per km	Tonne		10.799	0.00		0
	Beyond 20 km per additional km	Tonne		8.832	0.00		0
46	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Earth:				0.00		0
	1 km	Cum		215.740	0.00		0
	4 km	Cum		237.188	0.00		0
	5 Km	Cum		257.842	0.00		0
	Beyond 5 km upto 10 km per km	Cum		18.642	0.00		0
	Beyond 10 km upto 20 km per km	Cum		15.180	0.00		0
	Beyond 20 km per additional km	Cum		12.423	0.00		0
47	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement/Steel:				0.00		0
	3 km	Tonne		153.422	0.00		0
	4 km	Tonne		168.671	0.00		0
	5 Km	Tonne	71.750	183.356	13155.79	Rupees Thirteen Thousand One Hundred FiftyFive Paise SeventyNine Only	0
	Beyond 5 km upto 10 km per km @13.20/add km	Tonne	71.750	66.300	4757.03	Rupees Four Thousand Seven Hundred FiftySeven Paise Three Only	0
	Beyond 10 km upto 20 km per km @ 10.79/add km	Tonne	71.750	107.990	7748.28	Rupees Seven Thousand Seven Hundred FourtyEight Paise TwentyEight Only	0
	Beyond 20 km per additional km @ 8.83/add km	Tonne	71.750	88.320	6336.96	Rupees Six Thousand Three Hundred ThirtySix Paise NinetySix Only	0
48	Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand)				0.00		0
	Ist 50m	Cum		209.898	0.00		0
	Beyond Ist 50m	Cum		45.701	0.00		0
49	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate Below 40mm				0.00		0
	Ist 50m	Cum		209.898	0.00		0
	Beyond Ist 50m	Cum		45.701	0.00		0
50	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate 40mm and Above				0.00		0

[Signature]

		Cum	224.918	0.00	0
	beyond 50m	Cum	49.404	0.00	0
	Carriage of materials by manual means including loading unloading stacking of materials- Stone			0.00	0
	Up to 50m	Cum	246.940	0.00	0
	beyond 50m	Cum	53.763	0.00	0
52	Carriage of materials by manual means including loading unloading stacking of materials- Steel/CGI sheets			0.00	0
	Up to 50m	Tonne	261.096	0.00	0
	beyond 50m	Tonne	38.318	0.00	0
21	Carriage of materials by manual means including loading unloading stacking of materials- Earth			0.00	0
	Up to 50m	Cum	209.898	0.00	0
	beyond 50m	Cum	45.701	0.00	0
54	Carriage of materials by manual means including loading unloading stacking of materials- Cement			0.00	0
	Up to 50m	Tonne	121.567	0.00	0
	beyond 50m	Tonne	17.837	0.00	0
55	Supply, installation, testing and commissioning of Advanced Monitoring & Control system for the existing system consisting of 1 no. of rack length (2.2 m) dia 19" cabinet with chassis made of high tensile low carbon steel enclose racks modularly. Racked support on rubber surface protection (epoxy bonding thickness 250 microns) with 10 terminals for connection to cable slips. Environment friendly and EMI compliant. duly certified as per IEC 61010 standard 50/1000. Control & protection to be as per possible ground water resistivity as per per specifications enclosed. Make: SIEMENS, IEC 61010/50/1000, BETHLEHEM/ABB or 7 Dia 19" and 8 Dia Main 11 Panel 2 Dia 19" Fighting Panel.	no	1.000	15800.000	Rupees Fifteen Thousand Eight Hundred Only
	Each pit chamber (300mm x 300mm) with CE cover for the glove.			0.00	0
53	Polishing and fitting 25 mm dia pure Copper Slip to 40 mm dia 1/2" Pipe dia. Each electrode including connection with brass nut and bolt spring washer excitation and filling etc. as required.	EA	25.000	1224.000	Rupees Thirty Thousand Six Hundred Only
55	Supply, installation, testing and commissioning of lightening cable for made of 25 mm dia 300 mm long copper tube having single piece of top with brass plate.	Each	1.000	1500.000	Rupees One Thousand Five Hundred Only
				6024487.57	
	Add 0% above on all items			481959.01	
		Total	65.06	Lacs	

Rates & quantity checked

Head/Draftsman

Terms & conditions:

- The cost of work in no case exceed beyond Rs 65.06 lacs (Rupees Sixty Five Lacs and Six Thousand only)
- Earnest Money Rs 50000/- pledged to Financial Advisor / Chief Accounts Officer kmr, Jal Shakti (PHE) Department Srinagar
- Time of completion is essence of the contract.
- The work shall have to be started by you at site immediately and ensure its successful completion within a period of 180 days from the date of issuance of EOI Allocation from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be recommended for forfeiting.

Handwritten signature and initials in blue ink.

Agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you

The allotted works shall be subject to check by the third party monitoring agency appointed by the department.

- 7 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- 8 Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/PDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
- 9 The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR.
- 12 All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.
- 13 Any rules / terms and conditions if not stipulated in the bidding documents, shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman

Tech. Officer

Executive Engineer
(JSD) PHE Division Awantipora

Copy to the:-

- 1).Mission Director , Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar for favour of information
- 2).Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for favour information.
- 3).District Development Commissioner Pulwama (Chairperson DJJM) for favour of information.
- 4).Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian (Member Secretary DJJM) for favour of information.
- 5).District Social Welfare Officer Pulwama (Member DJJM) for favour of information.
- 6).Assistant Executive Engineer Sub Division Dampore for information . He will ensure the completion of work within stipulated period strictly in accordance with approved proposals within allotted amount shall in no case exceed the allotted amount.
- 7).Assistant Accounts Officer PHE Division Awantipora for information
- 8).H/D Divisional Drawing Branch for information
- 9).Office File