


OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmrpheb1a@gmail.com (FAX) 01952234575 (Tel) 01952234244

P.No: (63)



No. 6593-6604

dt. 15-9-2022

M/s. Farooq Ahmad Buhroo,
R/o. Azad Gunj Baramulla.
Regd. No.

Sub: Retrofitting of W.S.Scheme Ladiangaan by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of ChainLink Fencing and Constt. of Sluice Chamber (for providing 100% FHTC) under JJM.

- Ref:**
- 1/- Constitution of District JalJeevan Mission, Administrative Council DecisionNo: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD).of 2020 Dated: 24-04-2020.
 - 2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).
 - 3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.
 - 4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.
 - 5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/4538-50 dated 22.07.2022.
 - 6/- Your tender received in response to this office ENIT No: 24 of 05/2022 (S.No 04)
 - 7/- This office LOI No. 4529-43 dated 29.07.2022

1/- Amount of work advertised: 2321000.00

2/- Allotted cost of work: 2205352.00

(Rupees Twenty Two Lacs Five Thousand Three Hundred Fifty Two only)

3/- Time of completion: (60 days)


For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:

- 01. Time of completion is essence of the contract.
- 02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of 60 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- 03. An agreèment shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
- 05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- 06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- 07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise you shall have to rectify the same within a period of 10 days of receipt of

intimation. In case of any fallure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.


Technical Officer to
Executive Engineer
PHE Division Baramulla

(Encl: Annexure "A")


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate JalJeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- File Concerned.

	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	5.400	Cum	8937.72	3283.733
	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	0.620	Cum	9356.878	5801.264
	Centering and shuttering including strutting, propping etc. and removal of form work for:			0.00	0.000
	Foundations, footings, bases for columns	195.000	sqm	249.16	48591.075
2	Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc.	81.000	sqm	545.158	44157.758
3	Suspended floors, roofs, landings, balconies and access platforms.	6.250	sqm	603.820	3773.875
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	254.100	Kg	82.816	21043.609
14	Manufacturing /Fabrication and installation of MS drum made out of 6mm thick MS sheet incl. fixing of flanged nipples as per site requirement incl. fixing of supply main and including installation of MS stand with all carriages upto site of work complete.	1.000	C.Job	19000.000	3000.000
15	Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carriages upto site of work.	1.000	C.Job	4275.000	4275.000
16	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	4840.200	Kg	97.028	483636.136
17	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	271.500	sqm	696.8	9187.988
18	Applying priming coat: With ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel galvanized iron/steel works	271.500	Sqm	50.113	13605.544
19	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	271.500	sqm	115.853	1453.954
20	carriage of material from source to dumping site of work by Mechanical Transport including loading unloading and stacking etc.			0.000	0.000
20.1	Pipes (below 100mm dia) for 25 Kms	23.940	M.ton	381.709	9138.115
20.2	Cement /steel avg. lead 12 KMs	12.570	M.ton	257.688	3239.144
20.3	Sand avg. lead 25 Kms	22.900	Cum	429.3	9832.673

eProcurement System Government of Jammu And Kashmir

Annexure "A"

work:

of W.S.Scheme Ladiangan by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of Sluice Chamber (for providing 100% FHTC) under JJM.

Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All Kinds of Soil:	1028.000	Cum	414.20	4, 5797.600
Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.			0.000	0.000
15 mm dia. nominal bore	3000.000	Mtr	19.238	57712.500
20 mm dia. nominal bore	3000.000	Mtr	19.238	7712.500
25 mm dia. nominal bore	2530.000	Mtr	29.118	73667.275
40 mm dia. nominal bore	2000.000	Mtr	38.760	7520.000
50 mm dia. nominal bore	1500.000	Mtr	38.760	58140.000
Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	891.500	cum	188.76	1, 9283.998
4 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete			0,000	0.000
4.1 25 to 40 mm nominal bore	6.000	No	632.938	3797.625
4.2 50 to 80 mm nominal bore	4.000	No	1205.313	4821.250
5 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carriages complete.			0.000	0.000
5.1 65 mm nominal bore	6.000	No	1490.408	3942.445
6 Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	6.000	cum	1254.00	7524.000
7 Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	0.400	Cum	4618.74	1847.497
8 Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	43.870	Cum	5165.853	2, 5625.971
9 Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	0.600	Cum	6629.7	1977.845

Stone aggregate for 50 Kms	45.800	Cum	677.350	1022.630
Stone soilling for 25 Kms	6.000	cum	505.140	3030.838
Carriage of material from road / dumping site to the actual site of work by Manual means including loading unloading and stacking for avg. lead 800 Mtrs.			0.000	0.000
Cement	12.310	M.ton	369.658	1550.494
Steel	0.250	M.ton	794.077	198.518
Sand / Stone aggregate	68.700	Cum	919.57	3175.084
Stone soilling	6.000	cum	1000.708	3004.249
Total				2205352.18
Rupees Twenty Two Lacs Five Thousand Three Hundred Fifty Two Only				

Checked by:

 Head Draftsman

 Technical Officer

 Executive Engineer
PHE Division Baramulla