

OFFICE OF THE EXECUTIVE ENGINEER

PHE DIVISION BARAMULLA

Email: kmrpheb1a@gmail.com (FAX) 01952234575 (Tel) 01952234244


Allotment Order No. 16 of 2023 dated 10-04-2023

Name of the agency/ contractor	Pyramid Infratech
Address	Hawal Srinagar
Registration No.	CVPP/PDHEP/CE/I&L/2019/559
Contact/ Email	pyramidinf@gmail.com
Name of work	Laying fitting of pipes, Constt of Service Reservoir, Sluice Chamber, Chain Link Fencing, Intake Chamber, Head Works and other Miscellaneous Items for WSS Sonium Yall under JJM
References	This office ENIT 77 of 2022 (S.No. 12)
Accord of administrative approval No. & date	189/SE/HYD/DB/JJM of 2022-23 Dated: 16-02-2023
Advertised Cost	Rs. 9344559/-
Allotted Cost	Rs. 9716967/- (Rupees Ninety Seven Lacs Sixteen thousand nine Hundred & sixty seven Only)
Time of completion	120 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:

01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **120** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be




- recommended for further punitive action as governed under the relevant clause of the contract including black listing.
08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
 09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
 10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
 11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
 12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
 13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

Flanges involved (if any) shall only be used in case of extreme exigencies, like rocky terrain, gorge & where trench is not possible.

(Encl: Annexure "A")

No. 518-30
Dt. 11-04-2023


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 15788-15800 Dated: 13.03.2023.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Pattan, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

Annexure "A"


Work:

Laying of pipes, Const of Service Reservoir, Sluice Chamber, Chain Link Fencing, Intake Chamber, Head Works and other Miscellaneous for WSS Sonium Yall under JJM

Sl. No.	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.1	All Kinds of soils	3598.2900	cum.	436.000	1568854.440
1.2	Ordinary Rock	719.000	cum	967.850	695884.150
2	Extra over item no.1 for every additional lift 1.5m	216.000	m3	81.650	17636.400
3	P/L of stone soling hand packed in excavated trenches including all carriage complete	42.220	m3	1320.000	55730.400
4	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	33.720	Cum	4861.835	163941.076
5	Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 0mm nominal size) upto plinth level and curing complete with: Cement mortar 1:6 (1 Cement : 6 coarse sand)	88.160	cum	4400.500	387948.080
6	P/L hand packed stones backing of size not greater than 200mm behind R wall	49.980	cum	950.000	47481.000
7	Providing laying 50mm thick DPC on top of wall using 20mm and below aggregates	63.000	sqm	630.000	39690.000
8	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				0.000
8.1	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	72.000	cum	5399.020	388729.440
9	Centering and shuttering including strutting, propping etc. and removal of form for:				0.000
9.1	Foundations, footings, bases of columns etc. for mass concrete.	27.550	Sqm	262.300	7226.365
9.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	648.000	Sqm	573.850	371854.800
9.3	Suspended floors, roofs, landings, balconies and access platforms.	13.950	Sqm	635.600	8866.620
9.4	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	32.000	Sqm	502.850	16091.200
9.5	Arches, domes, vaults upto 6 m span	98.760	Sqm	2086.800	206092.368
9.6	Extra for shuttering in circular work (20% of respective centering and shuttering items) in walls	11.590	Sqm	114.770	1330.184
9.7	Extra for arches, domes, vaults exceeding 6 m span	258.000	Sqm	1008.450	260180.100
9.8	Columns, piers, abutments, pillars, posts and struts (Gate Pillars)	5.600	Sqm	132.520	742.112
10	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				0.000
10.1	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	42.640	Cum	7800.760	332624.406

Handwritten signatures and initials in blue ink, including a large signature and the name "Xen" with a circled number "2" below it.

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	RCC in position RCC trenches, shells, etc and folded plates roofs having slope more than 15 upto floor v excluding the cost of centering, shuttering finishing reinforcement with 1:2:4 mix	4.800	cum	6978.675	33497.640
12	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				0.000
12.1	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	37.030	Cum	9408.135	348383.239
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	5.220	cum	9849.345	51413.581
14	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	8.700	Cum	10404.515	90519.281
15	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 4 (1 cement : 4 fine sand)	479.860	sqm	325.450	156170.437
16	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level	7727.0000	Kg	87.175	673601.225
17	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	4621.330	Kg	82.750	382415.058
18	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	366.000	Sqm	733.500	268461.000
19	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. But including cost of pipe specials				0.000
19.1	15mm dia	1650.0000	Rm	20.250	33412.500
19.2	20 mm dia	2000.0000	Rm	20.250	40500.000
19.3	25mm dia	2200.000	Rm	30.650	67430.000
19.4	40mm dia	2100.000	Rm	40.800	85680.000
19.5	50mm dia	3560.000	Rm	40.800	145248.000
19.6	80mm dia	2180.000	Rm	73.050	159249.000
19.7	100mm dia	2750.000	Rm	107.700	296175.000
20	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (Exclu. Cost of pipe) DI				0.000
20.1	150 dia DI	421.550	QTL	245.550	103511.603
21	Providing push on joints to CI/DI pipes including testing of joints and cost of rubber gaskets				0.000
21.1	150mm	322.000	NO	144.700	46593.400
21.2	200mm dia	4.000	NO	213.000	852.000
22	Filling available excavated earth (excluding rock) in trenches, plinth, sides offoundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m	3603.320	Cum	198.700	715979.684




 Xen


	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end)				0.000
23.1	25 mm nominal bore	8.000	Each	543.850	4350.800
23.2	40 mm nominal bore	8.000	Each	704.700	5637.600
23.3	50mm dia	6.000	Each	942.750	5656.500
23.4	65mm dia	4.000	Each	1568.850	6275.400
24	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete				0.000
24.1	50mm	2.000	No	5147.150	10294.300
25	P/F of MS surface boxes (0.75x0.75x0.75)	8.000	No	7000.000	56000.000
26	F/F of MS bends of required dia Tees s including carriage of welding machine upto site od work and fixing at site including cost of rubber gaskets/washers/ nuts and bolts etc as complete job	250.000	Kg	210.000	52500.000
27	P/F of 12 mm thickness flenges to GI pipes including cost of rubber , washers , nuts , bolts,etc all work as complete job including carriage of welding machine & gen set involving welding at site as per the ground profile complete job				0.000
27.1	80mm dia	22.000	Pair	1100.000	24200.000
28	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.000
28.1	25 to 40 mm nominal bore	25.000	No	666.250	16656.250
28.2	40 to 80 mm	9.000	NO	1268.750	11418.750
28.3	80 to 100 mm	8.000	NO	1268.750	10150.000
29	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately).				0.000
29.1	150mm Dia Sluice Valve Class-Ist	7.000	Each	20243.000	141701.000
29.2	100mm dia Sluice Valve Class-Ist	4.000	Each	13164.000	52656.000
29.3	200mm dia Sluice value	3.000	Each	31698.000	95094.000
30	cement concrete flooring 1:2:4 mix	78.540	m2	505.000	39662.700
31	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	847.300	Kg	57.900	49058.670
32	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.				0.000
32.1	Two or more coats on new work	366.000	Sqm	121.950	44633.700
33	Carriage of materials from Divisional store upto dumping site of work average lead 35kms				0.000
33.1	150mm dia	1774.000	Mtr	19.930	35355.820
33.2	100mm dia	2750.0000	Mtr	11.868	32637.000
33.3	BELOW 100mm dia	46.000	MT	490.119	22545.474
33.4	Cement	79.490	Ton	490.119	38959.559
33.5	Steel	15.870	Ton	490.119	7778.189
33.6	Sand/ Bajri 35 Kms Average Lead	293.5600	Cum	551.333	161849.315
33.7	Carriage of materials from dumping upto actual site of work average lead 500m				0.000
33.7.1	150mm dia	1750.000	Mtr	13.490	23607.500
33.7.2	100mm dia	2750.000	Mtr	9.521	26185.500

[Handwritten signatures and initials]

Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
steel	6.470	Ton	529.322	3424.713
cement	38.940	Ton	282.095	10984.779
sand	135.170	cum	621.207	83968.550
Total				9343238
Quoted Rate @ Above 4%				373730
Total Allotted Amount				9716967
(Rupees Ninety Seven Lacs Eighteen Thousand Three Hundred Forty One Only)				

ty checked by:


Head Draftsman



Executive Engineer
PHE Division Baramulla