

(Allotment)



GOVT. OF JAMMU AND KASHMIR
OFFICE OF THE DISTRICT SUPERINTENDING ENGINEER,
HYDRAULIC CIRCLE KUPWARA -- HEADQUARTER HANDWARA

Fax/Phone: 01955262005 *****00***** email: sehydakupwara@gmail.com

Mr. Mohammad Afzal War
S/o. Mohammad Ahsan War
R/o: Awoora Tehsil. Kupwara
Registration No: 11/SE/Hyd/AA/Hand of 2004-05
GSTIN NO: 01AARPW7398G1Z2

ALLOTMENT ORDER NO: 05-DSE/HH/DB OF 2022-23 DT: 21-09-2022

Sub: - Laying and fitting of pipe network. Construction of 0.80 lac Gallons RCC SR, 0.40 lac Gallons SR, Pre-settling tank and Chain link fencing around structures WSS Gulgam Tangwari.

- Ref: -
1. Minutes of the 8th meeting of Technical Appraisal Committee held on 08/02/2022, minutes issued thereof vide CE/PHE/44620-41 dated. 12.03.2022
 2. Accord of Administrative Approval vide Chief Engineer Kashmir PHE Deptt. Srinagar's Order No. CE/PHE/DB/JJM/237 of 08/2022 dated. 01.08.2022
 3. District Action Plan of District Kupwara by DJJM vide No. DDCK/PIg/JJM/4465-85 dated. 14.07.2022
 4. Govt. Order No. 19-JK(JSD) of 2022 dated. 04.02.2022
 5. Technical Sanction Order No. CE/PHE/DB/143 of 08/2022 dated. 25.08.2022
 6. District Development Commissioner Kupwara's authorization No. DDCK/PIg/JJM/5861-66 dated. 06.08.2022
 7. Letter of Intent No. 2467-71 dated. 05.09.2022

Advertised cost: - Rs 148.19 Lacs
Allotted cost: - Rs 15412462.00

(Rupees One crore fifty four lacs twelve thousand four hundred and sixty two Only)

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, contract for Laying and fitting of pipe network, Construction of 0.80 lac Gallons RCC SR, 0.40 lac Gallons SR, Pre-settling tank and Chain link fencing around structures WSS Gulgam Tangwari is hereby fixed with you on the accepted rates by you as shown in the enclosed Annexure of this allotment. The total cost of the work will be of the order of Rs. 15412462.00/- (Rupees One crore fifty four lacs twelve thousand four hundred and sixty two Only) on the terms and conditions as laid down in E- NIT No: 12 of 2022-23 issued under endorsement No PHEDK/404-13 Dt: 10/05/2022 from the Executive Engineer PHE Division Kupwara shall be binding on the contractor

Sl. No.	Item Description	Quantity	Unit	Allotted Rate @ above-4.00% on- advertised rates	AMOUNT
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: (1 Mtr from cutting				


HD

TO


DSE

1233
29/9/2022

	edge)				
2	a) All sorts of soil	6460.10	CUM	436.00	2816603.600
3	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge				
4	a) All sorts of soil	698.03	CUM	539.35	376482.481
5	b) Ordinary rock	299.16	CUM	855.65	255976.254
6	Providing of Laying of dry stone soling hand packed on level	51.73	CUM	1320.00	68283.600
7	Centering and shuttering including strutting, propping etc, and removal of form for.				
8	a) Foundations, footings, bases of columns etc for mass concrete.	150.27	SQM	262.30	39415.821
9	b) Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	715.47	SQM	573.85	410572.460
10	c) Suspended floors, roofs, landings, balconies and access platform.	63.86	SQM	635.60	40589.416
11	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	15.65	SQM	502.85	7869.603
12	Arches, domes, vaults upto 6 m span	198.37	SQM	2086.80	413958.616
13	Extra for arches, domes, vaults exceeding 6 m span	198.37	SQM	1007.45	199847.857
14	Extra for shuttering in Circular work 20% of basic respective centering and shuttering items.				
15	Foundation	13.45	SQM	52.46	705.587
16	Walls	526.09	SQM	114.77	60379.349
17	Beams	15.65	SQM	100.57	1573.921
18	Domes	198.37	SQM	417.36	82791.703


HD



TO


DSE

19	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with				
20	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	37.78	CUM	4861.84	183680.315
21	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	74.93	CUM	6465.20	484437.436
22	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
23	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	49.64	CUM	7800.76	387229.726
24	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
25	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	86.04	cum	9408.14	809476.366
26	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with				
27	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	6.57	CUM	9849.35	64710.230


HD


TO


DSE

28	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:				
29	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	39.80	CUM	10404.52	414099.898
30	Reinforcement for R.C.C work including straightening cutting, bending, placing in position and binding all complete, Thermo-Mechanically treated bars.	15388.70	KG	95.10	1463465.370
31	Extra for providing and mixing water proofing material in cement concrete work on doses by weight of cement as per manufacturer's specification.	595.88	KG	57.90	34501.452
32	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete Welded	3075.90	KG	111.42	342716.778
33	12mm Cement plaster of mix:				
34	1 : 4 (1 cement : 4 fine sand)	128.01	SQM	286.06	36618.541
35	Providing and fixing of MS Man Hole cover of 0.75x0.75m size fitted with angle iron frame 40x40x4mm with 2mm thick MS plate incl. all locking arrangements and carriage by all means complete job.	3.00	No	5500.00	16500.000
36	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.				
37	100mm dia	4000.00	RM	118.47	473880.000
38	80mm dia	4300.00	RM	80.36	345548.000
39	65mm dia	3700.00	RM	80.36	297332.000
40	50mm dia	5550.00	RM	44.88	249084.000
41	40mm dia	7800.00	RM	44.88	350064.000
42	25mm dia	9000.00	RM	33.72	303480.000
43	20mm dia	10495.00	RM	22.28	233828.600


HD



TO


DSE

44	15mm dia				
	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete	11500.00	RM	22.28	256229.000
45	25 to 40 mm nominal bore				
46	50 to 80 mm nominal bore	840.00	No.	732.88	615619.200
47	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	60.00	No.	1395.63	83737.800
48	150 mm dia DI K-7				
49	Providing Push on joints to Centrifugally (Spun) Cast iron pipes or Ductile Iron pipes including testing of joints and including the cost of rubber gasket.	24.00	Qtls	270.11	6482.640
50	150mm dia DI				
51	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	18.00	No.	159.17	2865.060
52	P/F of double flanges CI sluice valves conforming to IS 14846 of 1984 read with upto date amendments, PN-16 rating lift incld. cost of nuts, bolts, RI cloth incld. all sorts of carriages upto site of work complete job incld. cost of pedestals, extension rods upto working platform and handles odf approved manufacture like Zoloto, Kirloskar or like	6032.90	CUM	198.70	1198737.230
53	100mm dia	3.00	No.	17210.00	51630.000
54	80mm dia	2.00	No.	14058.00	28116.000
55	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. (Made of G.I. wire of dia 4 mm)	191.10	SQM	733.50	140171.850
56					


HD


TO


DSE

57	Supply and fitting of pipe specials as per relevant IS specifications				
58	15 mm dia GI elbows	115.00	No.	22.00	2530.000
59	20 mm dia G.I elbows	105.00	No.	39.00	4095.000
60	25 mm dia G.I elbows	90.00	No.	54.00	4860.000
61	40 mm dia G.I elbows	78.00	No.	115.00	8970.000
62	50 mm dia G.I elbows	56.00	No.	205.00	11480.000
63	65 mm dia G.I elbows	37.00	No.	322.00	11914.000
64	80 mm dia G.I elbows	43.00	No.	432.00	18576.000
65	20 mm to 15 mm G.I. sockets (reducing)	52.00	No.	24.00	1248.000
66	25 mm to any smaller size G.I. sockets (reducing)	45.00	No.	30.00	1350.000
67	40 mm to any smaller size G.I. sockets (reducing)	39.00	No.	55.00	2145.000
68	50 mm to any smaller size G.I. sockets (reducing)	28.00	No.	90.00	2520.000
69	15 mm G.I. Tee (equal)	230.00	No.	32.00	7360.000
70	20 mm G.I. Tee (equal/reducing)	210.00	No.	54.00	11340.000
71	25 mm G.I. Tee (equal/reducing)	180.00	No.	72.00	12960.000
72	40 mm G.I. Tee (equal/reducing)	156.00	No.	145.00	22620.000
73	50 mm G.I. Tee (equal/reducing)	111.00	No.	230.00	25530.000
74	65 mm G.I. Tee (equal/reducing)	74.00	No.	408.00	30192.000
75	80 mm G.I. Tee (equal/reducing)	86.00	No.	572.00	49192.000
76	15 mm nominal bore G.I Unions	115.00	No.	67.00	7705.000
77	20 mm nominal bore G.I Unions	105.00	No.	115.00	12075.000
78	25 mm nominal bore G.I Unions	90.00	No.	150.00	13500.000
79	40 mm nominal bore G.I Unions	78.00	No.	267.00	20826.000
80	50 mm nominal bore G.I Unions	56.00	No.	344.00	19264.000
81	65 mm nominal bore G.I Unions	37.00	No.	549.00	20313.000
82	80 mm nominal bore G.I Unions	43.00	No.	634.00	27262.000
83	15 mm G.I Nipple of length 3", 4" and 6"	115.00	No.	30.00	3450.000
84	20 mm G.I Nipple of length 3", 4" and 6"	105.00	No.	40.00	4200.000
85	25 mm G.I Nipple of length 3", 4" and 6"	90.00	No.	60.00	5400.000

HD


TO

DSE

86	40 mm G.I Nipple of length 3", 4" and 6"	78.00	No.	90.00	7020.000
87	50 mm G.I Nipple of length 3", 4" and 6"	56.00	No.	125.00	7000.000
88	65 mm G.I Nipple of length 3", 4" and 6"	37.00	No.	275.00	10175.000
89	Carriage of materials from source upto nearest dumping site incl, loading, unloading and stacking (subject to actual)				
90	Soling by an avg lead of 10 Kms	51.73	CUM	330.42	17092.627
91	40mm course aggregate for av lead of 30kms	33.62	CUM	545.28	18332.314
92	20mm course aggregate for avg lead of 30kms	228.71	CUM	501.65	114732.372
93	Sand for avg lead of 50 km	122.70	CUM	700.37	85935.399
94	Cement by an average lead of 20 km	104.06	MT	357.64	37216.018
95	TMT Steel by an average lead of 20 km	15.39	MT	357.64	5504.080
96	150 mm DI/GI pipes by an av lead of 20 km	100.00	RM	14.65	1465.000
97	DI/GI pipes below 100 mm by an av lead of 20 km	183.54	MT	357.64	65641.246
98	Carriage of materials by Manual Labours from Dumping Site Upto working site incl, loading, unloading and stacking for an average lead of 750 meters (Subject to Actual at site)				
99	Soling	51.73	CUM	999.61	51709.825
100	40mm course aggregate	33.62	CUM	918.57	30882.323
101	20mm course aggregate	228.71	CUM	849.71	194337.174
102	Sand	122.70	CUM	849.71	104259.417
103	Cement	104.06	MT	468.17	48717.770
104	TMT Steel	15.39	MT	371.28	5713.999
105	150 mm DI/GI pipes	100.00	RM	17.81	1781.000
Total					Rs. 14819675.00
Add 4% on all items					Rs. 592787.00
Grand Total					Rs. 15412462.00


Draftsman


Technical Officer


Superintending Engineer
Hyd. Circle Kupwra
H.Q Handwara

HD

TO

DSE

A Terms and Conditions:

1. The contractor shall draw agreement with the Superintending Engineer Hydr. Circle Kupwara H.Q Handwara within 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the NIT shall hold good even before drawl of formal agreement.
2. The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates.
3. The date of start of work shall be reckoned from 07 days after issuance of allotment.
4. It shall be mandatory for the executing agency/ contractor to ensure safe and adequate supply of electricity required for all the workmen skilled/ unskilled deployed at site of work.
5. Suitable arrangements for supply of portable water at site of work for all the workmen skilled/ unskilled be made by the agency/ contractor just before the virtual start of execution at site.
6. Arrangements for sufficient sanitation facility at site be ensured by the executing agency/ contractor for all the workmen to be mobilized at site besides, separate toilet facilities be provided for Female workers at the site of work.
7. **Performance security equivalent 03% of the value of the contract Rs. 462374.00/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BG within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier**
8. Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor itself.
9. Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)

B. Time of completion

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

C. Earnest Money

The CDR bearing No: 063845 Dt: 21/06/2022 for Rs. 300000/- From Kashmir Mercantile CO-OP. Bank (Rupees Three lacs Only) Pledged to the (District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara) shall be retained in this Office till successful completion of the above work after the expiry of the defect liability period.

D. Advance payment

No mobilization advance or advance payment shall be made to the allottee (contractor).

E General

All other conditions as laid down in E- NIT No: 12 of 2022-23 issued under endorsement No PHEDK/404-13 Dt: 10/05/2022 from **Executive Engineer PHE Division Kupwara** shall be binding on the contractor.

No: DSE/HH/DB/ 2465-70
Dated: - 21/9/2022

District Superintending Engineer,
Hydraulic Circle Kupwara
HQ Handwara

Copy to the: -

1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt. Kupwara) for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.

HD

TO

DSE