

(Allotment)

GOVT. OF JAMMU AND KASHMIR

# OFFICE OF THE DISTRICT SUPERINTENDING ENGINEER,



## HYDRAULIC CIRCLE KUPWARA -- HEADQUARTER HANDWARA

Fax/Phone:01955262005 \*\*\*\*\*00\*\*\*\*\* email:sehydkupwara@gmail.com

M/S NEW WANI AND BRORHERS.  
NAME:NAZIR AHMAD WANI.

S/O:AB.WAHEED WANI

R/O:SHUMANAGH TREHGAM KUPWARA

Registration No: 929/AAY/Civil/Sanitary)CE/KCC/PDC/2009-10.

GSTIN NO: 01ACBPW3482F2ZR

ALLOTMENT ORDER NO: 19.....DSE/HH/DB OF 2022-23 DT: 22/01/2023

**Sub:** Laying and Fitting of Pipe Network, Dug Well, Headworks, Intake Chambers, Chain Link Fencing, Approach Road, Chowkidar Quarter, MS Boxes for Sluice Valves, Anchor Blocks, Repairs to Existing Structures under JJM for WSS Cherkote Kanthpora B Putshai.

**Ref: -**

- Minutes of the 8th meeting of Technical Appraisal Committee held on 08.02.2022, minutes issued thereof vide CE/PHE/44620-41 dated. 12.03.2022.
- Minutes of the 4<sup>th</sup> & 5<sup>th</sup> meeting of Apex Committee JJM J&k circulated under endorsement NO:- SMD/JJM/J&K/27/2021-22/771-73,Dt. 29-09-2022
- Accord of Administrative Approval vide Chief Engineer Kashmir PHE Deptt. Srinagar's Order No. CE/PHE/DB/JJM/237 of 08/2022 dated. 01.08.2022
- District Action Plan of District Kupwara by DJJM vide No. DDCK/Plg/JJM/4465-85 dated. 14.07.2022
- Govt. Order No. 19-JK (JSD) of 2022 dated. 04.02.2022
- Technical Sanction Order No. CE/PHE/DB/150 of 08/2022 dated. 25.08.2022
- District Development Commissioner Kupwara's Authorization No. DDCK/Plg/JJM/MoM 11004-14, Dated: 13/12/2022 vide endorsement No.: DDCK/Plg/JJM/11015-31dated. 13.12.2022

Advertised cost: - Rs : 217.12 LACS

Allotted cost: - Rs : 219.30 LACS

(Rupees Two Crores Nineteen lacs and Thirty Thousand Rupees Only).

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, contract for **Laying and Fitting of Pipe Network, Dug Well, Headworks, Intake Chambers, Chain Link Fencing, Approach Road, Chowkidar Quarter, MS Boxes for Sluice Valves, Anchor Blocks, Repairs to Existing Structures under JJM for WSS Cherkote Kanthpora B Putsha** is hereby fixed with you on the accepted rates by you as shown in the enclosed Annexure of this allotment. The total cost of the work will be of the order of Rs. **219.30 LACS**(Rupees Two Crores Nineteen lacs and Thirty Thousand Rupees Only) on the terms and conditions as laid down in E- NIT No: 15 of 6/2022-23 Dt. 27/06/2022 issued under endorsement No PHEDK/1053-66 Dt: 27/06/2022 from the Executive Engineer PHE Division Kupwara shall be binding on the contractor.

S.No	Item Description	Quantity	Units	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 min width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: (1 Mtr from cutting edge)	5932.16	CUM	436.00	2586422.00
i	All sorts of soil				

*Handwritten notes:*  
10/10/CC/1/ABE concerned  
Sheer  
25/11

*Signature:*  
HD

*Signature:*  
TO

*Signature:*  
DSE

2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge				
i	All sorts of soil	705.00	CUM	539.35	380242.00
ii	Ordinary rock	845.00	CUM	855.65	723024.00
3	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material				
i	a) All sorts of soil	418.76	CUM	81.65	34192.00
ii	b) Ordinary Rock	489.00	CUM	146.45	71614.00
4	Providing of Laying of dry stone soling hand packed on level	133.94	CUM	1320.00	176801.00
5	Supplying and filling in plinth with fine sand under floors including, watering, ramming, consolidating and dressing complete	38.00	CUM	787.40	29921.00
6	Centering and shuttering including strutting, propping etc, and removal of form for.				
i	Foundations, footings, bases of columns etc for mass concrete.	880.94	SQM	262.30	231071.00
ii	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	403.03	SQM	573.85	231279.00
iii	Suspended floors, roofs, landings, balconies and access platform.	114.75	SQM	635.60	72935.00
iv	Columns, pillars, piers, abutments, posts & Struts.	17.04	SQM	680.15	11590.00
v	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	72.87	SQM	502.85	36643.00
vi	Arches, domes, vaults upto 6 m span	157.60	SQM	2086.80	328880.00
vii	Extra for arches, domes, vaults exceeding 6 m span	157.60	SQM	1007.45	158774.00
viii	Edges of slabs and breaks in floors and walls under 20 cm wide	151.60	RM	242.30	36733.00
7	Extra for shuttering In Circular work 20% of basic respective centering and shuttering items.				
		43.36	SQM	52.46	2275.00
i	Foundation	201.43	SQM	114.77	23118.00
ii	Walls	39.17	SQM	100.57	3939.00
iii	Beams	37.08	SQM	417.36	15476.00
iv	Domes				
8	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with				
i	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	41.66	CUM	4861.84	202544.00
ii	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	125.00	CUM	5437.74	679718.00
iii	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	5.06	CUM	6465.20	32714.00

HD

TO

DSE


9	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
i	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	120.69	CUM	7800.76	941474.00
ii	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	5.00	CUM	6978.68	34893.00
10	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
i	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	58.89	CUM	9408.14	554045.00
11	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with				
i	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	24.94	CUM	9849.35	245643.00
12	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:				
i	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	17.82	CUM	10404.52	185409.00
13	Providing and laying damp-proof Course 50 mm thick with cement concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size) and curing complete	40.00	SQM	409.81	16392.00
14	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth and curing complete	64.16	SQM	545.22	34981.00
15	Reinforcement for R.C.C work including straightening cutting, bending, placing in position and binding all complete, Thermo-Mechanically treated bars.	15010.00	KG	95.10	1427451.00
16	Extra for providing and mixing water proofing material in cement concrete work on doses by weight of cement as per manufacturer's specification.	220.00	KG	57.90	12738.00
17	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth Including curing in				
i	Cement mortar 1:6 ( 1 cement : 6 coarse sand)	44.00	CUM	6802.13	299294.00


  
PHD

  
TO

  
DSE

18	Extra for brick work in superstructure above plinth level upto floor V level. (By manual means)	34.00	CUM	1456.02	49505.00
19	Random Rubble masonry with hard stone from quarry in foundation and plinth including levelling up with cement concrete 1:6:12 (1 Cement: 6 coarse sand: 12 graded stone aggregate 20mm nominal size) upto plinth level with cement mortar 1:6 (1 Cement: 6 coarse sand)	4.52	CUM	4878.78	22052.00
20	Dry Random rubble masonry with Hard stone in foundation and plinth, using quarry stone with bond stone.	19.14	CUM	2747.25	52582.00
21	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately):				
i	First class kail wood	1.80	CUM	106894.15	192409.00
22	Providing hoisting and fixing trusses/purlins /rafters/posts/ post-plates or like components including cost of screws etc. complete				
ii	First class Budloo/Fir wood	7.00	CUM	138685.40	970798.00
23	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick				
i	First Class kail wood	12.00	SQM	2501.75	30021.00
24	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). (35mm thick)				
i	First Class kail wood	14.00	SQM	3093.80	43313.00
25	Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : (35 mm)				
i	1st Class Kail Wood	32.86	SQM	3651.65	119993.00

  
HD

  
TO

  
DSE

26	Providing and fixing aluminum sliding door bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete				
i	250x16 mm	10.00	No.	229.90	2299.00
27	Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete				
i	200x10mm	20.00	No	89.20	1784.00
ii	100x10 mm	96.00	No	57.35	5506.00
28	Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete				
i	150 mm	20.00	No	66.35	1327.00
ii	100 mm	60.00	No.	52.30	3138.00
29	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	60.00	KG	99.30	5958.00
30	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete Welded	3689.24	KG	111.42	411055.00
31	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using MS angles 40 x 40 x 6 mm for diagonal braces	7.56	SQM	5899.02	44592.00
32	Providing and fixing M.S. grills/Ornamental of required pattern in frames of windows etc. with M.S. flats, square or round bars etc including priming coat with approved steel primer all complete Fixed to openings / wooden frames with rawl plugs screws etc	550.00	KG	215.88	118734.00
33	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete				
i	50 mm thick with 20mm nominal size stone aggregate.	80.00	SQM	555.50	44440.00


  
HD

  
TO

  
DSE

34	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I Impet washers or with G.I. Impet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required 0.63 mm thick with zinc coating not less than 275 gram/m2	110.00	SQM	951.80	104698.00
35	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G. I. Impet and bitumen washers complete 0.63 mm thick with zinc coating not less than 275 gram/m2	40.00	RM	691.75	27670.00
36	Providing 40x5 mm flat Iron hold fasts 40 cm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15 cm 1:3:6 mix. ( 1 cement: 3 coarse sand : 6 graded stone 20 mm nominal size).	40.00	No.	163.04	6522.00
37	Providing and fixing plained eaves boarding, 2nd class kail wood 300x40 mm (nominal size)	45.00	RM	1587.90	71455.00
38	12mm Cement plaster of mix:				
i	1 : 4 ( 1 cement : 4 fine sand)	635.34	SQM	286.06	181745.00
39	15mm Cement plaster on the rough side of single or half brick wall of mix:				
i	1 : 6 ( 1 cement : 6 fine sand)	294.36	SQM	306.46	90210.00
40	12mm Cement plaster of mix:				
i	1 : 4 ( 1 cement : 4 coarse sand)	119.73	SQM	286.06	34250.00
41	12mm Cement plaster finished with a floating coat of neat cement of mix:				
i	1 : 3 ( 1 cement : 3 fine sand)	491.18	SQM	378.13	185730.00
42	20mm cement plaster finished with a floating coat of neat cement of mix				
i	1 : 4 ( 1 cement : 4 fine sand)	324.72	SQM	465.47	151147.00
43	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surfaces	213.54	SQM	59.35	12674.00
44	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm	137.00	SQM	91.80	12577.00
45	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work	80.00	SQM	121.95	9756.00
46	Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete 1 mm thick	308.46	SQM	129.50	39946.00

  
HD

  
TO

  
DSE

47	Painting wood work with deluxe multi surface paint of required shade. Two or more coats applied @ 0.90litre/10sqm over an under coat of primer applied @ 0.75litre/10sqm of approved brand and manufacture	80.00	SQM	125.50	10040.000
48	Providing and fixing water closet squatting pan ( Indian type W.C. pan) with 100 mm sand cast Iron P or Strap, 10 litre low level P.V. C. flushing cistern including flush pipe (of approved make) "manually contro(led device (handle lever) conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required.Orissa pattern white vitreous china W.C. pan of size 580x440 mm with integral type foot rests.	2.00	No.	3690.25	7380.00
49	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	2000.00	Litres	11.25	22500.00
50	Providing & fixing PVC pipe Grade B along with all PVC bends, Tees, S&P traps fittings, vent cowl, floor traps etc incl, earth work excavation refilling etc complete job 100mm/75 mm dia	50.00	RM	500.00	25000.00
51	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back ,f, or the reception of pipes and fittings	2.00	No	1449.35	2899.00
52	Providing and fixing C.P. brass angle valve for basin maxier & geaser points of approved make conforming to IS : 8931 (15mm nominal bore)	4.00	No.	536.10	2144.00
53	Providing and fixing C.P. brass bib cock of approved quality conforming to IS : 8931 (15 mm nominal bore)	10.00	No.	436.50	4365.00
54	Providing and fixing ball valve.(brass) of approved quality complete 15 mm nominal bore	10.00	No.	438.85	4388.00
55	Providing and fixing C.P. brass close hole basin mixer pillar tap of approved quality and make, weighing not less than 1.970 kg.	8.00	No.	2207.60	17661.00
56	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc Concealed pipe including painting with anti corrosive bitumastic paint, cutting chases and making good the wall				
i	15 mm dia. nominal bore	62.00	RM	474.21	29401.00
57	Providing and fixing toilet paper holder (C.P Brass)	2.00	No	500.00	1000.00
58	Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required 610x510mm bowl depth 200mm	2.00	No	4575.20	9150.00


HD

TO

DSE



59	Providing and fixing PVC waste pipe for sink or wash basin including PVC waste fittings complete, 32mm dia	10.00	RM	60.00	600.00
60	Providing and fixing wash basin with C.I./M.S. brackets, 15mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	2.00	No.	3592.20	7184.00
61	Providing and Fixing of Water Heater (Geyser) of 35 Litres Capacity of 2000 Watt Wattage of standard make	2.00	No.	17000.00	34000.00
62	Providing and fixing PVC Man hole cover of 0.30 m x 0.30 m size all locking arrangements and carriage by all means complete job	2.00	No	500.00	1000.00
63	Dismantling wood work in frames, trusses, purlins and rafters upto 10 meters span and 5 meters height including stacking the material within 50 meters lead	3.50	CUM	3188.75	11091.00
64	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meters lead.	301.52	SQM	35.35	10659.00
65	Laying & fitting of G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work) Light				
i	125mm dia	124.00	RM	118.47	14690.00
ii	100mm dia	3000.00	RM	118.47	355410.00
iii	80mm dia	3600.00	RM	80.36	289296.00
iv	65mm dia	3870.00	RM	80.36	310993.00
v	50mm dia	11430.00	RM	44.88	512978.00
vi	40mm dia	4500.00	RM	44.88	201960.00
vii	25mm dia	6000.00	RM	33.72	202320.00
viii	20mm dia	8000.00	RM	22.28	178240.00
ix	15mm dia	7000.00	RM	22.28	155960.00
66	Providing & fixing 12mm MS flanges (welded) to GI pipes incl, cost of cutting of threaded portion, cost of nuts, bolts, rubber insertion & testing commissioning (excl, pipe cost and earthwork, laying fitting and carriage) complete Job				
i	125mm Dia	20.00	Joint	700.00	14000.00
ii	100mm dia	492.00	Joint	550.00	270600.00
iii	80 mm dia	600.00	Joint	500.00	300000.00
67	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				
i	25 to 40 mm nominal bore	215.00	No.	732.88	157569.00
ii	50 to 80 mm nominal bore	30.00	No.	1395.63	41869.00

  
HD

  
TO


  
DSE





68	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	5449.80	CUM	198.70	1082875.00
69	P/F of MS fabricated boxes for safeguard of sluice valves size 0.50x0.50x0.60 using 40x40x5 angle iron & 3mm thick MS sheet complete job incl, embedding in cement concrete work	10.00	No.	12000.00	120000.00
70	Fabricating of bends of required degree, tees, reducers incl, welding cutting of pipes, testing & commissioning complete Job.				
i	125 mm dia	2.00	No.	1500.00	3000.00
ii	100mm dia	14.00	No.	1400.00	19600.00
iii	80mm dia	18.00	No.	1300.00	23400.00
71	Dumping of stones incl, cost of stones in horizontal in level	363.40	CUM	616.15	223909.00
72	Constructing vertical bunds with sloping faces, by boulder filling (dry, hand packed tightly); Including cost of stones but excluding cost of wirecrates	268.76	CUM	2073.55	557287.00
73	Providing & fixing B.A wire crates (16'x16') 100x100mm mesh with both end plain as per proper and standard specification as per requirement of site & directions of Engineer In-Charge.	975.46	SQM	350.00	341411.00
74	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. (Made of G.I. wire of dia 4 mm)	273.00	SQM	733.50	200245.00
75	Providing and fixing of Electrical points (heating and lighting) incl. cost of wire switches, necessary MCB's switch boards, ceiling roses reputed make ISI mark screws, casing / conduit materials of allsorts of carriage and labour charges required for the job.				
i	a. Lighting points.	20.00	No	1050.00	21000.00
ii	b. Heating points.	6.00	No	1400.00	8400.00
76	Supplying and stacking at site excluding carriage				
i	Graded crushed stone aggregate of size 90 mm - 45 mm	225.00	CUM	492.75	110869.00
ii	Graded crushed stone aggregate of size 63 mm - 45 mm	168.75	CUM	564.60	95276.00
iii	Graded stone aggregate atsite of size range 53mm- 22.4mm	112.50	CUM	575.30	64721.00
iv	Stone Screening of 13.2 mm nominal size	40.50	CUM	504.40	20428.00
v	Stone Screening of 11.2 mm nominal size	40.50	CUM	504.40	20428.00
vi	Stone Dust	40.50	CUM	258.25	10459.00
77	Supply and fitting of pipe specials as per relevant IS 1239 (Part 2) specifications				
i	15 mm dia GI elbows	70.00	No.	22.00	1540.00

  
HD

  
TO

  
DSE


ii	20 mm dia G.I elbows	80.00	No.	39.00	3120.00
iii	25 mm dia G.I elbows	60.00	No.	54.00	3240.00
iv	40 mm dia G.I elbows	45.00	No.	115.00	5175.00
v	50 mm dia G.I elbows	114.00	No.	205.00	23370.00
vi	65 mm dia G.I elbows	39.00	No.	322.00	12558.00
vii	80 mm dia G.I elbows	36.00	No.	432.00	15552.00
viii	20 mm to 15 mm G.I. sockets (reducing)	80.00	No.	24.00	1920.00
ix	25 mm to any smaller size G.I. sockets (reducing)	60.00	No.	30.00	1800.00
x	40 mm to any smaller size G.I. sockets (reducing)	45.00	No.	55.00	2475.00
xi	50 mm to any smaller size G.I. sockets (reducing)	114.00	No.	90.00	10260.00
xii	15 mm G.I. Tee (equal)	140.00	No.	32.00	4480.00
xiii	20 mm G.I. Tee (equal/reducing)	160.00	No.	54.00	8640.00
xiv	25 mm G.I. Tee (equal/reducing)	120.00	No.	72.00	8640.00
xv	40 mm G.I. Tee (equal/reducing)	90.00	No.	145.00	13050.00
xvi	50 mm G.I. Tee (equal/reducing)	229.00	No.	230.00	52670.00
xvii	65 mm G.I. Tee (equal/reducing)	77.00	No.	408.00	31416.00
xviii	80 mm G.I. Tee (equal/reducing)	72.00	No.	572.00	41184.00
xix	15 mm nominal bore G.I Unions	70.00	No.	67.00	4690.00
xx	20 mm nominal bore G.I Unions	80.00	No.	115.00	9200.00
xxi	25 mm nominal bore G.I Unions	60.00	No.	150.00	9000.00
xxii	40 mm nominal bore G.I Unions	45.00	No.	267.00	12015.00
xxiii	50 mm nominal bore G.I Unions	114.00	No.	344.00	39216.00
xxiv	65 mm nominal bore G.I Unions	39.00	No.	549.00	21411.00
xxv	80 mm nominal bore G.I Unions	36.00	No.	634.00	22824.00
xxvi	15 mm G.I Nipple of length 3", 4" and 6"	70.00	No.	30.00	2100.00
xxvii	20 mm G.I Nipple of length 3", 4" and 6"	80.00	No.	40.00	3200.00
xxviii	25 mm G.I Nipple of length 3", 4" and 6"	60.00	No.	60.00	3600.00
xxix	40 mm G.I Nipple of length 3", 4" and 6"	45.00	No.	90.00	4050.00
xxx	50 mm G.I Nipple of length 3", 4" and 6"	114.00	No.	125.00	14250.00
xxxii	65 mm G.I Nipple of length 3", 4" and 6"	39.00	No.	275.00	10725.00
78	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like	4200.00	KL	155.55	653310.00
79	Carriage of materials from source upto nearest dumping site incl, loading, unloading and stacking (subject to actual)				
i	Soling by an avg lead of 10 Kms	133.94	CUM	330.42	44256.00
ii	40mm course aggregate for av lead of 30kms	318.33	CUM	545.28	173579.00
iii	20mm course aggregate for avg lead of 30kms	444.93	CUM	501.65	223199.00
iv	Sand for avg lead of 50 km	268.26	CUM	700.37	187881.00
v	Quarry stone by an avg lead for 25 kms	23.66	CUM	903.93	21387.00
vi	Bricks for 125 kms	22000.00	No	3.85	84700.00
vii	Cement by an average lead of 20 km	141.39	MT	357.64	50567.00

  
HD


  
TO

  
DSE

viii	TMT Steel by an average lead of 20 km	15.01	MT	357.84	5368.00
ix	125 mm DI/GI pipes by an av lead of 20 km	124.00	RM	11.74	1455.00
x	100 mm DI/GI pipes by an av lead of 20 km	3000.00	RM	8.79	26370.00
xi	DI/GI pipes below 100 mm by an av lead of 20 km	114.81	MT	357.84	41061.00
80	<b>Carriage of materials by Manual Labours from Dumping Site Upto working site Incl, loading, unloading and stacking for an average lead of 750 meters ( Subject to Actual at site)</b>				
i	Soling	133.94	CUM	541.98	72593.00
ii	40mm course aggregate	318.33	CUM	498.04	158541.00
iii	20mm course aggregate	444.93	CUM	480.70	204979.00
iv	Sand	268.26	CUM	480.70	123587.00
v	Quarry stone	23.66	CUM	541.08	12802.00
vi	Bricks	22000.00	No	0.86	18898.00
vii	Cement	141.39	MT	488.17	68195.00
viii	TMT Steel	15.01	MT	371.28	5573.00
ix	125 mm DI/GI pipes	124.00	Ton	14.73	1827.00
x	100 mm DI/GI pipes	3000.00	Ton	12.04	36120.00
xi	DI/GI pipes below 100 mm	114.81	RM	797.55	91587.00
81	<b>Providing and Fixing of Sign Board (8'-0" x 6'-0") with Jal Jeevan Mission Logo (1'-5" x 2'-0") at a conspicuous location strictly as per sample in Annexure - 8 in Margdarshika published by ministry of Jal Shakti. This Sign Board shall be of flex type supported on 50x 50 x 6 mm ISA fixed in 1:3:6 mix of Plain Cement concrete Blocks of Size 1'-0" x 1'-0" x 2'-0"</b>	1.00	Job	10000.00	10000.000
<b>TOTAL IN FIGURES</b>					21712952.00
<b>Add 1%(one) on all above items</b>					217130.00
<b>GRAND TOTAL</b>					<b>21930082.00</b>

  
Head  
Draftsman

  
Technical Officer

  
District Superintending Engineer

**A Terms and Conditions: -**

1. The contractor shall draw agreement with the Superintending Engineer Hyd. Circle Kupwara H.Q Handwara within 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the NIT shall hold good even before drawl of formal agreement.

D

TO

DSE



2. The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates.
3. The date of start of work shall be reckoned from 07 days after issuance of allotment.
4. It shall be mandatory for the executing agency/ contractor to ensure safe and adequate supply of electricity required for all the workmen skilled/ unskilled deployed at site of work.
5. Suitable arrangements for supply of portable water at site of work for all the workmen skilled/ unskilled be made by the agency/ contractor just before the virtual start of execution at site.
6. Arrangements for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides, separate toilet facilities be provided for Female workers at the site of work.
7. **Performance security equivalent 03% of the value of the contract Rs. 657902/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BGR within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier**
8. Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor
9. Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)

**B. Time of completion**

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

**C. Earnest Money**

The CDR BEARING No:3137717 Dt: 18/07/2022 for Rs. 438200 lacs IN JK BANK BRANCH HYHAMA-0135. (FOUR LACS THIRTY EIGHT THOUSAND & TWO HUNDRED RUPEES ONLY) Pledged to the { EXECUTIVE Engineer (PHE) JAL SHAKTI DIVISION Kupwara } shall be retained in the Office till successful completion of the above work after the expiry of the defect liability period.


**D. Advance payment**

No mobilization advance or advance payment shall be made to the allottee (contractor).

**E General**

All other conditions as laid down in E- NIT No: 15 of 6/2022-23 Dt: 27/06/2022 issued under endorsement No PHEDK/1053-66 Dt: 27/06/2022 from Executive Engineer PHE Division Kupwara shall be binding on the contractor.

No: DSE/HH/DB/ 4097 - 4100  
Dated: - 20 /01/2023

  
**District Superintending Engineer,**  
Hydraulic Circle Kupwara  
HQ Handwara

**Copy to the: -**

1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt. Kupwara)for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.

TO

DSE

HD