

(Allotment)

GOVT. OF JAMMU AND KASHMIR

OFFICE OF THE DISTRICT SUPERINTENDING ENGINEER,

HYDRAULIC CIRCLE KUPWARA -- HEADQUARTER HANDWARA

Fax/Phone:01955262005 *****00***** email:sehydkupwara@gmail.com



Majid & Co.
Prop. Ab Majid Wani
S/o. Sonallah Wani
R/o: Khurhama Tehsil Ganderbal Distt. Ganderbal
Registration No: SE/HYD/Sgr/AAV/Class-236-Civil of2004-05
GSTIN NO: 01AATPW4073E1ZJ

ALLOTMENT ORDER NO: ~~CE/PHE/HH/DB~~ DSE/HH/DB OF 2022-23 DT: 12-09-2022

Sub: - Laying and fitting of pipe network, Construction of 0.50 lac Gallons RCC SR's (02 No) & 0.15 lac gallons RCC SR with sluice chambers, 02 No. RCC pre-settling tanks, chain link fencing around structures, Anchor/saddle blocks for 100% FHTC under JJM for WSS Manzgam Astanwall Hafrada.

Ref: - 1. Minutes of the 8th meeting of Technical Appraisal Committee held on 08.02.2022, minutes issued thereof vide CE/PHE/44620-41 dated. 12.03.2022
2. Accord of Administrative Approval vide Chief Engineer Kashmir PHE Deptt. Srinagar's Order No. CE/PHE/DB/JJM/237 of 08/2022 dated. 01.08.2022
2. District Action Plan of District Kupwara by DJJM vide No. DDCK/Plg/JJM/4465-85 dated. 14.07.2022
3. Govt. Order No. 19-JK(JSD) of 2022 dated. 04.02.2022
4. Technical Sanction Order No. CE/PHE/DB/149 of 08/2022 dated. 25.08.2022
2. District Development Commissioner Kupwara's authorization No. DDCK/Plg/JJM/5861-66 dated. 06.08.2022

Advertised cost: - Rs 242.35 Lacs
Allotted cost: - Rs 25204844.00/-

(Rupees Two Crores fifty two lacs four thousand eight hundred and forty four Only)

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, contract for Laying and fitting of pipe network, Construction of 0.50 lac Gallons RCC SR's (02 No) & 0.15 lac gallons RCC SR with sluice chambers, 02 No. RCC pre-settling tanks, chain link fencing around structures, Anchor/zsaddle blocks for 100% FHTC under JJM for WSS Manzgam Astanwall Hafrada is hereby fixed with you on the accepted rates by you as shown in the enclosed Annexure of this allotment. The total cost of the work will be of the order of Rs. 25204844.00/- (Rupees Two Crores fifty two lacs four thousand eight hundred and forty four Only) on the terms and conditions as laid down in E- NIT No: 12 of 2022-23 issued under endorsement No PHEDK/608-19 Dt: 30/05/2022 from the Executive Engineer PHE Division Kupwara shall be binding on the contractor

| Sl. No. | Item Description | Quantity | Unit | Allotted Rate @ above 4.00% on advertised rates | AMOUNT |
|---------|---|----------|------|---|------------|
| 1 | Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. (All kinds of soil) | | | | |
| 2 | All kinds of Soil | 547.640 | Cum | 188.750 | 103367.050 |
| 3 | Ordinary Rock | 43.420 | Cum | 378.350 | 16427.957 |

HD

TO

DSE

7. Performance security equivalent 03% of the value of the contract Rs. 756145/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BG within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier
8. Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor itself.
9. Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)

B. Time of completion

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

C. Earnest Money

The CDR bearing No: 2985673 Dt: 14/06/2022 for Rs. 484700/- From J&K Bank Branch Tarathpora (Rupees Four lacs Eighty Four Thousands and Seven hundred Only) Pledged to the District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara shall be retained in this Office till successful completion of the above work after the expiry of the defect liability period.

D. Advance payment

No mobilization advance or advance payment shall be made to the allottee (contractor).


E General


All other conditions as laid down in E-NIT 12 of 2022-23 dated. 30.05.2022 issued under endorsement No: PHEDK/608-19 Dt: 30/05/2022 from Executive Engineer PHE Division Kupwara shall be binding on the contractor.

No: DSE/HH/DB/2353-SB

Dated: - 12 /09/2022


H.D.


T.O.


District Superintending Engineer,
Hydraulic Circle Kupwara
HQ Handwara

Copy to the: -

1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt, Kupwara) for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.

| | | | | | |
|----|---|----------|-----|-----------|-------------|
| 4 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: | | | | |
| 5 | All kinds of soil | 8438.160 | Cum | 436.000 | 3679037.760 |
| 6 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. In layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | 6624.470 | Cum | 198.700 | 1316282.189 |
| 7 | Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete. | 93.630 | Cum | 1320.000 | 123591.600 |
| 8 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: | | | | |
| 9 | 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) | 9.020 | Cum | 5437.740 | 49048.415 |
| 10 | 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | 381.160 | Cum | 6465.200 | 2464275.632 |
| 11 | 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) | 64.240 | Cum | 4861.840 | 312324.602 |
| 12 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level | | | | |
| 13 | 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 111.810 | Cum | 7800.760 | 872202.976 |
| 14 | 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | 6.340 | Cum | 7676.550 | 48669.327 |
| 15 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. | | | | |
| 16 | 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 144.190 | Cum | 9408.140 | 1356559.707 |
| 17 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with: | | | | |
| 18 | 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 6.840 | Cum | 9849.350 | 67369.554 |
| 19 | Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: | | | | |
| 20 | 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 30.180 | Cum | 10404.520 | 314008.414 |

HD

TO

DSF

| | | | | | |
|----|--|-----------|-----|----------|-------------|
| 21 | Centering and shuttering including strutting, propping etc. and removal of form for: | | | | |
| 22 | Foundations, footings, bases of columns etc. for mass concrete. | 93.810 | sqm | 262.300 | 24606.363 |
| 23 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 2610.930 | sqm | 573.850 | 1498282.181 |
| 24 | Suspended floors, roofs, landings, balconies and access platforms. | 15.930 | sqm | 635.600 | 10125.108 |
| 25 | Lintel, beams, plinth beams, girders, bressumers and cantilevers. | 46.880 | sqm | 502.850 | 23573.608 |
| 26 | Arches, domes, vaults upto 6 m span | 183.450 | sqm | 2086.800 | 382823.460 |
| 27 | Extra for arches, domes, vaults exceeding 6 m span | 183.450 | sqm | 1008.450 | 185000.153 |
| 28 | Extra for shuttering in circular work (20% of respective centring and Shuttering items) | | | | |
| 29 | Foundation | 57.830 | sqm | 52.460 | 3033.762 |
| 30 | Walls | 770.430 | sqm | 114.770 | 88422.251 |
| 31 | Beams | 46.880 | sqm | 100.570 | 4714.722 |
| 32 | Domes | 183.450 | sqm | 417.360 | 76564.692 |
| 33 | Suspended floors | 15.930 | sqm | 127.120 | 2025.022 |
| 34 | Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) | 836.000 | kgs | 57.900 | 48404.400 |
| 35 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level. | | | | |
| 36 | Thermo-Mechanically Treated bars of grade Fe-500D or more. | 27180.140 | Kg | 95.100 | 2584831.314 |
| 37 | Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.welded | 11577.520 | Kg | 111.420 | 1289967.278 |
| 38 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. (Made of G.I. wire of dia 4 mm) | 576.450 | sqm | 733.500 | 422826.075 |
| 39 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.. | 604.800 | Kg | 159.960 | 96743.808 |
| 40 | 12mm Cement plaster | | | | |
| 41 | 1 : 4 (1 cement : 4 fine sand | 896.080 | sqm | 286.060 | 256332.645 |
| 42 | Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm) | 214.560 | sqm | 91.800 | 19696.608 |
| 43 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work | 1279.440 | sqm | 121.950 | 156027.708 |

HD


MS

Handwritten signature

| | | | | | |
|----|--|-----------|-------|-----------|------------|
| 44 | Providing & fixing of MS pipes / fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm Nominal Size MS plate as per the requirement of site including cost of welding. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job. | 1675.000 | Kg | 147.820 | 247598.500 |
| 45 | Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge | 250.000 | sqm | 800.000 | 200000.000 |
| 46 | Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. | | | | |
| 47 | 20 mm dia. nominal bore | 10500.000 | M | 22.280 | 233940.000 |
| 48 | 25 mm dia. nominal bore | 7500.000 | M | 33.720 | 252900.000 |
| 49 | 40 mm dia. nominal bore | 6150.000 | M | 44.880 | 276012.000 |
| 50 | 50 mm dia. nominal bore | 6500.000 | M | 44.880 | 291720.000 |
| 51 | 65 mm dia. nominal bore | 4000.000 | M | 80.360 | 321440.000 |
| 52 | Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and sorts of carriages. Complete Job. | | | | |
| 53 | 80 mm dia. pipe | 630.000 | Joint | 1100.000 | 693000.000 |
| 54 | Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe) | 1415.420 | Qtls | 270.110 | 382319.096 |
| 55 | Providing and laying D.I. Specials of Class K-12 suitable for push-on jointing as per IS : 9523 (Upto 600 mm dia) | 28.310 | Qtls | 18761.050 | 531125.326 |
| 56 | Providing Push on joints to Centrifugally (Spun) Cast iron pipes or Ductile iron pipes including testing of joints and including the cost of rubber gasket. | | | | |
| 57 | 200 mm dia DI | 55.000 | Joint | 257.730 | 14175.150 |
| 58 | 150mm dia DI | 364.000 | Joint | 159.170 | 57937.880 |
| 59 | 100mm dia DI | 938.000 | Joint | 98.670 | 92552.460 |
| 60 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | | |
| 61 | 25 to 40 mm nominal bore | 188.000 | each | 732.880 | 137781.440 |
| 62 | 50 to 80 mm nominal bore | 21.000 | each | 1395.630 | 29308.230 |
| 63 | Taking out connection from DI pipes including cutting of pipes, welding at joint using genset, welding machines at site of work complete in all respects | 2.000 | Job | 4000.000 | 8000.000 |

HD

TO



DSE

| | | | | | |
|-----|---|---------|------|-----------|------------|
| 64 | Providing and fixing D.I. sluice valves Class 1 (with cap) complete with rubber insertions, bolts, nuts, extension rod, joint connector, supporting pedestal with base plate, top plate and necessary anchoring bolts etc. (the tall pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments. (if not available in Divisional Stores) | | | | |
| 65 | 100 mm dia. | 4.000 | Each | 17210.000 | 68840.000 |
| 66 | 150 mm dia. | 6.000 | Each | 26720.000 | 160320.000 |
| 67 | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) like Zoloto, Unik or like | | | | |
| 68 | 80 mm nominal bore | 6.000 | Each | 9000.000 | 54000.000 |
| 69 | 65 mm nominal bore | 4.000 | Each | 7000.000 | 28000.000 |
| 70 | 50 mm nominal bore | 12.000 | Each | 4800.000 | 57600.000 |
| 71 | 40 mm nominal bore | 12.000 | Each | 4000.000 | 48000.000 |
| 72 | Supply of GI Pipe Specials conforming to IS 1239 (Part-2) | | | | |
| 73 | 20 mm dia G.I elbows | 105.000 | Each | 39.000 | 4095.000 |
| 74 | 25 mm dia G.I elbows | 75.000 | Each | 54.000 | 4050.000 |
| 75 | 40 mm dia G.I elbows | 62.000 | Each | 115.000 | 7130.000 |
| 76 | 50 mm dia G.I elbows | 65.000 | Each | 205.000 | 13325.000 |
| 77 | 65 mm dia G.I elbows | 40.000 | Each | 322.000 | 12880.000 |
| 78 | 80 mm dia G.I elbows | 10.000 | Each | 432.000 | 4320.000 |
| 79 | 20 mm to 15 mm G.I. sockets (reducing) | 53.000 | Each | 24.000 | 1272.000 |
| 80 | 25 mm to any smaller size G.I. sockets (reducing) | 38.000 | Each | 30.000 | 1140.000 |
| 81 | 40 mm to any smaller size G.I. sockets (reducing) | 31.000 | Each | 55.000 | 1705.000 |
| 82 | 50 mm to any smaller size G.I. sockets (reducing) | 33.000 | Each | 90.000 | 2970.000 |
| 83 | 15 mm G.I. Tee (equal) | 10.000 | Each | 32.000 | 320.000 |
| 84 | 20 mm G.I. Tee (equal/reducing) | 210.000 | Each | 54.000 | 11340.000 |
| 85 | 25 mm G.I. Tee (equal/reducing) | 150.000 | Each | 72.000 | 10800.000 |
| 86 | 40 mm G.I. Tee (equal/reducing) | 123.000 | Each | 145.000 | 17835.000 |
| 87 | 50 mm G.I. Tee (equal/reducing) | 130.000 | Each | 230.000 | 29900.000 |
| 88 | 65 mm G.I. Tee (equal/reducing) | 80.000 | Each | 408.000 | 32640.000 |
| 89 | 80 mm G.I. Tee (equal/reducing) | 20.000 | Each | 572.000 | 11440.000 |
| 90 | 20 mm nominal bore G.I Unions | 105.000 | Each | 115.000 | 12075.000 |
| 91 | 25 mm nominal bore G.I Unions | 75.000 | Each | 150.000 | 11250.000 |
| 92 | 40 mm nominal bore G.I Unions | 62.000 | Each | 267.000 | 16554.000 |
| 93 | 50 mm nominal bore G.I Unions | 65.000 | Each | 344.000 | 22360.000 |
| 94 | 65 mm nominal bore G.I Unions | 40.000 | Each | 549.000 | 21960.000 |
| 95 | 80 mm nominal bore G.I Unions | 10.000 | Each | 634.000 | 6340.000 |
| 96 | 15 mm G.I Nipple of length 3", 4" and 6" | 105.000 | Each | 30.000 | 3150.000 |
| 97 | 20 mm G.I Nipple of length 3", 4" and 6" | 75.000 | Each | 40.000 | 3000.000 |
| 98 | 25 mm G.I Nipple of length 3", 4" and 6" | 62.000 | Each | 60.000 | 3720.000 |
| 99 | 40 mm G.I Nipple of length 3", 4" and 6" | 65.000 | Each | 90.000 | 5850.000 |
| 100 | 50 mm G.I Nipple of length 3", 4" and 6" | 40.000 | Each | 125.000 | 5000.000 |
| 101 | 65 mm G.I Nipple of length 3", 4" and 6" | 10.000 | Each | 275.000 | 2750.000 |
| 102 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials | | | | |
| 103 | Soling by 10 km | 93.630 | Cum | 330.420 | 30937.225 |
| 104 | Stone Aggregate 40 mm size by 20 km | 57.170 | Cum | 437.300 | 25000.441 |

HD


TO

DSE

| | | | | | |
|-----|--|----------|-------|----------|--------------------|
| 105 | Stone Aggregate 20 mm size by 20 km | 608.050 | Cum | 402.290 | 244612.435 |
| 106 | Sand by 50 km | 367.430 | Cum | 700.370 | 257336.949 |
| 107 | Cement by 30 km | 287.480 | MT | 448.030 | 128799.664 |
| 108 | TMT Steel by 30 km | 27.180 | MT | 448.030 | 12177.455 |
| 109 | GI pipes below 100 mm dia by 40 km | 99.780 | MT | 1080.760 | 107838.233 |
| 110 | 200 mm dia DI pipe by 40 km | 300.000 | metre | 70.940 | 21282.000 |
| 111 | 150 mm dia DI pipe by 40 km | 2000.000 | metre | 43.610 | 87220.000 |
| 112 | 100 mm dia DI pipe by 40 km | 5160.000 | metre | 26.160 | 134985.600 |
| 113 | Carriage of materials by manual means including loading, unloading, stacking of materials- | | | | |
| 114 | Soling by 400 m | 93.630 | Cum | 623.280 | 58357.706 |
| 115 | Stone Aggregate 40 mm size by 400 m | 57.170 | Cum | 572.750 | 32744.118 |
| 116 | Stone Aggregate 20 mm size by 400 m | 608.050 | Cum | 529.810 | 322150.971 |
| 117 | Sand by 400 m | 367.430 | Cum | 529.810 | 194668.088 |
| 118 | Cement by 400 m | 287.480 | MT | 246.420 | 70840.822 |
| 119 | TMT Steel by 400 m | 27.180 | MT | 529.320 | 14386.918 |
| 120 | GI pipes below 100 mm dia by 700 meters | 99.780 | MT | 445.670 | 44468.953 |
| 121 | 200 mm dia DI pipe by 500 meters | 300.000 | metre | 20.320 | 6096.000 |
| 122 | 150 mm dia DI pipe by 500 meters | 2000.000 | metre | 13.540 | 27080.000 |
| 123 | 100 mm dia DI pipe by 500 meters | 5160.000 | metre | 9.600 | 49536.000 |
| | | | | | 24235427.001 |
| | Add 4% above on all items of works | +4% | | | 969417.00 |
| | Grand Total | | | | 25204844.00 |


Head Draftsman


Technical Officer


District Superintending
Engineer,
Hyd. Circle Kupwara
H.Q Handwara

A Terms and Conditions: -

1. The contractor shall draw agreement with the Superintending Engineer Hyd. Circle Kupwara H.O. Handwara within 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the NIT shall hold good even before drawl of formal agreement.
2. The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates.
3. The date of start of work shall be reckoned from 07 days after issuance of allotment.
4. It shall be mandatory for the executing agency/ contractor to ensure safe and adequate supply of electricity required for all the workmen skilled/ unskilled deployed at site of work.
5. Suitable arrangements for supply of portable water at site of work for all the workmen skilled/ unskilled be made by the agency/ contractor just before the virtual start of execution at site.
6. Arrangements for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides, separate toilet facilities be provided for Female workers at the site of work.

Performance security equivalent 03% of the value of the contract Rs. 756145/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BG within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier

Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor itself.

Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)

B. Time of completion

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

C. Earnest Money

The CDR bearing No: 2985673 Dt: 14/06/2022 for Rs. 484700/- From J&K Bank Branch Tarathpora (Rupees Four lacs Eighty Four Thousands and Seven hundred Only) Pledged to the (District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara) shall be retained in this Office till successful completion of the above work after the expiry of the defect liability period.

D. Advance payment

No mobilization advance or advance payment shall be made to the allottee (contractor).


E General

All other conditions as laid down in E-NIT 12 of 2022-23 dated. 30.05.2022 issued under endorsement No: PHEDK/608-19 Dt: 30/05/2022 from Executive Engineer PHE Division Kupwara shall be binding on the contractor.

No: DSE/HH/DB/ 2353-58
Dated: - 12/09/2022


HD


T.O.


District Superintending Engineer,
Hydraulic Circle Kupwara
HQ Handwara

Copy to the: -

1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt. Kupwara) for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.

HD

TO

DSE

