

GOVT. OF JAMMU AND KASHMIR
OFFICE OF THE DISTRICT SUPERINTENDING ENGINEER,

HYDRAULIC CIRCLE KUPWARA -- HEADQUARTER HANDWARA

Fax/Phone:01955262005 *****00*****

email:sehydkupwara@gmail.com



M/s Ghulam Ahmad Mir
 S/o. Mohammad Jamal Mir
 R/o: Bumhama Tehsil Dragma Distt. Kupwara
 Registration No: 271-A-CE/KCC/PDC(Civil) of 1997-98
 GSTIN NO:01AKIPM1156H1ZJ

ALLOTMENT ORDER NO: 02 JJM /DSE/HH/DB OF 2022-23 DT: 07-2022

Sub: - Construction of 1.00 lac Gallons, 0.50 lac Gallons 0.30 lac Gallons , 0.20lac Gallons Capacity RCC Service Reservoir with Sluice Chamber Clear Water Sump, Chain Link Fencing Around Structures, Tiled Path and Anchor /Saddle Blocks for 100% FHTC under JJM for WSS Trehgam Dolipora

Ref: - 1. Executive Engineer PHE Division Kupwara's E-NIT No: 04 of 2022-23 issued under endorsement No: PHEDK/159-72 Dt: 19/04/2022.
 2. District Development Commissioner Kupwara's authorization No. DDCK/Plg/JJM/4036 dated. 05.07.2022


Advertised cost: - Rs 193.04 Lacs

Allotted cost: - Rs 18145858/- Lacs

(Rupees One crore eighty one lacs forty five thousand eight hundred and fifty eight only)

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, contract for Construction of 1.00 lac Gallons, 0.50 lac Gallons, 0.30 lac Gallons , 0.20lac Gallons Capacity RCC Service Reservoir with Sluice Chamber Clear Water Sump, Chain Link Fencing Around Structures, Tiled Path and Anchor /Saddle Blocks for 100% FHTC under JJM for WSS Trehgam Dolipora is hereby fixed with you on the uploaded rates by you as shown in the enclosed Annexure of this allotment. The total cost of the work will be of the order of **Rs 18145858/- Lacs (Rupees One crore eighty one lacs forty five thousand eight hundred and fifty eight only)** on the terms and conditions as laid down in E- NIT No: 04 of 2022-23 issued under endorsement No PHEDK/159-72 Dt: 19/04/2022 from the Executive Engineer PHE Division Kupwara shall be binding on the contractor.

Sl. No.	Item Description	Quantity	Units	Allotted Rate @ -6 on advertised rates	TOTAL AMOUNT
1	2	4	5	6	7
	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil	1544.02	Cum	177.42	0 273940
2	Ordinary Rock	180.19	Cum	355.65	64084



Handwritten signature and date: 29/7/22

Handwritten initials and 'HD'

Handwritten signature and 'TO'

Handwritten signature and 'DSE'

shall be got executed departmentally or through any other agency at the risk and extra cost of above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

Earnest Money

The CDR bearing No: 3148593 Dt: 18/05/2022 for Rs. 386080/- From J&K Bank Branch DC Complex Kupwara (Rupees Three lacs eighty six thousand and eighty only) Pledged to the District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara).

D. Advance payment


No mobilization advance or advance payment shall be made to the allottee (contractor).

E General

All other conditions as laid down in E-NIT 04/PHE/KUP/2022-23 issued under endorsement No: PHEDK/159-72 Dt: 19/04/2022 from Executive Engineer PHE Division Kupwara shall be binding on the contractor.

No: DSE/HH/DB/1444-48.
Dated: - 15/04/2022




District Superintending Engineer,
Hydraulic Circle Kupwara
HQ Handwara

Copy to the: -


1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt. Kupwara) for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.


Copy Received by
Contractor:

3	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: <i>All kinds of soil</i>	134	Cum	409.84	54919
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	477.38	Cum	186.78	89165
5	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	156.51	Cum	1240.8	194197
6	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				
7	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	80.86	Cum	4570.1	369538
8	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	245.78	Cum	6077.30	1493676
9	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	99.76	Cum	7798.84	0 778012


HD


TO



DSE



10	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	196.02	Cum	7332.65	1437346
11	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				0
12	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	194.96	Cum	8843.65	1724158
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels; bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	19.31	Cum	9258.39	178780
14	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	43.2	Cum	9780.25	0 422507
15	Centering and shuttering including strutting, propping etc. and removal of form for:				0


HD


TO


DSE

A	Foundations, footings, bases of columns etc. for mass concrete.	1100.78	sqm	246.52	271410
B	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	1600.55	sqm	539.42	863367
C	Suspended floors, roofs, landings, balconies and access platforms.	258.34	sqm	697.464	154349
D	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	98.41	sqm	472.67	46516
E	Columns, pillars, piers, abutments, posts and struts.	135	sqm	639.341	86311
F	Arches, domes, vaults upto 6 m span	303.19	sqm	1961.592	594735
G	Extra for arches, domes, vaults exceeding 6 m span	303.19	sqm	947.943	287407
16	Extra for shuttering in circular work (20% of respective centering and Shuttering items)				0
A	Foundation	88.23	sqm	49.31	4351
B	Walls	1038.13	sqm	107.88	111997
C	Beams	68.19	sqm	94.54	6446
D	Domes	303.19	sqm	392.32	118947
E	Suspended floors	30.33	sqm	119.49	3624
17	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	842	kgs	54.42	45827
18	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.				0
19	Thermo-Mechanically Treated bars of grade Fe-500D or more.	46255.32	Kg	89.394	4134948
20	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	90	Kg	93.342	8400
21	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.welded	7384.86	Kg	104.73	773452

HD

TO

DSE

22	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. (Made of G.I. wire of dia 4 mm)	640.5	sqm	689.49	441618
23	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works..	1382.4	Kg	150.36	207861
24	Chequerred precast cement concrete tiles 22mm thick in footpath and courtyard, jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing, cleaning and curing complete, on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 coarse sand) : Ordinary cement without any pigment.	126	sqm	802.243	101082
25	Providing and fixing aluminum work and glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineerin- charge. (Cost of aluminum snap beading shall be paid in basic item.) 22.3.1 With floating glass panes of 4.0 mm thickness (weight not less than 10.00 kg / sqm) With float glass panes of 5.0 mm thickness (weight not less than 12.50 kg / sqm)	15.5	Sqm	5170	80135
26	Providing and fixing UV stabilized fiberglass reinforced plastic sheet roofing upto any pitch incl. fixing with polymer	8	Sqm	1031.18	8249
27	12mm Cement plaster				0
A	1 : 4 (1 cement : 4 fine sand	961.07	sqm	268.90	258428

HD

TO

DSE

28	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	635.44	sqm	86.29	54832
29	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work	1260	sqm	114.63	144434
30	Providing & fixing of MS pipes / fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm Nominal Size MS plate as per the requirement of site including cost of welding. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job.	1127	Kg	138.95	156597
31	Providing and fixing D.I. sluice valves Class 1 (with cap) complete with rubber insertions, bolts, nuts, extention rod, joint connector, supporting pedestal with base plate, top plate and necessary anchoring bolts etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments. (if not available in Divisional Stores)				0
A	100 mm dia.	4	Each	16177.40	64710
B	150 mm dia.	2	Each	25117	50234
C	250 mm dia.	4	Each	62454	249814
32	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	647	M	752	486544
33	Carriage of materials by mechanical transport including loading, unloading, stacking of materials				0
34	Soling by 10 km	156.51	Cum	310.59	48610
35	Stone Aggregate 40 mm size by 10 km	71.97	Cum	286.96	20653
36	Stone Aggregate 20 mm size by 10 km	711.14	Cum	263.99	187734
A	Sand by 35 km	430.85	Cum	263.99	113740
B	Cement by 15 km	310.97	MT	234.67	72975
C	TMT Steel by 15 km	46.26	MT	234.67	10855


HD


TO

DSI

37	Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand)				
A	Soling by 400 m	156.51	Cum	585.88	91696
B	Stone Aggregate 40 mm size by 400 m	71.97	Cum	538.39	38748
C	Stone Aggregate 20 mm size by 400 m	711.14	Cum	498.00	354148
D	Sand by 400 m	430.85	Cum	498.00	214563
E	Cement by 400 m	310.97	MT	232.00	72145
F	TMT Steel by 400 m	46.26	MT	497.56	23037
Total in Figures					18145858


Head Draftsman


Technical Officer


District Superintending
Engineer,
Hyd. Circle Kupwara
H.Q Handwara


A Terms and Conditions: -


1. The contractor shall draw agreement with the Superintending Engineer Hyd. Circle Kupwara H.Q Handwara within 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the NIT shall hold good even before drawl of formal agreement.
2. The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates.
3. The date of start of work shall be reckoned from 07 days after issuance of allotment.
4. It shall be mandatory for the executing agency/ contractor to ensure safe and adequate supply of electricity required for all the workmen skilled/ unskilled deployed at site of work.
5. Suitable arrangements for supply of portable water at site of work for all the workmen skilled/ unskilled be made by the agency/ contractor just before the virtual start of execution at site.
6. Arrangements for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides, separate toilet facilities be provided for Female workers at the site of work.
7. **Performance security equivalent 03% of the value of the contract Rs. 13366461.00/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BG within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier**
8. Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor itself.
9. Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)
- 10.

B. Time of completion

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the



HD



TO


DSE

37	Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand)				
A	Soling by 400 m	156.51	Cum	585.88	91696
B	Stone Aggregate 40 mm size by 400 m	71.97	Cum	538.39	38748
C	Stone Aggregate 20 mm size by 400 m	711.14	Cum	498.00	354148
D	Sand by 400 m	430.85	Cum	498.00	214563
E	Cement by 400 m	310.97	MT	232.00	72145
F	TMT Steel by 400 m	46.26	MT	497.56	23037
Total in Figures					18145858


Head Draftsman


Technical Officer


District Superintending
Engineer,
Hyd. Circle Kupwara
H.Q Handwara


A Terms and Conditions: -


1. The contractor shall draw agreement with the Superintending Engineer Hyd. Circle Kupwara H.Q Handwara within 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the NIT shall hold good even before drawl of formal agreement.
2. The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates.
3. The date of start of work shall be reckoned from 07 days after issuance of allotment.
4. It shall be mandatory for the executing agency/ contractor to ensure safe and adequate supply of electricity required for all the workmen skilled/ unskilled deployed at site of work.
5. Suitable arrangements for supply of portable water at site of work for all the workmen skilled/ unskilled be made by the agency/ contractor just before the virtual start of execution at site.
6. Arrangements for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides, separate toilet facilities be provided for Female workers at the site of work.
7. **Performance security equivalent 03% of the value of the contract Rs. 13366461.00/- valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/BG within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier**
8. Insurance cover as admissible under rules shall be provided to all workers/ skilled/unskilled deployed at site and the necessary premiums shall be borne by the executing agency/ contractor itself.
9. Payments are subject to the recommendation of the third party verification agency (M/s. WAPCOS Ltd)
- 10.

B. Time of completion

The works shall be completed within a period of (150 Working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the


HD


TO


DSE

work shall be got executed departmentally or through any other agency at the risk and extra cost of the above contractor. Besides action under rules for black listing of the contractor shall be taken up by the Department.

C. Earnest Money

The CDR bearing No: 3148593 Dt: 18/05/2022 for Rs. 386080/- From J&K Bank Branch DC Complex Kupwara (Rupees Three lacs eighty six thousand and eighty only) Pledged to the District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara).

D. Advance payment


No mobilization advance or advance payment shall be made to the allottee (contractor).

E General

All other conditions as laid down in E-NIT 04/PHE/KUP/2022-23 issued under endorsement No: PHEDK/159-72 Dt: 19/04/2022 from Executive Engineer PHE Division Kupwara shall be binding on the contractor.

No: DSE/HH/DB/ 1444-48 .
Dated: - 15 / 06 / 2022




District Superintending Engineer,
Hydraulic Circle Kupwara
HQ Handwara

Copy to the: -

1. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
2. District Development Commissioner (Chairman DJJM) Kupwara for favour of information.
3. District Nodal Officer WAPCOS Ltd. (Distt. Kupwara) for information.
4. Executive Engineer PHE Division Kupwara for information and necessary action.
5. Head Draftsman Circle Office Handwara.
6. Office Copy.

HD

TO

DSE

