

Government of Jammu and Kashmir  
OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI  
email: urihyd@uril.com

Allotment Order No. 102 of      /20    

M/S : Syed Builders Pvt. Ltd. Company  
R/O : Paranpillan Uri  
Registration No. : U45201JK2019PTC010951  
TIN No./GST : 01ABBCS9197B1ZH

Name of work : *Retrofitting of Water Supply Scheme Dumping Bella by way of Construction/Commissioning and Testing of Intake Chambers/PSTs/ SRs/SSFPs/ Protection works, Chain Link fencing, providing and laying of GI Pipes and other allied works (for providing 100% FHTC) under JJM*

eNIT No. : 25 /Hyd/Uri of 2022-23 TENDER ID 2022\_IFC\_187629\_3  
Your Tender Received in response to : 25/Hyd/Uri\_of\_2022-23 Dated: 09/09/2022 issued under endorsement No:- HDU/CC-02/2405-15 Dated: 09/09/2022 (S. No: 03) Tender ID : 2022\_IFC\_187629\_3

Reference : *(i) Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.*  
*(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.*  
*(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.*  
*(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.*  
*(v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).*  
*(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.*  
*(vii) Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/2022/1214-44 Dated: 24-05-2022.*  
*(viii) District Superintending Engineer Hyd. Circle Bla/Bpr HO Sopore authorization No: SE/Hyd/DB/9161-73 Dated:-18/10/2022*

Ref: to AAA : Accorded vide Order No. 48/SE/Hyd/DB/JJM of 2022-23 Dated:- 26/08/2022. issued under Endorsement No:- SE/Hyd/DB/6450-55 Dated:- 26/08/2022

Ref: to TS : Accorded vide Order No. CE/PHE/DB/550 of 09/2022 Dated:- 10/09/2022. issued under Endorsement No:-CE/PHE/DB/21486-90 Dated:- 10/09/2022.

LOI issued under NO:- : HDU/eNIT-25/3401-14 Dated:- 04/11/2022  
Advertisement cost : Rs:139.70Lacs  
Allotted cost : ₹ 14515291.19 Rupees One Crore Forty Five Lakh(s) Fifteen Thousand Two Hundred Ninety One And Paise Nineteen Only

Time of completion : 120-days  
M.H. of Account : (JJM)  
Ref. To CDR No. : CDR NO: 3158720 Dated: 19/09/2022 Amount: ₹ 279,400.00  
Name of the Bank : J&K Bank Ltd. Branch Office Salamabad Uri

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

1 Time of completion is essence of the contract.



- 2 The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- 3 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 4 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- 5 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- 6 Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- 7 The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing
- 8 After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 9 The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12 Earnest Money @2% deposited by you in shape of CDR/FDR/Bank Guarantee shall be released after depoition of 03% performance security of the value of the contract
- 13 All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- 14 Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Checked by

Head Draftsman  
NO: HDU/NC-37

DATED: 20-12-2022

Copy to the:

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4 Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: SE/Hyd/DB/9161-73 Dated:-18/10/2022
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla(Member DJJM) for information.
- 9 Chief Medical Officer Baramulla(Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.
- 12 Assistant Executive Engineer PHE Sub Division Uri for information. This is in continuation to this office LOI issued under No: HDU/eNIT-25/3401-14 Dated:- 04/11/2022
- 13 File.

Technical Officer to  
Executive Engineer  
Hydraulic Division Uri

Executive Engineer  
Hydraulic Division Uri

(Syed Shafiq)



## Annexure "A" to the Allotment Order No. \_\_\_\_\_ of \_\_\_\_\_ /20\_\_\_\_\_


**Retrofitting of Water Supply Scheme Dumping Bella by way of Construction/Commissioning and Testing of Intake Chambers/PSTs/ SRs/SSFPs/ Protection works, Chain Link fencing, providing and laying of GI Pipes and other allied works (for providing 100% FHTC) under JJM**

S#	Particulars	Qty	Unit	Rate	Amount
1.00	E/W in excavation by manual means in trenches for foundations, drains, pipes, cables etc (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, depth upto 1.5 mtr including disposal of excavated earth within 1km from cutting edge, disposed earth to be leveled and neatly dressed :				
1.10	In all kinds of soils	4033.477	Cum	539.350	2175455.82
2.00	Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	2673.030	Cum	198.700	531131.06
3.00	Providing and laying stone soling 2nd class incl. cost of stones.	165.830	Cum	616.400	102217.61
4.00	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1 : 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed	49.970	Cum	4861.835	242945.89
5.00	Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size)	117.230	Cum	6485.195	757914.81
6.00	Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement ( all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed	61.986	Cum	7800.760	483537.91
7.00	Reinforced Cement concrete work in wall ( any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size	95.973	Cum	8552.850	820842.67
8.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3( 1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size)	21.920	Cum	9849.345	215897.64
9.00	Providing and laying cement concrete work in Rataning wall ( any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size.	0.010	Cum	7269.185	72.69
10.00	Providing and laying in position 1:3:6 mix plam cement conctere excluding cost fshuttering. Foundation Below ground level	28.900	Cum	5437.740	157150.69

*Handwritten signature and initials*  
 Xeu -



S#	Particulars	Qty	Unit	Rate	Amount
11.00	Providing and laying in position 1:2:4 Mix RCC excluding cost of centring, shuttering, finishing and reinforcement, for RCC	8.440	Cum	6978.675	58900.02
12.00	Providing and Fixing up to Floor five level pre cast cement concrete sring or lacing couces, coupling bed platess, anchor blocks, including hoisting and setting in position with cement motr 1:3 (1 cement 3 course sand) cost of required centring, shuttering and curing complete 1:1.5:3 (1 cement 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size	0.841	Cum	8679.000	7299.04
13.00	Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2412.060	Kg	102.135	246355.75
14.00	Providing and Fixing of Hand Rails of approved size by welding extra to steel ladder balcony railing stair case railing and similar works and applying primer coat	251.150	Kg	190.190	47766.22
15.00	Reinforced cement concrete work in arches, archibs, vaults, shelves, folded plates and roofs having slope more than 150 floor five level inclding curing but excluding cost of centering and shuttering, finishing and reinforcement	3.730	Cum	10404.515	38808.84
16.00	Centering and shuttering including strutting propping etc. and removal of Form work for.				0.00
16.10	Foundations, footings, bases of columns	142.050	Sqm	262.300	37259.72
16.20	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	1538.740	Sqm	573.850	883005.95
16.30	Suspended floors, roofs, landings, balconies and access platform.	91.363	Sqm	635.600	58070.32
16.40	Arches, Domes, walls upto 60 mtr span	37.270	Sqm	2086.800	77775.04
16.50	Columns	12.600	Sqm	680.150	8569.89
16.60	lintels	10.270	Sqm	502.850	5164.27
16.70	edges of slab under 20cm Wide	117.180	RM	242.300	28392.71
17.00	12mm cement plaster of mix 1:4 (1-cement 4-sand)	1146.820	Sqm	325.450	373232.57
18.00	Hand-packing stones in wire-crates; excluding cost of stones and crates	146.630	Cum	337.450	49460.29
19.00	Providing and making of Gabion structure with Mechancially Woven Double Twisted Hexagonal Shaped Wire Mesh Gabion Boxes as per Sll 16014:2012, MORTH Clause 2500, of required size, Mesh Type. 10X12 (D=100mm wit tolerance of 2%) Zinc +10% Alloy+PVC coated (Polymer Coated Mesh wire diameter 2.7/3.7mm (ID/OD) mechancially edged/selvedged with partitions at every 1m interval and shall have minimum 10-Nos of openinings per meter of mesh perpendicular to twist, tying with diameter lecing wire of 2.2/3.2mm (ID/OD) supplied @ 3% by weight of Gabion Boxes, filled with boulders of leastdimension of 200mm, as per drawing and direction of engineer incharge at site	146.630	Kg	3325.050	487552.08
20.00	Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification	535.000	Kg	61.500	32902.50
21.00	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	18861.340	Kg	87.175	1644237.31
22.00	Providing and fixing of tower bolts of 16mm dia, 25cm long full theraded to be mebaded in cement concrete with bolts including all carriage	60.000	No	200.000	12000.00

OT  
  
 Xen.



	Particulars	Qty	Unit	Rate	Amount
3.00	providing and fixing of MS plate for anchoring of over saddle / anchor block with nuts bolts, already fitted in concrete by 4mm thick 200 mm wide and average length 50cm MS plate complete job in all respects.	94.200	Kg	112.000	10550.40
24.00	Supplying ast site angle iron post and strut of 50 mm x 50mm x 6mm including boottom to split and bent at right ange in opposite direction for 10cm length abnd drelling holes up to 10mm dia extra complete	695.000	Kg	88.500	61507.50
25.00	Structural steel in single section / fixed with without conneting plate including curtting hositing , fixing in position and applying primering coat of apprived and all job complete	1315.000	Kg	102.245	134452.18
26.00	Providing and fixing of G.I chain linkfabric fencing of required wedith in mesh size 50x50 mm including strengthing with 2 m dia wire and nuts , bolts abd washer are required complete as per the dir4ection of Engineer incharge. Made of G. I wire of dia 4mm	194.000	Sqm	733.500	142299.00
27.00	Providing and fixing of two M.S surface box for sluice/gate valve one for inlet and one for outlet including embedding of vertical members of iron embedded into concrete blocks with Angle Iron frames 50X50X6mm , Angle Iron Lid Frame 40X40X5mm with M S Sheet of 4mm thick for lid on sides and including locking arrangements handles/hinges Complete Job.	1090.000	Kg	92.850	101206.50
28.00	Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site.	331.740	Kg	102.245	33918.76
29.00	Providing and fixing of PVC ISIS Mark inside concrete wall for inlet and outlet of 40mm/50mm dia ength	45.000	No	200.000	9000.00
30.00	Providing and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work)				0.00
30.10	65mm dia	6.000	Nos	6000.000	36000.00
32.00	Providing and laying of filter media as per direction of Engineer incharge source from ganderbal all kinds of carriage up to actual site of work complete job.	70.080	Cum	7500.000	525600.00
33.00	Providing and fixing 50mmDia GI Bend in dome slab with one and provided with wire guage mesh. The bends are to be fixed in dome slab during concreting for elevation purpose quality	6.000	No	500.000	3000.00
34.00	Providing and fixing of MS Flanges (8-mm thick) to GI pipes including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of nuts, bolts, rubber, gaskits, washers including all carraiges upto site of work complete job.				0.00
34.10	80mm dia	91.000	Joints	1200.000	109200.00
34.20	65mm dia	91.000	Joints	1000.000	91000.00
34.30	50mm dia	200.000	Joints	750.000	150000.00
34.40	40mm dia	218.000	Joints	500.000	109000.00
35.00	Laying, fitting, commissioning and testing of GI Pipes including providing and fixing of pipe specials				0.00
35.10	80 mm dia GI pipes	800.000	Mtr	73.050	58440.00
35.20	50 mm dia GI pipes	2000.000	Mtr	40.800	81600.00
35.30	40 mm dia GI pipes	2300.000	Mtr	40.800	93840.00
35.40	25 mm dia GI pipes	3000.000	Mtr	30.650	91950.00

*[Signature]*  
To

*[Signature]*  
Xen.



S#	Particulars	Qty	Unit	Rate	Amount
35.50	20 mm dia GI pipes	3500.000	Mtr	20.250	70875.00
35.60	15 mm dia GI pipes	1500.000	Mtr	20.250	30375.00
36.00	Cement concrete flooring 1;2:4 ( 1 cement 2 course sand 4 graded stone agg) floating coat of neat cement inclding cenment slurry and curing complete, but excluding the cost of noising of steps	42.360	Sqm	508.035	21520.36
37.00	providing and laying 50mm thick DPC with cement concete 1:2:4 and curing complete for walls	23.720	Sqm	410.135	9728.40
38.00	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fasts lugs or with dash fasteners of required dia or length (hold fast lugs or with dash fasteners shall be paid for seperatly) in 2nd class kail wood.	0.740	Cum	92065.350	68128.36
39.00	Brik work with common burnt clay F.P.S (non-modular )bricks of class designation 75 in foundation ,super structure, above plinth level upto floor five level upto floor five level (1:6) mix Ground floor walls Qty=146*9*9=985.5	22.210	Cum	7507.400	166739.35
40.00	Finshing external /internal walls 15mm thick cement plasdter with curing (1:4) mix complete.	261.210	Sqm	300.450	78480.54
41.00	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed but hinges bright finished of required size with necessary screws class kail wood @35mm thick	7.350	Sqm	3726.050	27386.47
42.00	Providing and fixing wire gauze Shutters using galvanized M.S. wire gauze of average width for aperture 1.4mm in both directions with wire of dia. 0.63mm for doors, windows and clerestory windows with ISI marked M.S. pressed but hinges bright finished of required size with necessary screws as per direction of engineer- in-charge	9.010	Sqm	3651.650	32901.37
43.00	providing and fixing paneled or paneled and Glazed shutters for doors and windows and clerestory windows a fixing with butt hinges of required size with necessary secures , excluding paneling which will be paid for seperately all complete as per direction of enginer incharge. (first Class kail wood)	9.610	Sqm	3093.800	29731.42
44.00	Providing and fixing panelling or panelling and glazing in planned or palled and glazed shutters for doors, windows and clerestory windows (area of opening for pannel insert exculding portion iside grooves or rebates to be measured) panelling for panelled or panelled and glazed shuters 25mm to 40mm thick .	7.230	Sqm	1931.200	13962.58
45.00	Providing and laying first quality ceramic glazed wall/floor tiles confirming to IS 13753 of minimum thick 5mm of approved make like, NITCO, ORIENT, SOMANY, KAJARIA or equivalent make in all colours, shades, except bergundy, bottle green, black of any size as approved by engineer-in-charge laid on 20mm thick bed of cement mortar (1:4) including pointing the joints with white cement and matching pigments etc complete.	36.670	Sqm	1216.050	44592.55
46.00	Flooring with marble stone of specified thickness as per samole of marble approved by engineer-in-charge, over 20mm (average) thick base of cement mortar 1:4 (1 cement :4 coarse sand ) laid and jointed with grey cement slurry including rubbing, polishing and curing complete with udaipur green marble.	4.180	Sqm	2206.450	9222.96

*P. To*

*copy Xerox.*





#	Particulars	Qty	Unit	Rate	Amount
47.00	Finishing walls with water proofing cement paint of required shade on new work (two or more coats applied @ 3.84 kg /10sqm)As per plastering inner walls washout for super structure	101.730	Sqm	91.800	9338.81
48.00	Applying one coat of water thinable cement primer approved brand and manufacture on wall surface.Qty as above item no 19=101.73sm	101.730	sqm	59.350	6037.68
49.00	Applying priming coat :with ready mixed pink or grey primer of approved brand and manufacture on wood work(hard and soft wood) with ready mixed aluminum primer of approved brand and manufacture on resinous wood and ply wood	37.340	Sqm	59.500	2221.73
50.00	Painting with enamel paint of approved brand and manufacture to give an even shade.Two or more coats on new work	37.340	Sqm	121.950	4553.61
51.00	Providing and applying white cement based puttey of average thickness 2mm of approved brand and manufactures,over the plasterd wall surface to prepare the surface even and smooth complete.For plinth outside	189.550	Sqm	172.400	32678.42
52.00	Providing and fixing of pre colour coated glavanized iron sheets (size,shape and pitch of corrugation as approved by engineer incharge (0.5mm thick )including self drilling,self typing,screws, EPDM seal or with polymer coated J or L hooks,bolds and nuts etc including ridges/valleys of required width as approve engineer incharges	88.000	Sqm	830.250	73062.00
53.00	Providing & fixing plained eves barding 250*32mm nomial size of kail wood	75.000	RM	693.900	52042.50
54.00	Providing ridgs or hips of width 60cm over all width plain G.S.sheets fixed with polymer coated J.or L hooks,bolts and nuts 8mm dia G.I.0.63 mm thick with zinc coating not less than 275gram/m2 limpet and bitumen washers complete	10.670	RM	691.350	7376.70
55.00	Supply and filling in plinth level with fine Sand under floors including watering,raming,conseladating and dressing complete	17.280	Cum	787.400	13606.27
56.00	providing and fixing 12mm thick flat preseed 3 layer medium density paticle board or graded paricle board (Grade1) IS:3087 marked,in ceiling with necessary nails etc.complete(frame work to be paid seperately)	8.910	Sqm	880.700	7847.04
57.00	Providing/fitting of hold fast for doors,windows of M.S plate iron 50 x 4mm including fitting of one limb with the frame and other limb in the brick work to hold the frame properly in position.	38.080	Kg	112.000	4264.96
58.00	Providing and fixing of water closet (Indian Type)squatting pan with 100mm dia.PR trap flushing cisten with handle lower with all fitting and fixtures.	1.000	No	5062.500	5062.50
58.10	Providing and fixing soil,waste and went pipes.				0.00
58.20	100mm dia pipe	20.000	Mtr	898.870	17977.40
58.30	75mm dia pipe	15.000	Mtr	772.120	11581.80
58.40	Vitres china wash basin flate back 550*400	1.000	No	1249.250	1249.25
59.00	Stainless steel kitchen sink with C.I.brackets and plug40mm with drain board	1.000	No	3068.130	3068.13
60.00	P.V.C waste pipe for sink and wash basin 40mm scmiright	2.000	No	78.000	156.00
61.00	Trap for self cleaning design with hindede grating	2.000	No	773.500	1547.00
62.00	600mm long towel rail	1.000	No	800.000	800.00
63.00	450*450 main hole cover and frame for septic tank	2.000	No	1225.500	2451.00

*[Handwritten signature]*

*[Handwritten signature]*  
Sec.



S#	Particulars	Qty	Unit	Rate	Amount
64.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes having thermal stability for hot and cold water supply, including or CPVC plain and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of engineer incharge	36.000	Mtr	234.150	8429.40
65.00	Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch, sockets conduit wiring complete job	20.000	Point	2250.000	45000.00
66.00	Providing and fixing of electric wiring 7/20 for electric points (including switch, sockets conduit wiring complete job	10.000	Point	3750.000	37500.00
67.00	Providing and fixing of MCB mounted on wall as required at site complete job	4.000	Point	1500.000	6000.00
68.00	Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing (rectangular shape 453*357mm	2.000	NO	1100.000	2200.00
69.00	Providing and fixing of 600x120mm x 5mm glass shelf with edges round of supported on anodise aluminium angle frame with cp brass bracket and guard rail complete fixed with 40mm long screws complete job	1.000	NO	850.000	850.00
70.00	Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc				0.00
70.10	100mm dia	4.000	NO	530.000	2120.00
70.20	75mm dia	4.000	NO	350.000	1400.00
71.00	Providing and fixing double equal junction of required degree				0.00
71.10	100mm dia	3.000	NO	800.000	2400.00
71.20	75mm dia	3.000	NO	700.000	2100.00
72.00	Providing and fixing of floor traps				0.00
72.10	100 mm dia	2.000	NO	950.000	1900.00
72.20	75mm dia	1.000	NO	780.000	780.00
73.00	Providing and fixing of water heaters I.S.I Mark standard quality 50 liter capacity with inlet outlet connection and electric connection complete job	1.000	NO	8500.000	8500.00
74.00	Providing and fixing of main hole covers with frame 450x450mm size	2.000	NO	600.000	1200.00
75.00	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer				0.00
75.10	Cement and Steel (30-Kms)	263.250	Mton	445.950	117396.34
75.20	Sand. (35-Kms)	233.093	Cum	551.330	128511.16
75.30	Agg. 20mm (80-Kms)	344.220	Cum	998.450	343686.46
75.40	Agg. 40mm (80-Kms)	42.750	Cum	1085.200	46392.30
75.50	Bricks (80-Kms)	11105.000	Nos	2.657	29505.99
75.60	carriage of timber (30-Kms)	0.740	cum	573.379	424.30



S#	Particulars	Qty	Unit	Rate	Amount
77.00	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer (600-Mtrs)				0.00
77.10	Cement	156.239	Mton	400.680	62601.84
77.20	Steel	107.011	Mton	682.590	73044.64
77.30	Sand.	233.093	Cum	712.600	166102.07
77.40	Agg. 20mm	344.220	Cum	712.600	245291.17
77.50	Agg. 40mm	42.750	Cum	770.360	32932.89
77.60	Stone Soling	358.600	Cum	838.320	300621.55
77.70	Bricks	11105.000	Nos	1.320	14658.60
77.80	carriage of timber	0.740	cum	438.310	324.35
				<b>Total</b>	<b>13970443.88</b>
<b>Excess (+)</b>		<b>3.90%</b>		<b>14515291.194</b>	

Rupees One Crore Forty Five Lakh(s) Fifteen Thousand Two Hundred Ninety One And Paise Nineteen Only

Checked by

Head D/M

Executive Engineer  
Hydraulic Division Uri