

5

Government of Jammu and Kashmir
OFFICE OF THE EXECUTIVE ENGINEER, JSD (PHE) DIVISION, PULWAMA

No. PHEP/ 11.89-92
Dated. 07.06.2021

Mr. Bashir Ahmad Naik,
Contractor,
S/o. Ghulam Ahmad Naik,
R/o Zagigam, Pulwama
Regd. No. 24/AAY/SE/HYDL/SHOPIAN/2004-05

Sub :- Retrofitting of Water Supply Scheme Puchhal by way of Providing & laying of GI pipes, construction chain link fencing, providing RCC jacketing/ RCC doome to existing SR including dismantling of old wooden / CGI truss etc and Supply Installation, Testing & Commissioning of electrical & mechanical works including installation of 220 No. FHTC's for Puchhal (JMM).

Ref:- 1- E-NIT S.No. 03/PHEP/Fresh of 2021-22, job No. (1), Circulated vide this office No. PHEP/345-57 Dated:- 19-04-2021
2- Suptdg. Engineer Hydl. Circle, Shopian's letter No. SE/Hyd/957-58 dtd. 2-6-2021
3- Executive Engineer, PHE (Mech) Divn, South Awantipora's letter No. MDSA/310 dtd. 08-06-2021

Advertised Amount of work: ₹ 71,33,000.00
Alloted Amount of Work: ₹ 63,63,300.00
Rupees Sixty Three Lakh(s) Sixty Three Thousand Three Hundred Only

For and on behalf of the Lt. Governor Union Territory of J&K, the contract for the above noted work is hereby fixed with you at the following rates quoted/accepted by you on the terms and conditions given as under:-

Sl. No.	Description of work	No.or Qty.	Unit	Estd. Rate	RATE	
					Figures	Words
1.00	Dismantling of truss with CGI roofing including wooden beams , rafters , purlins , etc of S.R including stacking of serviceable material within 50m lead and carriage of serviceable material upto divisional store Pulwama including engagement of labour for cleaning of S.R including removing of silt and worn out material from bed of S.R and washing of walls with bleaching powder complete . (to be paid as per actual details/measurements)					
1.10	Carpenter 2nd class	2.00	No	666.00	600.00	Rupees Six Hundred Only
1.20	Labour/helper	4.00	No	503.00	500.00	Rupees Five Hundred Only
2.00	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meters lead.	115.55	Sqm	35.35	35.00	Rupees Thirty Five Only
3.00	Earth work in excavation by manual means in trenches for foundations ,drains, pipes, cables etc (not exceeding 1.5mtr in width) and for shafts ,wells , cesspits, and the like not exceeding 10sqm on plan ,including dressing of sides and ramming of bottoms lift upto 1.5m, including getting out excavated earth and disposal of surplus excavated earth as directed. All kinds of soils	807.12	Cum	436.00	400.00	Rupees Four Hundred Only
4.00	Providing and laying of stone solling hand packed including watering dressing and ramming all complete	24.75	Cum	612.50	600.00	Rupees Six Hundred Only
5.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:4:8 mix (1 cement :4 coarse sand :8 graded stone aggregate 40 mm nominal size)	8.29	Cum	4419.85	4419.85	Rupees Four Thousand Four Hundred Nineteen And Paise Eighty Five Only
6.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:3:6 mix (1 cement :3 coarse sand :6 graded stone aggregate 20 mm nominal size)	74.34	Cum	4943.40	4943.4	Rupees Four Thousand Nine Hundred Forty Three And Paise Forty Only
7.00	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centring, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	10.63	Cum	7091.60	7000.00	Rupees Seven Thousand Only
8.00	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centring shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	17.94	Cum	8552.85	8500.00	Rupees Eight Thousand Five Hundred Only
9.00	Reinforced cement concrete work in arches, archtrubs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centring, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	8.91	Cum	9458.65	9458.65	Rupees Nine Thousand Four Hundred Fifty Eight And Paise Sixty Five Only
10.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	19.43	Cum	8953.95	8900.00	Rupees Eight Thousand Nine Hundred Only
11.00	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:6 (1 cement : 6 coarse sand)	16.21	Cum	6183.75	6183.75	Rupees Six Thousand One Hundred Eighty Three And Paise Five Only
12.00	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	16.21	Cum	1323.65	1300.00	Rupees One Thousand Three Hundred Only
13.00	Steel reinforcement for RCC work including straightening, cutting , bending , placing in position and binding all complete upto plinth level thermo -Mechanically -Treated bars of grade Fe-500D or more	3334.50	Kg	79.25	79.25	Rupees Seventy Nine And Paise Twenty Five Only
14.00	Centring shuttering including strutting , propping etc. and removal of form work for					
14.10	Foundation footings , bases for columns	145.46	Sqm	262.30	220.00	Rupees Two Hundred Twenty Only
14.20	Suspended floors, roofs, landings, balconies and access platforms	69.78	Sqm	635.60	400.00	Rupees Four Hundred Only
14.30	Edges of slabs and breaks in floors and walls Under 20 cm wide	35.06	Mtr	242.30	200.00	Rupees Two Hundred Only

Sub.: Retrofitting of Water Supply Scheme Puchhal by way of Providing & laying of GI pipes, construction chain link fencing, providing RCC jacketing/ RCC doome to existing SR including dismantling of old wooden / CGI truss etc and Supply Installation, Testing & Commissioning of electrical & mechanical works including installation of 220 No. FHTC's for Puchhal (JJM).

14.40	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	280.14	Sqm	573.85	450.00	Rupees Four Hundred Fifty Only
14.50	Columns, pillars, piers, abutments, posts and struts.	12.48	Sqm	680.15	600.00	Rupees Six Hundred Only
14.60	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	60.90	Sqm	502.85	400.00	Rupees Four Hundred Only
14.70	Arches, domes, vaults upto 6 m span	59.46	Sqm	2086.80	1800.00	Rupees One Thousand Eight Hundred Only
14.80	Extra for arches, domes, vaults exceeding 6 m span	59.46	Sqm	1008.45	700.00	Rupees Seven Hundred Only
15.00	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): Kiln seasoned and chemically treated hollock wood	.63	Cum	71285.00	71000.00	Rupees Seventy One Thousand Only
16.00	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding paneling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). Kiln seasoned & chemically treated hollock wood	16.54	Sqm	2373.85	2300.00	Rupees Two Thousand Three Hundred Only
17.00	Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : Kiln seasoned and chemically treated hollock wood	9.22	Sqm	2653.45	2600.00	Rupees Two Thousand Six Hundred Only
18.00	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters. 80x1.20 mm M.S. laths with 1.20 mm thick top cover	6.76	Sqm	2781.05	2500.00	Rupees Two Thousand Five Hundred Only
19.00	Providing and fixing ball bearing for rolling shutters	2.00	No	483.10	450.00	Rupees Four Hundred Fifty Only
20.00	12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand)	736.16	Sqm	260.05	220.00	Rupees Two Hundred Twenty Only
21.00	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	23.00	Kg	57.90	55.00	Rupees Fifty Five Only
22.00	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	126.54	Sqm	91.80	90.00	Rupees Ninety Only
23.00	Providing and laying S&S Centrifugally Cast (Spun) Ductile Iron Pipes conforming to IS : 8329 100 mm dia Ductile Iron Class K - 7 Pipes	350.00	Mtr	RQC	1108.15	Rupees One Thousand One Hundred Eight And Paise Fifty Only
24.00	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work)					
24.10	50 mm dia G.I pipes	1000.00	Mtr	RQC	477.5	Rupees Four Hundred Seventy Seven And Paise
24.20	40 mm dia G.I pipes	917.00	Mtr	RQC	386.05	Rupees Three Hundred Eighty Six And Paise Five
24.30	25 mm dia G.I pipes	1160.00	Mtr	RQC	249.00	Rupees Two Hundred Forty Nine Only
24.40	20 mm dia G.I pipes	810.00	Mtr	RQC	182.65	Rupees One Hundred Eighty Two And Paise
24.50	15 mm dia G.I pipes	2640.00	Mtr	RQC	144.4	Rupees One Hundred Forty Four And Paise Forty Only
25.00	Making connection of G.I distribution branch with G.I main of following size by providing and fixing tees, including cutting and threading the pipe etc complete					
25.10	(a) 25 to 40 mm nominal bore	20.00	No	666.25	500.00	Rupees Five Hundred Only
25.20	(b) Above 40 mm nominal bore	4.00	No	1268.75	1100.00	Rupees One Thousand One Hundred Only
26.00	Filling available excavated earth (Excl. rock) in trenches, plinth sides of foundation etc. layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering lead upto 50mtr and lift upto 1.5mtr	668.35	Cum	198.70	130.00	Rupees One Hundred Thirty Only
27.00	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete Welded	913.03	Kg	92.85	90.00	Rupees Ninety Only
28.00	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer incharge. Made of G.I. wire of dia 4 mm	117.12	Sqm	733.50	733.00	Rupees Seven Hundred Thirty Three Only
29.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	4.32	Cum	5877.45	5500.00	Rupees Five Thousand Five Hundred Only
30.00	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. 40mm thick with 20 mm nominal size stone aggregate	38.73	Sqm	461.85	400.00	Rupees Four Hundred Only
31.00	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	130.00	Kg	133.30	110.00	Rupees One Hundred Ten Only
32.00	Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete, 2 mm thick	283.47	Sqm	172.40	160.00	Rupees One Hundred Sixty Only
33.00	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/ liter	21.00	Sqm	59.50	58.00	Rupees Fifty Eight Only

Sub :- **Retrofitting of Water Supply Scheme Puchhal by way of Providing & laying of GI pipes, construction chain link fencing, providing RCC jacketing/ RCC doome to existing SR including dismantling of old wooden / CGI truss etc and Supply Installation, Testing & Commissioning of electrical & mechanical works including installation of 220 No. FHTC's for Puchhal (JJM).**

34.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	480.15	Sqm	121.95	121.95	Rupees One Hundred Twenty One And Paise
35.00	Providing and fixing of sanitary items of standard quality like 1000 filters sintex , V.C Indian type , flush tank , with all accessories , pvc pipe , pipe specials , C.P items , p trap , floor trap, bends , steel sink , connecting with soakage , whichever be necessary to make functional all complete (to be paid as per actual details /measurements with supporting voucher duly verified by AEE concern)	1.00	Job	RQC	1300.00	Rupees One Thousand Three Hundred Only
36.00	Providing fixing supplying P.C.C rings including earthwork excavation and disposal of surplus excavated material outside the premises including providing and laying cement concrete in 1:2:4 mix over septic tank and soakage pit , construction of man hole chambers with angle iron frame and covering arrangements , providing fixing of P.V.C pipe (prince make B class) including bends whichever is required at site or as per directions of Engineer- in- charge (3 compartments for septic tank and 1 for soakage pit (to be paid as per actual details /measurements)	13.00	Mtr	RQC	600.00	Rupees Six Hundred Only
37.00	Providing ,supplying fixing instillation of electric fittings of standard quality incl. 19/18 copper wire cable connection with transformer , instillation of panel board, switch board, switches, lighting points, heating points, fans , exhaust fans pvc conduit, havelis wire , MCB, changeover , whichever is related to the item and found necessary at site or as per directions of Engineer- in- charge (to be paid as per actual details /measurements with supporting vouchers duly verified by AEE concern)	1.00	Job	RQC	8000.00	Rupees Eight Thousand Only
38.00	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. In colour such as White, Ivory, Grey, Fume Red Brown	15.30	Sqm	1052.75	1000.00	Rupees One Thousand Only
39.00	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	110.00	Kg	92.85	85.00	Rupees Eighty Five Only
40.00	Providing fixing of poplar wood of standard quality including necessary nails , and carriage complete . (to be paid as per actual details /measurements with supporting vouchers duly verified by AEE concern)	140.00	Cft	RQC	430.00	Rupees Four Hundred Thirty Only
41.00	Providing corrugated G.S sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks , bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I filled with white lead , including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal / vertical or curved surface) excluding the cost of purlins , rafters and trusses and including cutting to size and shape wherever required 0.63mm thick with zinc coating not less than 275gram/sqm	97.58	Sqm	951.80	900.00	Rupees Nine Hundred Only
42.00	Providing and fixing plained eaves boarding. 250x32 mm (nominal size)	10.65	Mtr	693.90	690.00	Rupees Six Hundred Ninety Only
43.00	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J, or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete .with 0.63 mm thick with zinc coating not less than 275 gram/m ²	15.56	Mtr	691.35	690.00	Rupees Six Hundred Ninety Only
44.00	Carriage of material from source of site upto site of work by mechanical transport including loading unloading stacking at site complete					
44.10	Sand and Bajri avg lead 10km	295.46	Cum	244.22	200.00	Rupees Two Hundred Only
44.20	Cement and steel avg lead 5km	54.60	M.T.	159.44	120.00	Rupees One Hundred Twenty Only
44.30	Stone solling avg lead 15km	27.65	Cum	349.42	300.00	Rupees Three Hundred Only
44.40	Dismantling truss/CGI roofing to divisional store	1.00	Trip	RQC	2000.00	Rupees Two Thousand Only
44.50	Bricks avg lead (15 Kms)	7800.00	No	0.79	.50	Rupees And Paise Fifty Only
45.00	Fabrication, Providing and fitting of Modular control panel with appropriate size fabricated out of 16SWG sheet having required openings / vents and protection Class: 1P 55& fitted with accessories (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	10000.00	Rupees Ten Thousand Only
46.00	Providing, fitting, testing and commissioning of 50 KVA voltage controller (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	75000.00	Rupees Seventy Five Thousand Only
47.00	Providing and Fitting of 16 sq. mm, 3 core flat submersible cable for interconnecting of various electrical gadgets through proper system including thimbles of appropriate size including all thimbles crimping taping etc. (L&T or Havelis make)	90.00	Mtr	RQC	500.00	Rupees Five Hundred Only
48.00	Main Service Line: Providing / Fitting of 50 mm Sq. 3.5 core, XLPE Armoured Al. Cable conforming to IS: 7089 part 1st as service line from the HT transformer to control panels through the changeover arrangement for proper operation of both DG set and Power supply as per requirement including all thimbling crimping taping etc. Havelis make NOTE: - The cable terminal ends for connection to switchgear at various requisite points shall be Al. Thimbles of dowel's make and of appropriate size and connected by hydraulic crimp tool only.	90.00	Mtr	RQC	350.00	Rupees Three Hundred Fifty Only
50.00	Internal Cabling: Providing and Fitting of 19/18 copper cable for interconnecting of various electrical gadgets through proper system including thimbles of appropriate size including all thimbles crimping taping etc.	90.00	Mtr	RQC	280.00	Rupees Two Hundred Eighty Only
51.00	Providing and erection of 9 Mtr. long Hot Dip Galvanized octagonal pole (single Section) with bottom 150mm, thickness 3mm with 70 Microns Zinc coating having inside arrangement for providing of power connection (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Unit	RQC	12000.00	Rupees Twelve Thousand Only
52.00	Providing installation testing and commissioning of area lighting 120 Watt LED (Street Light Type) (as specified under Technical Specifications shown in Annexure A of Tender Document)	2.00	Job	RQC	5000.00	Rupees Five Thousand Only
53.00	Providing Laying and connection of 2Cx10 mm ² XLPE Aluminium Armoured Cable from the connector of high mast pole to the stabilizer. The job includes underground laying or overhanging as per requirement and directions of the site in charge. Make: Havel's/Gloster.	50.00	Mtr	RQC	130.00	Rupees One Hundred Thirty Only

Sub :- **Retrofitting of Water Supply Scheme Puchhal by way of Providing & laying of GI pipes, construction chain link fencing, providing RCC Jacketing/ RCC dome to existing SR including dismantling of old wooden / CGI truss etc and Supply Installation, Testing & Commissioning of electrical & mechanical works including installation of 220 No. FHTC's for Puchhal (JJM).**

54.00	Supply, installation testing & commissioning of DP, MCB of required size enclosed in steel enclosure with stand including cost of lugs, Cable Gland etc. within the quarter.	1.00	No	RQC	1000.00	Rupees One Thousand Only
55.00	Electrification of Pump House : P/F of lighting points in 1.5 mm Sq. multi strand PVC wire as conducted to be laid /carried in PVC channel /conduit as per site requirement. The job includes providing and fitting of 5 Amp. Switch Button /angle holders to be fitted with 9 watt Orpat / Havel's Led lamps inside the Pump house.	8.00	Job	RQC	650.00	Rupees Six Hundred Fifty Only
56.00	P/F of heating points in 2.5 sq. multi stand conductor to be laid carried in PVC channel / conduit as per site requirement. The job includes providing and fitting of 16 Amp. Switch socket combine Havel's make.	2.00	Job	RQC	750.00	Rupees Seven Hundred Fifty Only
57.00	P/F of distribution board SP&N (Regal Grey) with 1 No. of Incoming and outgoing 8 ways. Make-QVE (DB) Havel's make, fitted with mini MCB "C" series 6 A- 8 No. for lighting in pump house. 10 A-5 No. for flood lights and 16 Amp 2 No. for Heating Points 36 Amp. MCB (Mains)-Havel's make. The job includes the cost 4mm sq. multi stranded conductor to be laid as service line for lighting system.	1.00	Job	RQC	5000.00	Rupees Five Thousand Only
58.00	Providing and Fitting of Ceiling Fans of Bajaj/Havel's make having 1200mm sweep. The job includes P/F of 1.5 sq. mm FRLS conductor, PVC conduit, ON/OFF Switch, PVC box, etc. required for the job.	1.00	Job	RQC	1500.00	Rupees One Thousand Five Hundred Only
59.00	Supply & Installation of 0.850 KvaMicrotek /Luminous make inverter along with 12 volts 150 AH Exide/Luminous make battery complete with leads terminals & thimbles. The job also includes all the charges on account of carriage, wiring and arrangement of skilled labour for installation of inverter.	1.00	Job	RQC	32000.00	Rupees Thirty Two Thousand Only
60.00	Providing/ laying of 6mm thick high density anti-skid rubber floor matting on the machine floor level area including the floor surface area around power control panels and other gadgets. The job includes cleaning of the floor and the under surface of the matting removing dust, dirt, grease and loose sand grains if any. Applying the adhesive of sufficiently high bonding strength both on the floor as well as on the under surface of the rubber matting for fixing.	50.00	Sft	RQC	120.00	Rupees One Hundred Twenty Only
61.00	ELECTRICAL SUB-STATION : Supply, installation, Testing and Commissioning of 100 KVA-(level-2) 3 phase and natural air cooled Distribution Transformer (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	140000.00	Rupees One Lakh(s) Forty Thousand Only
62.00	Sub Station: The construction of substation includes: (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	50000.00	Rupees Fifty Thousand Only
63.00	Providing, erection of 9 m long M S Tubular poles of designation 410 SP-33 and fitted with (450x450) mm size M.S plate at the bottom. The job also includes spiral earthing, painting of poles in silver colour, grouting of poles in CC blocks of (M-20 mix). P/F of danger plate indicating (11000V-DANGER) and nuts and bolts of assorted size, pin insulators as per site requirement. The job is inclusive of providing and fitting of brace (100x40x5) mm and cross arm (ISM 75, 1.5 m long) including screwed fasteners as per site requirement for holding of 11 KV pin insulators.	4.00	Job	RQC	18000.00	Rupees Eighteen Thousand Only
64.00	Providing, laying, testing and commissioning of 0.03 ACSR conductor to serve as HT line from HT tapping source to substation.	382.00	Mtr	RQC	55.00	Rupees Fifty Five Only
65.00	Providing/ Fitting/Testing and commissioning of 11 KV lightning arrester set (station type) as per REC standard conforming to IS 3070 Part III. Test certificate from the Manufacturer must be produced on delivery of the item.	1.00	Job	RQC	7500.00	Rupees Seven Thousand Five Hundred Only
66.00	Providing/ Fitting/Testing / Commissioning of 11 KV G.O link set (3 pieces) of reputed make as per REC Standard including Pipe of suitable length & diameter for its operation. Test certificate from the Manufacturer must be produced on delivery of the item.	1.00	Job	RQC	5000.00	Rupees Five Thousand Only
67.00	Providing/ Fitting/Testing and commissioning of drop out Fuse Set (Horn -Gap type) suitable for 11 KV line as per REC Standard F6. Test certificate from the Manufacturer must be produced on delivery of the item.	1.00	Job	RQC	5000.00	Rupees Five Thousand Only
68.00	Providing, Laying, testing and commissioning of G.I flanged Rising Main for Water Supply Scheme Puchhal. The Pipe shall be G.I (Heavy Duty) having a nominal diameter of 80 mm conforming to IS 1239. The job includes providing and fitting of M.S Flanges conforming to BIS 6392 Table 5. (as specified under Technical Specifications shown in Annexure A of Tender Document)	300.00	Mtr	RQC	1200.00	Rupees One Thousand Two Hundred Only
69.00	Fabrication, providing & fitting of 65 mm dia. (Class - C) Flanged GI column pipes each of 10 ft length, the job includes the cost of 16 mm thick MS flanges and welding in two layers to make the flanged joint strong and leak proof. The pipe of 10 ft length is to be welded on both sides with flanges of standard size with Advani /Adore electrode (Advani/Oerlikon make). The job making of 32mm x 16mm rectangular cable entry slot in each flange. The job also includes all types of skilled labourers, power supply diesel generator etc required for the job, with suitable size nuts bolts RI Cloth in the flanged joints of column pipes.	12.00	Job	RQC	1000.00	Rupees One Thousand Only
70.00	Fabrication and fitting of delivery flanged piping arrangement with wash out manifold fabricated out of 80 mm pipe (12 mtr) P/F of Flanged Tee (1nos) made out of 80 mm dia G.I. pipe class "B" as per specifications mentioned above. The flange thickness shall be 16 mm and as per IS - 6392. Job includes P/F of M16 flange bolts / nuts chrome plated for connecting the pumping unit with the delivery Manifold.	1.00	Job	RQC	10000.00	Rupees Ten Thousand Only
71.00	Fabrication, providing and fitting of split type MS Clamps 18mm thick for lowering of column pipes and holding of pumping unit after lowering. The job includes the cost of required size of nuts and bolts.	2.00	Job	RQC	2500.00	Rupees Two Thousand Five Hundred Only
72.00	Providing, Fitting, Testing and Commissioning of 80mm Nominal Diameter, Ductile Iron, VAG make EKO Plus Gate Valve of rating PN 10. The valve shall be resilient seated EN 1171, with internal stem thread, face-to-face length according to EN 558-1, flange dimensions according to DIN EN 1092-2. (as specified under Technical Specifications shown in Annexure A of Tender Document)	2.00	Job	RQC	5000.00	Rupees Nine Thousand Only
73.00	Providing, Fitting, Testing and Commissioning of 80 mm Nominal Diameter, Ductile Iron, VAG make, RETO - STOP Non Return Valve of rating PN 10. The valve shall have body and bonnet of ductile iron EN-JS 1030 (GGG-40), with drainage plug disk of ductile iron, fully covered with rubber (EPDM) W270 approval identical seal on both sides, with integrated rubber joint protected against overload, body seat of cast iron, bolts and nuts of stainless steel (A2), (as specified under Technical Specifications shown in Annexure A of Tender Document)	2.00	Job	RQC	10000.00	Rupees Ten Thousand Only

Sub :- *Retrofitting of Water Supply Scheme Puchhal by way of Providing & laying of GI pipes, construction chain link fencing, providing RCC jacketing/ RCC doome to existing SR including dismantling of old wooden / CGI truss etc and Supply Installation, Testing & Commissioning of electrical & mechanical works including installation of 220 No. FHTC's for Puchhal (JJM).*

74.00	Over Head Gantry : Fabrication / Erection of Channel iron column to act as support for resting of monorail crane (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	55000.00	Rupees Fifty Five Thousand Only
75.00	Providing/ Fitting/ fitting of Monorail / Hoist manually operated provided with necessary gear train & hardened steel wheels along with chain pulley block (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	10000.00	Rupees Ten Thousand Only
76.00	Supply, Installation, Testing & Commissioning of Submersible Pumping Equipment (as specified under Technical Specifications shown in Annexure A of Tender Document)	2.00	Job	RQC	45000.00	Rupees Forty Five Thousand Only
77.00	Fabrication providing, fitting of MS Gravel Hooper fabricated out of 40mmx40mmx4 mm angle iron with inner sides covered/welded with 3mm MS sheet. The size of the gravel Hooper shall be 3 feetx3 feet at the top and 2 feet x 2 feet at the bottom and the height shall be 2 ½ feet .The top of the Gravel Hooper shall be covered with 6mm thick chequered plate fabricated in two halves with a provision to accommodate 250mm well casing pipe at centre and the two halves shall be provided with foldable handles for easy lifting. The Gravel Hooper is to be welded with two no 75 x 40mm channel iron lugs 2 feet long on opposite sides to prevent Gravel Hooper sinking, Angle iron 40x40x4=10 mts@2.42Kgs/m=24.2kgs, MS sheet and chequered plate =92kgs, ISLC 75=2.44m@5.7kgs/m=14 kgs	1.00	Job	RQC	10000.00	Rupees Ten Thousand Only
78.00	Providing, Laying of cement concrete block of size 8 feet x 6 feet x 1½, feet in 1:2:4 mix surrounding Gravel Hooper. The job includes excavation cost, form work, shuttering costs, transportation, head load cost etc.	1.00	Job	RQC	11000.00	Rupees Eleven Thousand Only
79.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade, two coats on all items viz, Delivery manifold, MS gantry, gravel Hooper.	1.00	Job	RQC	8000.00	Rupees Eight Thousand Only
80.00	Providing and Fabrication of 6'-6" x 6'-0" size MS angle Iron Framed worker's sleeping bed made out of ISA 50 mm x 50 mm x 6 mm. The job shall include four no of legs 1'-6" long made out of equal iron ISA 50 mm x 50 mm x 6 mm with braces of MS flats 50mm x 4 mm, 2 no (1'-0" Long) for each leg and for central support, 3 no's (6'-0" long each) to be welded precisely with Advani electrodes as per requirement. Job also includes P/F of 19 mm ply board of 6'-6" x 6'-0" size.	1.00	Job	RQC	11500.00	Rupees Eleven Thousand Five Hundred Only
81.00	Providing of tool kit comprising of Flat Spanner 14-27 No (07 Pieces), Ring spanner set 14-27 No (07 pieces), 10" screw Driver, Plier, the tools shall be of Tap aria /Ambika make Provided in canvas bag. The Job also Includes Providing of Chargeable lantern of Andsite make 01 no, .05 no PVC chairs Prima /Cello /Neel kamal make, ,15 ltrs Bucket & mug, ,3 Ltrs. pressure cooker, 3 ltrs Rice Cooker, ,3no steel plates & glasses.	1.00	Job	RQC	5000.00	Rupees Five Thousand Only
82.00	Providing/Supply 10 mm Thermo cool & Excel matting for operators quarter of 12'x14' size, bedding for the operators quarter including 02 no quilts, 12 no mattress 02 no blankets, 02no pillows,	1.00	Job	RQC	2000.00	Rupees Two Thousand Only
83.00	P/F of Electro Magnetic flow meter (Kronhe Marshall type) (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	80000.00	Rupees Eighty Thousand Only
84.00	Providing and fitting of sign boards on sheet metal with proper frame work with blue back ground & written in white (as specified under Technical Specifications shown in Annexure A of Tender Document)	1.00	Job	RQC	6000.00	Rupees Six Thousand Only
85.00	Providing and fitting of 01 No. LED (scroll type) sign board fabricated out of stainless steel and metal showing the names of water supply scheme and the Department. Size: 5'x1'6"	7.50	Sft	RQC	5000.00	Rupees Five Thousand Only

Terms and Conditions:-

- 1- This letter of acceptance and the tender of the contractor/subsequent negotiations will constitute a legal contract document and the conditions laid down in the detailed E-NIT and agreement form No. 25 – double will hold good even before the drawl of an agreement with the department.
- 2- You have to attend the Divisional office along with your enlistment card for drawl of an agreement within a weeks time positively from the date of issuance of allotment. However the non drawl of agreement will not prevent the contract from being enforced upon you.
- 3- That the works is required to be completed within (06) Months and the date of start shall be reckoned after seven days from the date of issue of this allotment letter.
- 4- All other terms and conditions will remain same as per the original agreement form No. 25–double, Form FC – 33 and detailed E-NIT.

Checked

Head Draftsman

Copy to the:-

- 1- Superintending Engineer, Hydraulic Circle, Shopian, for information
- 2- District Development Commissioner Pulwama for information.
- 3- Assistant Executive Engineer, PHE Sub-Div., Tahab for information and necessary action.
- 4- File Concerned.

Executive Engineer
JSD (PHE) Div. Pulwama