

Jammu & Kashmir

OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION SOPORE

M/s Pervaiz Ahmad Parray
 S/o: Gh. Nabi Parray
 R/o: Seripora Baramulla
 Reg. No: 71/SE/HYD/Hand/AYY-Civil/Sanitary 2006-07
 E-mail: parveezsp54@gmail.com
 Phone No: 9149538441
 Position of AAA : Accorded
 Position of T.S : Accorded

No:- 222-28
 Dated: 05-04-2023
 Advt. Cost: Rs.56.23 lacs
 Allott. Cost: Rs.58.42 lacs
 Time of Complt.: 90 days

Subject: - Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji incl. successful Testing & Commissioning of 0.15 Lac Gallons Service Reservoir along with Sluice Chamber, Chain link fencing, Laying & Fitting of Pipes, anchor blocks and allied works at Mundji WSS Takiya Khan Muhammad Mundji under JJM (Tender Id: 2023_PHE_205856_4).

Ref: 1. Your on-line tender received in response to this office E-NIT No: 54/JJM/JSDS of 02/2023 dated: 22-02-2023 S.No: 04
 2. Superintending Engineer Hyd. Circle Sopore's Authorization issued vide No: SE/Hyd./DB/176-88 dated: 04-04-2023

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, contract for the work mentioned above is here by fixed with you on the following negotiated rates, terms and conditions.

A Rates:		Unit	Quantity	Allotted Rate	Amount in Rs.
S. No	Particulars of Items				
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc not exceeding 1.5mtr in width and for shafts wells, cesspits and the like not exceeding 10 Sqm on plan, depth upto 1.5mtr. All kinds of soil	Cum	808.22	436.00	352383.92
2	Earth work in excavation by manual means over areas (exceeding 30cm and upto 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 1mtr from cutting edge disposal earth to be leveled and neatly dressed . All kinds of soil	Cum	250.26	539.40	134990.24
3	Extra for every additional lift of 1.5 mtr. or part thereof in all kinds of soil	Cum	57.70	81.70	4714.09
4	Providing laying of dry stone soling hand packed and compacted manually	Cum	42.07	816.40	34345.95
5	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	34.12	4861.80	165884.62

Head Draftsman
 [Signature]

Technical Officer
 [Signature]

Exen
 [Signature]

Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji under JJM

S. No.	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
6	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	63.00	6465.20	407307.60
7	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	33.91	6978.70	236647.72
8	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	16.44	7800.80	128245.15
9	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc upto floor five level excluding cost of centering, shuttering finishing and reinforcement 1 : 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded crushed stone aggregate 20mm nominal size).	Cum	19.33	9408.10	181858.57
10	Reinforced cement concrete work in arches, arches, domes, vaults, shells, folded plate and roofs having slope more than 15° upto floor five level incld. curing but exclud. The cost of centring, shuttering finishing and reinforcement with 1 cement : 1.5 coarse sand : 3 graded stone agg.) 20mm nominal size incld. all carriages	Cum	5.23	10404.50	54415.54
11	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level (T.M.T Bars)	Kg	8456.92	87.170	737189.16
12	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	4694.19	91.25	427288.64
13	Extra for providing water proofing compound to cement concrete works.	Kg	377.00	57.90	21828.30
14	Providing and fixing of M.S flanges incld. cutting, welding insertion of rubber gasket fixing of nuts and bolts and all sorts of carriage charges complete job 80mm dia	Joint	161.00	1100.00	177100.00
15	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials: 65mm dia G.I	Mtr	1500.00	95.30	142950.00
16	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials: 50mm dia G.I	Mtr	1500.00	58.30	87450.00
17	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials: 40mm dia G.I	Mtr	1200.00	54.62	65544.00

Head Draftsman

Technical Officer

Exen

Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
18	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials: 25mm dia G.I	Mtr	1500.00	39.14	58710.00
19	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials : 20mm dia G.I	Mtr	1000.00	26.76	26760.00
20	Laying and fitting of G.I pipes complete excluding cost of pipes and earth work but incld. cost of pipe specials: 15mm dia G.I	Mtr	1500.00	25.40	38100.00
21	Centering and shuttering including straightening propping etc, and removal of form work for: Foundations, footing, bases of columns etc for mass concrete	Sqm	295.42	262.30	77488.67
22	Centering and shuttering including straightening propping etc, and removal of form work for: Walls (any thickness) including attached pilasters, buttresses, plinth and string courses	Sqm	261.65	573.85	150147.85
23	Centering and shuttering including straightening propping etc, and removal of form work for: Arches, domes valuts upto 6m span	Sqm	26.70	2086.80	55717.56
24	Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms.	Sqm	9.00	635.60	5720.40
25	Extra for shuttering in circular works. Foundations	Sqm	9.90	52.46	519.35
26	Extra for shuttering in circular works. Walls	Sqm	82.00	114.77	9411.14
27	Extra for shuttering in circular works. Dome	Sqm	26.70	417.36	11144.58
28	12mm cement plaster of mix 1 : 3 (1 cement : 3 fine sand) with a floating coat of cement slurry	Sqm	488.27	378.12	184624.65
29	Providing and incorporating G.P sheets for jointing during Construction.	Mtr	68.76	200.00	13752.00
30	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m	Cum	809.16	198.70	160780.09
31	Steel work welded in built up sections/framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc as required. In gratings, frames, guard bars, ladders, railings, brackets, gates and similar works.	Kg	92.25	133.30	12296.93
32	Providing/laying of plain cement concrete in 1 : 3 : 6 mix excluding cost of centring and shuttering, finishing and reinforcement. All works upto plinth level for thrust blocks.	Cum	8.15	5437.70	44317.26


Head Draftsman

Technical Officer

Eken

Page 4th
Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji under JJM

S. No.	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
33	Preparation of subgrade by excavating earth to an average of 22.5 cm depth, dressing to camber and consolidation with road roller of 8-12 tonne capacity including making good the undulation etc. and disposal of surplus earth upto 50 meters.	Sqm	1825.00	139.40	254405.00
34	Supply/Providing and laying stone soling quarry 90-45mm hand broken incld. stacking , laying, spreading Screening uniformly incld. providing laying and spreading khak bajri and watering incld. consolidation with power road roller 8-10 ton capacity to achieve requiried density incld. all carriages costs of material involved.	Cum	182.50	1400.00	255500.00
35	Supply /providing of 63-45mm crushed stone aggegrate and incld. laying spreading uniformly in proper grade incld. considation with power road roller 8-10 ton capacity to achieve proper grade incld. screeing khak bajri brooming, watrereng etc incld. all carriages and costs of material involved complete job.	Cum	182.50	2200.00	401500.00
36	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. Made of G.I. wire of dia 4 mm	Sqm	315.00	733.50	231052.50
37	Painting steel work with deluxe multi surface paint of required shade to give an even shade. Two or more coats applied @0.90litre/10sqm over an under coat of primer applied @ 0.80litre/10sqm of approved brand and manufacture	Sqm	329.40	125.60	41372.64
38	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.two or more coats on new work.	Sqm	329.40	121.95	40170.33
39	Carriage of Materials by Mechanical transport from different sources to nearest dumping site of work including loading, unloading				
40	a) Pipes for avg. lead 10 kms	M.T	30.000	249.650	7489.50
41	b) Cement & Steel for avg. lead 10 kms	M.T	87.140	249.650	21754.50
42	c) Sand for average lead of 20 Kms	Cum	100.000	402.290	40229.00
43	d) 20mm aggregate for average lead of 20 Kms	Cum	126.390	402.290	50845.43
44	e) 40mm aggregate for average lead of 20 Kms	Cum	30.430	437.290	13306.73


Head Draftsman


Technical Officer
Page 5th


Exeq


Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
45	f) Stone soling for average lead of 20 Kms	Cum	42.070	473.250	19909.63
46	Carriage of materials from dumping site to actual site of work by manual labour for an avg. lead of 200 Mtrs				
47	a) Cement	M.T	24.750	220.730	5463.07
48	b) Steel	M.T	5.130	376.050	1929.14
49	c) Sand & 20mm	Cum	23.960	347.000	8314.12
50	d) 40mm agg.	Cum	5.190	375.130	1946.92
51	e) Soling stone	Cum	11.540	408.220	4710.86
52	f) Pipes for average lead of 300 Mtrs	M.T	30.000	452.680	13580.40
	Total				5623067.00
	ABOVE				219299.64
	Below 3.90% on all itmes				5842367.00
	Allotted Cost				

Rates and quantities checked:


Head Draughtsman


Technical Officer


Executive Engineer
Jal Shakti PHE Division
Sopore


B Terms and conditions:

- Total amount of the work should in no case exceed beyond **Rs.5842367.00 (Rs.Fifty eight lacs Forty two thousand Three hundred and Sixty seven only)** which includes all taxes, levies etc applicable as per norms amended by competent authority from time to time.
- The work shall have to be completed by you within a period of **90 days** failing which the panality under rules shall be imposed upon you.
- Performance security @ **3%** of allotted cost i.e **Rs.175271.00** in shape of CDR/BG/FDR shall have be deposited by you in this office within seven days from the date of issue of this allotment from this office failing which action shall be initiated as per SBD of the NIT.
- An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment, failure to executed such a formal deed shall not however prevent the contract from being enforced upon you. However payment on account of this work shall not be considered in absence of agreement.
- The earnest money amounting to **Rs.112460/=** deposited by you in this office as a bid security against the contract vide CDR No: **063194** dated: **18-03-2023** shall be considered for release once the performance security @ **3%** of allotted amount is deposited by you.


Retrofitting of Water Supply Scheme Takiya Khan Mohammad Mundji under JJM

□ The allotted work shall have to be monitored by Third Party Monitoring Agency (WAPCOAS) appointed by the department.

7. All other terms and conditions shall remain same as laid down in E-NIT/ Standard bidding document/PWD from No 25 and GFR-2017.


**Assistant Accounts
Officer**


Technical officer


**Executive Engineer
Jal Shakti PHE Division
Sopore**

Copy to the:

- i) Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information.
- ii) District Development Commissioner Baramulla (Chairperon DJJM) for favour of information.
- iii) Superintending Engineer Hydraulic Circle Baramulla/Bandipora (Member Secretary JJM) for favour of information.
- iv) Assistant Executive Engineer PHE Sub Division Watab for information and necessary action.
- v) M/S WAPCOAS Ltd Corporate office 76-C intuitional area sector 18 Gurgon for information
- vi) Head Draftsman for information.
- vii) File Concerned.