Page 1 of 1

Covernment of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

Allotment Order No.

M/S Farooq Ahmad Beigh

SIO Ali Joo Beign : R/O Gingal Uri

Registration No. CE/CID/AYY-13/97-98 (Civil)

Class

TIN No./GST 01AISPR6065C1ZO

Retrofitting of Water Supply Scheme Gingle by way of

Construction/Commissioning and Testing of Intake Chambers/PSTs/ Name of work

SRs/SSFPs/ Protection works, Chain Link fencing, laying and fitting of GI Pipes

and other allied works (for providing 100% FHTC) under JJM

ONIT No

Your Tender Received in : response to

TENDER ID 2022 IFC 171267 3 14 /Hyd/Uri of 2022-23 ENIT 14/Hyd/Uri_of_2022-23 Dated: 28/05/2022 issued under endorsement No:- HDU/CC-

02/857-67Dated: 28/05/2022 (S. No: 03) Tender ID: 2022_IFC_171267_3

: (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision Reference

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020

Dated: 24-04-2020.

(ii) Minutes of Jourth meeting of the Apex committee of Jai Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.

(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-

(v) IIT loval committee meeting held on 72 AL 7A?? under the Chairmanchin

Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/2022/1214-44 Dated: 24-05-2022.

(viii) District Superintending Engineer Hyd. Circle Bla/Bpr HO Sopore authorization

Rupees Ninety Five Lakh(s) Ten Thousand Three Hundred

No: SE/Hyd/DB/2105-14 Dated: -04/06/2022

3219-21 offd, 20.6.22

: Accorded vide Order No. 89/SE/HYD/DB/JJM OF 2022-23 Dated:-Ref: to AAA

24/09/2022 issued under Endorsement No:- SE/Hyd/DB/8339-44 Dated:-

24/09/2022.

HDU/CC-02/1440-5 Dated: 13/07/2022. LOI issued under NO:-

Advertisement cost Rs: 97.02 Lacs

Allotted cost

₹ 9510311.96 Eleven And Paise Ninety Six Only

: 120-days Time of completion (JJM) M.H. of Account

3053217 Dated: 30/05/2022 ₹ 194,040,00 Amount: CDR NO: Ref. To CDR No. **Branch Office Uri Civil Gingle** : J&K Bank Ltd. Name of the Bank

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following

terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions ..

Time of completion is essence of the contract.

Scanned with CamScanner

Page 2 of 2

- 2 The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
 - An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

4 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.

5 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.

Performance security equivalent to 0.3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.

The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

- The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12 Earnest Money @2% deposited by you in shape of CDR/FDR/Bank Guarantee shall be released after deposition of 03% performance security of the value of the contract

13 All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Checked by

Executive Engineer
Hydraulic Division Uri

gineer Executive Engineer sion Uri Hydraulic Division Uri

404 404 404

Copy to the:

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: SE/Hyd/DB/2105-14 Dated:- 04/06/2022.
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla(Member DJJM) for information.
- 9 Chief Medical Officer Baramulla(Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/District Tribal Welfare Officer Baramulla(Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.

 Assistant Executive Engineer PHE Sub Division Uri for information. This is in continuation to this office LOI issued
- 12 under No: HDU/CC-02/1440-57 Dated:- 13/07/2022.
- 13 File.



Annexure	"A" to	the A	llotment	Order No.	of	/20	1
MIIIICVAIC	7 10	tile A	HOUNELLE	VIUCI NU	. 01		

Retrofitting of Water Supply Scheme Gingle by way of Construction/Commissioning and Testing of Intake Chambers/PSTs/ SRs/SSFPs/ Protection works, Chain Link fencing, laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) under JJM

S#	Particulars	Qty	Unit	Rate	Amount
1.00	E/W in excavation by manual means in trenches for foundations, drains, pipes, cables etc (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, depth upto 1.5 mtr including disposal of excavated earth within 1km from cutting edge, disposed earth to be leveled and neatly dressed:				
1.10	In all kinds of soils	2245.246	Cum	539.350	1210973.43
2.00	Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	1434.372	Cum	198.700	285009.72
3.00	Providing and faying stone soling 2nd class incl. cost of stones	50.686	Cum	616.000	31222.58
4.00	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed.	32.481	Cum	4861.835	157917.26
5.00	Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1:2:4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size)	112 760	Cum	6465.195	735538.77
6.00	Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level I: 1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed		Cum	7800.000	451417.20
7.00	Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size.		Cum	9408.000	684262.66
8.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size)	4.490	Cum	9849.000	44222.0
9.00	Providing hoisting and fixing upto floor five level pre cast reinforced cemen concrete work in string courses, bends, coopings, bedplates, anchor block plain window sills, and the like including setting in position in cement morta 1:5:3 including cost of centering shuttering and curring but excluding cost of reinforcement 1:1.5:3 1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size)	, r f 0.748	Cum	9036.000	6758.9
10.00	approved steel primer all complete.	237.800	Kg	102.000	24255.6
11.00	Providing and Fixing of Hand Rails of approved size by welding extra to stee ladder balcony railing stair case raklling and similar works and applying prime coat	32.020	Kg	191.000	6115.8

only of 32

#	Particulars Reinforced compations and a second compation of the second compati	Qty	Unit	Rate	Amount
.00	Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 150 floor five level inclding curing but excluding cost of centering and shuttering, finshing and reinforcement	8.460	Cum	10404.515	88022.20
,	Centering and shuttering including strutting propping etc. and removal of Form work for.				0.00
.10 F	Foundations, footings, bases of columns	139.120	Sqm	262.300	36491.18
1	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttreeses, plinth and othing sources fillets etc.	960.360		573.850	551102.59
30 (Columns, piers, abutments, pillars, posts and struts	26.460	Sqm	662.600	17532.40
40 8	Suspended floors, roofs, landings, balconies and access platform.	37.760	Sqm	635.600	24000.26
	Arches, Domes, walls upto 60 mtr span	56.400	Sqm	2086.000	117650.40
00 1	12mm cement plaster of mix 1:4 (1-cement: 4-sand)	691.850	Sqm	357.995	247678.84
00 F	Providing and fixing of two M.S surface how for sluice/gate value one for inlet and one for outlet including embedding of vertical members of iron embedded nto concrete blocks with Angle Iron frames 50X50X6mm, Angle Iron Lid Frame 40X40X5mm with M.S. Sheet of 4mm thick for lid on sides and including ocking arrangements handles/hinges Complete Job.		Kg	92.000	31740.00
ir	Reinforcement for RCC works including straightening cutting bending, placing n position and binding all complete TMT Bars.	12748.314	∕ Kg	87.000	1109103.32
00 P	Providing and fixing of hardware items,i.e handles tower bolts locking arrangement etc as per the direction of in charge engineer complete Job	80.000	No	200.000	16000.00
00 F	Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site.	1487.280	Kg	102.000	151702.56
00 ir	Structural steel work in single section, fixed with or without connecting plate, noluding cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2217.600	Kg	91.025	201857.04
00 h	Steel work welded in built up sections/framed work, including cutting, poisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, aillings, brackets, gates and similar works.	735.462	Kg	146.630	107840.79
bl	hoviding and fixing of MC Plates for anchoring of pipe over sadile/anchor locks with nuts and bolts already fitted in concrete 4mm thick 200 wide and verage length 50cms MS Plate complete job in allI respect	125.600	Kg	112.000	14067.20
n lin	roviding and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) cluding cost of all accessories required and all sorts of carriages of material pto site of work)				0.00
0 10	00mm dia	3.000	Nos	8000.000	24000.00
0 80	Omm dia	7.000	Nos	5000.000	35000.00
o wi	roviding and fixing 80mmDia GI Bend in dome slab with one and provided ith wire guage mesh. The bends are to be fixed in dome slab during oncreting for elevation purpose quality	12.000	No	500.000	6000.00
of o an	roviding and fixing of MS Flanges (8-mm Thick)to GI pipes including cutting threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of nuts, bolts, rubber washers, Gaskits cluding all carraiges upto site of work complete job.				0.00
0 15	50mm dia	48.000	Joints	1500.000	72000.00
	my left of	D			
	dent				1 complete

#	Particulars	Qty	Unit	Rate	Amount
4.20	80mm dia	840.000	Joints	1300.000	1092000.0
	65mm dia	160.000	Joints	1100.000	176000.0
	50mm dia	320.000	Joints	900.000	288000.0
1984	Providing and fixing of DVC Directors	80.000	Joints	700.000	56000.0
25.00	oduet of 40mm/50mm dia ength	20.000	No	200.000	4000.00
26.00	lunck complete job	50.760	Cum	7000.000	355320.00
27.00	Providing and fixing (4mm-Dia wire G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge.	327.810	Sqm	733.500	240448.6
28.00	Laying and fitting of GI Pines with GI fitting excluding trenching and refilling				0.0
28.10	50 mm dia GI pipes	1000,000	Mtr	40.800	40800.0
28.20	40 mm dia GI pipes	3500.000	Mtr	40.800	142800.0
28.30	25 mm dia GI pipes	2500.000	Mtr	30.650	76625.0
28.40	20 mm dia GI pipes	3300.000	Mtr	20.250	66825.0
28.50	15mm dia GI pipes	800.000	Mtr	20.250	16200.0
29.00	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer				0.0
29.10	Cement and Steel (29-Kms)	216.789	Mton	433.870	94058.2
29.20	Chain link fencing (29-Kms)	0.357	Mton	433.878	154.8
29.30	Sand. (33-Kms)	139.052	Cum	531.260	73872.7
29.40	Agg. 20mm (67-Kms)	238.812	Cum	876.860	209404.6
-	Agg. 40mm (68-Kms)	30.234	Cum	953.050	28814.5
-	Stone Soling (05-Kms)	35.766	Cum	240.280	8593.8
80.00	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer for an avg. lead of 250Mtrs				0.
0.10	Cement	103.330	Mton	121,220	12525.
0.20	Steel	113.471	Mton	419.260	47573.
0.30	Chain link fencing	0.357	Miton	260.360	92.
~~	Sand.	130,052	Cum	139,220	60035
0.50	Agg. 20mm	238.812	Cum	428.210	102261.
	Agg. 40mm	30.234	Cum	428.610	12958.
	Stone Soling	36.006	Cum	240.280	8651
				Total	9704399.
[Less (-)	2.00%			311.26
F	Rupees Ninety Five Lakh(s) Ten Thousand Three Hundred Eleven And Checked by	∠ E	Execu	itive Eng lic Divis	gineer

Scanned with CamScanner